

# Wisconsin Soil Classifications for Nutrient Management Planning - 2015

Below are the codes used in the "Soils Data" table.

## LEGEND

### Soil Group

S	Sandy
O	Organic
L	Loamy

### Soil Yield Potential

S	Sandy
M	Medium
H	High

### Drainage class

E	Excessively drained
SE	Somewhat excessively drained
W	Well drained
MW	Moderately well drained
SP	Somewhat poorly drained
P	Poorly drained
VP	Very poorly drained

### Available Water Capacity

VL	Very low (< 3 in)
L	Low (3-6 in)
M	Moderate (6-9 in)
H	High (9-12 in)
VH	Very High (>12 in)

### Bedrock Depth

S	Shallow bedrock (<30 in)
---	--------------------------

### Soil Temperature Regime

M	Mesic
F	Frigid

### 590 Fall N restrictions

w	Apparent water table <12 in
p	Highly permeable soil
r	Bedrock <20 in

### CAFO manure prohibitions

w	Apparent water table <24 in
r	Bedrock <24 in

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Adams	Ad	Adrian	O	H	VP			M	w	w	0.5	250	1	0.02	0.002
Adams	AlA	Algansee	S	S	SP	L		M	w	w	1.5	250	5	0.05	0.002
Adams	Au	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.02	0.001
Adams	BIA	Billett	L	H	W	M		M	p		1.5	250	3	0.2	0.014
Adams	BnB	Boone	S	S	E	L		M	p		4	200	3	0.02	0.004
Adams	BnC	Boone	S	S	E	L		M	p		9	150	3	0.02	0.01
Adams	BnD	Boone	S	S	E	L		M	p		18.5	80	3	0.02	0.021
Adams	BpF	Boone	S	S	E	L		M	pr	r	35	60	3	0.02	0.053
Adams	BrA	Brems	S	S	SP	L		M	p		1.5	250	5	0.15	0.006
Adams	BsA	Brems	S	S	SP	L		M	p	w	1.5	250	5	0.15	0.006
Adams	BsA	Newson	S	S	P	L		F	p	w	1.5	250	5	0.15	0.006
Adams	BtB	Briggsville	L	H	W	H		M			4	200	5	0.43	0.046
Adams	CoB	Coloma	S	S	E	L		M	p		4	200	5	0.02	0.002
Adams	CoC	Coloma	S	S	E	L		M	p		9	150	5	0.02	0.006
Adams	CoD	Coloma	S	S	E	L		M	p		18.5	80	5	0.02	0.013
Adams	DeA	Delton	S	S	W	M		M			1	250	4	0.1	0.004
Adams	DeB	Delton	S	S	W	M		M			4	200	4	0.1	0.013
Adams	DeC	Delton	S	S	W	M		M			10.5	150	4	0.1	0.045
Adams	DsA	Delton	S	S	W	L		M			1.5	250	4	0.1	0.005
Adams	EvB	Elkmound	S	S	W	VL	S	M	r	r	4	200	2	0.2	0.053
Adams	Fv	Fisk	S	S	SP	M		M			1	250	5	0.1	0.003
Adams	GaB	Gale	L	H	W	M		M			4	200	3	0.43	0.076
Adams	GaC2	Gale	L	H	W	M		M			9	150	3	0.43	0.206
Adams	GrB	Grays	L	H	W	H		M			4	200	5	0.37	0.039
Adams	GrC	Grays	L	H	W	H		M			9	150	5	0.37	0.107
Adams	Hm	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Adams	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Adams	KnC	Kewaunee	L	H	W	M		M			9	150	5	0.49	0.141
Adams	KnD2	Kewaunee	L	H	W	M		M			16	100	3	0.49	0.464
Adams	KsA	Kibbie	L	H	SP	H		M			1.5	250	5	0.37	0.016
Adams	Le	Leola	S	S	SP	L		M	w	w	1	250	5	0.17	0.006
Adams	MbA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Adams	MoA	Meehan	S	S	SP	L		F	w	w	1.5	250	5	0.05	0.002
Adams	Ne	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Adams	OkB	Okee	S	S	SE	M		M	p		4	200	5	0.1	0.011
Adams	OkC	Okee	S	S	SE	M		M	p		9	150	5	0.1	0.029
Adams	OkD	Okee	S	S	SE	M		M	p		18.5	80	5	0.1	0.064
Adams	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Adams	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.02	0.001
Adams	PfAT	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Adams	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.02	0.002
Adams	PfBT	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Adams	PfC	Plainfield	S	S	E	L		M	p		8	150	5	0.02	0.005
Adams	PfCT	Plainfield	S	S	E	L		M	p		10	150	5	0.05	0.017
Adams	PfD	Plainfield	S	S	E	L		M	p		24	80	5	0.02	0.02
Adams	PfDT	Plainfield	S	S	E	L		M	p		23	80	5	0.05	0.046
Adams	Ps	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Adams	RfA	Richford	S	S	SE	L		M	p		1	250	5	0.15	0.005

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Adams	RfB	Richford	S	S	SE	L		M	p		4	200	5	0.15	0.016
Adams	RfC	Richford	S	S	SE	L		M	p		9	150	5	0.15	0.043
Adams	SoB	Sisson	L	H	W	H		M			4	200	5	0.24	0.025
Adams	SpA	Sparta	S	S	E	L		M	p		1.5	250	5	0.17	0.007
Adams	TeA	Tell	L	H	W	M		M			1.5	250	3	0.43	0.03
Adams	Wa	Wautoma	S	S	VP	M		M			1	250	4	0.05	0.002
Adams	WeA	Wyeville	S	S	SP	M		M			1.5	250	4	0.1	0.005
Adams	WyB	Wyocena	S	S	W	L		M	p		4	200	5	0.2	0.021
Adams	WyC	Wyocena	S	S	W	L		M	p		9	150	5	0.2	0.058
Adams	WyD	Wyocena	S	S	W	L		M	p		18.5	80	5	0.2	0.128
Ashland	1204B	Denomie	L	M	W	H		F		w	4	200	5	0.37	0.039
Ashland	1204B	Gichigami	L	M	MW	H		F		w	4	200	5	0.32	0.034
Ashland	1280B	Odanah	L	M	W	M		F			4	200	5	0.37	0.039
Ashland	1280B	Sanborg	L	M	MW	M		F			3	200	5	0.55	0.038
Ashland	1385B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Ashland	1385B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Ashland	1451B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Ashland	1451B	Gogebic	L	M	MW	L		F			4	200	4	0.28	0.037
Ashland	1451C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Ashland	1451C	Gogebic	L	M	MW	L		F			12	100	4	0.28	0.126
Ashland	1633B	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Ashland	1633B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Ashland	1633B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Ashland	1633C	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Ashland	1633C	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Ashland	1633C	Shanagolden	L	M	MW	L		F			9	150	4	0.28	0.101
Ashland	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Ashland	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Ashland	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Ashland	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Ashland	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Ashland	203B	Wakefield	L	M	MW	M		F			4	200	4	0.32	0.042
Ashland	203C	Wakefield	L	M	MW	M		F			12	100	4	0.32	0.144
Ashland	204C	Denomie	L	M	W	H		F			11	150	5	0.37	0.143
Ashland	204D	Denomie	L	M	W	H		F			23	80	5	0.37	0.34
Ashland	204F	Denomie	L	M	W	H		F			45	60	5	0.37	0.871
Ashland	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Ashland	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Ashland	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Ashland	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Ashland	217C	Karlin	S	S	SE	L		F	p		9	150	5	0.2	0.058
Ashland	226A	Allendale	S	S	SP	L		F			2	250	4	0.2	0.013
Ashland	242B	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Ashland	242C	Fence	L	M	MW	H		F			11	150	5	0.49	0.189
Ashland	280C	Odanah	L	M	W	M		F	w	w	11	150	5	0.37	0.143
Ashland	280D	Odanah	L	M	W	M		F	w	w	20	80	5	0.37	0.27
Ashland	280F	Odanah	L	M	W	M		F	w	w	43	60	5	0.37	0.813
Ashland	317D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	319A	Tonkey	L	M	P	M		F			1	250	5	0.15	0.005
Ashland	3243A	Spear	L	M	SP	H		F			2	250	5	0.49	0.025
Ashland	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Ashland	339B	Rousseau	S	S	W	L		F	p		3	200	5	0.17	0.012
Ashland	339C	Rousseau	S	S	W	L		F	p		11	150	5	0.17	0.066
Ashland	339D	Rousseau	S	S	W	L		F	p		23	80	5	0.17	0.156
Ashland	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	3423A	Rifle	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	3454B	Cornucopia	L	M	W	M		F	w	w	4	200	3	0.43	0.076
Ashland	3454B	Odanah	L	M	W	M		F	w	w	4	200	5	0.37	0.039
Ashland	3512D	Menominee	S	S	W	M		F			23	80	5	0.1	0.092
Ashland	3608B	Brownstone	S	S	E	VL		F	p		3	200	2	0.05	0.009
Ashland	3608B	Deerton	S	S	W	VL		F	p		3	200	2	0.02	0.003
Ashland	3608C	Brownstone	S	S	E	VL		F	p		11	150	2	0.05	0.048
Ashland	3608C	Deerton	S	S	W	VL		F	p		11	150	2	0.02	0.019
Ashland	3609C	Abbaye	L	M	MW	L		F		w	11	150	2	0.1	0.096
Ashland	375A	Robago	L	M	SP	M		F	w	w	2	250	5	0.32	0.017
Ashland	376B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Ashland	3826B	Allendale	S	S	SP	L		F			3	200	4	0.2	0.017
Ashland	3826B	Kinross	L	M	VP	L		F			1	250	5	0.02	0.001
Ashland	3826B	Wakeley	L	M	VP	L		F			1	250	4	0.15	0.006
Ashland	384B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Ashland	388B	Dechamps	S	S	SP	L		F	wp	w	1	250	5	0.17	0.006
Ashland	388B	Pelkie	S	S	MW	L		F	wp	w	2	250	5	0.37	0.019
Ashland	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	444B	Gichigami	L	M	MW	H		F			4	200	5	0.32	0.034
Ashland	444B	Oronto	L	M	SP	H		F			2	250	5	0.28	0.015
Ashland	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Ashland	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Ashland	475C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Ashland	475C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Ashland	479A	Herbster	L	M	SP	M		F			2	250	4	0.43	0.028
Ashland	479A	Lerch	L	M	P	L		F			1	250	5	0.2	0.007
Ashland	480B	Herbster	L	M	SP	M		F			2	250	4	0.43	0.028
Ashland	480B	Portwing	L	M	MW	M		F			4	200	5	0.43	0.046
Ashland	481C	Cornucopia	L	M	W	M		F			11	150	3	0.43	0.277
Ashland	481E	Cornucopia	L	M	W	M		F			30	60	3	0.43	0.883
Ashland	500B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Ashland	509B	Gogebic	L	M	MW	L		F			4	200	4	0.28	0.037
Ashland	5140A	Dawson	O	M	VP			F	w	w	0.5	425	1	0.02	0.003

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	5140A	Greenwood	O	M	VP			F	w	w	1	425	2	0.02	0.002
Ashland	5140A	Loxley	O	M	VP			F	w	w	0.5	425	2	0.02	0.001
Ashland	5141A	Cathro	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Ashland	5141A	Lupton	O	M	VP			F	w	w	0.5	425	2	0.02	0.001
Ashland	5141A	Pleine	L	M	P	M		F	w	w	1	425	1	0.02	0.004
Ashland	5146C	Amasa	L	M	W	L		F	p		10	150	3	0.55	0.308
Ashland	5146C	Karlin	L	M	SE	L		F	p		10	150	5	0.37	0.124
Ashland	514B	Iosco	S	S	SP	M		F	w	w	2	250	5	0.05	0.003
Ashland	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Ashland	5170A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	5170A	Minocqua	L	M	P	L		F	w	w	1	250	3	0.49	0.028
Ashland	5170A	Pleine	L	M	P	M		F	w	w	1	250	1	0.02	0.003
Ashland	5171B	Gogebic	L	M	MW	L		F			4	295	4	0.37	0.057
Ashland	5171B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Ashland	5171B	Wormet	L	M	SP	L		F			2	250	3	0.1	0.009
Ashland	5172B	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Ashland	5172B	Gogebic	L	M	MW	L		F	p		4	295	4	0.37	0.057
Ashland	5172B	Pence	L	M	SE	L		F	p		3	200	2	0.43	0.075
Ashland	5172C	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Ashland	5172C	Gogebic	L	M	MW	L		F	p		12	150	4	0.37	0.204
Ashland	5172C	Pence	L	M	SE	L		F	p		12	100	2	0.43	0.387
Ashland	5172D	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Ashland	5172D	Gogebic	L	M	MW	L		F	p		27	100	4	0.37	0.619
Ashland	5172D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Ashland	5173D	Gogebic	L	M	MW	L		F	p		27	60	4	0.37	0.479
Ashland	5173D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Ashland	517B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Ashland	517C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Ashland	520A	Annriver	L	M	VP	M		F	w	w	1	150	3	0.37	0.018
Ashland	526A	Flink	L	M	SP	L		F			2	250	5	0.05	0.003
Ashland	527B	Padwood	L	M	MW	M		F			3	200	5	0.2	0.014
Ashland	5351B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Ashland	5351C	Gogebic	L	M	MW	L		F			12	150	4	0.49	0.271
Ashland	5351D	Gogebic	L	M	MW	L		F			26	100	4	0.49	0.769
Ashland	5353B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Ashland	5353B	Tula	L	M	SP	M		F			1	330	4	0.28	0.013
Ashland	5354B	Gogebic	L	M	MW	L		F			4	295	4	0.37	0.057
Ashland	5369D	Dishno	L	M	MW	L		F	r	r	27	100	3	0.32	0.714
Ashland	5369D	Gogebic	L	M	MW	L		F	r	r	26	100	4	0.49	0.769
Ashland	5369D	Peshekee	L	M	W	VL	S	F	r	r	30	100	1	0.37	2.942
Ashland	5369E	Michigamme	L	M	W	L		F	r	r	45	100	2	0.28	2.128
Ashland	5369E	Peshekee	L	M	W	VL	S	F	r	r	45	100	1	0.37	5.624
Ashland	5369E	Schweitzer	L	M	W	L		F	r	r	45	100	3	0.37	1.875
Ashland	5369F	Michigamme	L	M	W	L		F	r	r	65	100	2	0.28	3.611
Ashland	5369F	Peshekee	L	M	W	VL	S	F	r	r	65	100	1	0.37	9.542
Ashland	5369F	Schweitzer	L	M	W	L		F	r	r	65	100	3	0.37	3.181
Ashland	5373A	Cathro	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Ashland	5374A	Arnheim	L	M	P	H		F	w	w	1	425	5	0.37	0.015

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	5374A	Bowstring	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Ashland	538B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Ashland	538C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Ashland	538D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Ashland	5425A	Foxpaw	L	M	P	M		F	w	w	1	425	5	0.43	0.017
Ashland	5425A	Gay	L	M	P	M		F	w	w	1	425	5	0.32	0.013
Ashland	548A	Badriver	L	M	SP	M		F			2	250	5	0.17	0.009
Ashland	548A	Pickford	L	M	P	L		F			1	250	5	0.28	0.01
Ashland	549A	Oronto	L	M	SP	H		F			2	250	5	0.28	0.015
Ashland	549A	Pickford	L	M	P	L		F			1	250	5	0.28	0.01
Ashland	5504A	Arnheim	L	M	P	H		F	wp	w	1	425	5	0.37	0.015
Ashland	5504A	Moquah	L	M	MW	H		F	wp	w	2	295	5	0.28	0.016
Ashland	5519B	Gogebic	L	M	MW	L		F	p		4	200	4	0.28	0.037
Ashland	5519B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Ashland	5519C	Gogebic	L	M	MW	L		F	p		12	100	4	0.28	0.126
Ashland	5519C	Pence	S	S	SE	L		F	p		12	100	5	0.24	0.086
Ashland	5519D	Gogebic	L	M	MW	L		F	p		27	60	4	0.28	0.363
Ashland	5519D	Pence	S	S	SE	L		F	p		27	60	5	0.24	0.249
Ashland	5543B	Annalake	L	M	MW	M		F		w	3	295	5	0.43	0.034
Ashland	5543B	Chabeneau	L	M	MW	L		F		w	2	295	3	0.43	0.04
Ashland	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Ashland	560A	Worwood	L	M	SP	M		F			2	200	5	0.32	0.016
Ashland	5684C	Amasa	L	M	W	L		F			12	195	3	0.24	0.202
Ashland	5689B	Chabeneau	L	M	MW	L		F			2	295	3	0.43	0.04
Ashland	5689B	Channing	L	M	SP	L		F			2	330	3	0.43	0.042
Ashland	5689B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Ashland	571C	Pelissier	L	M	E	VL		F	p		11	80	3	0.28	0.132
Ashland	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Ashland	580B	Badriver	L	M	SP	M		F			2	250	5	0.17	0.009
Ashland	580B	Sanborg	L	M	MW	M		F			3	200	5	0.55	0.038
Ashland	582D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Ashland	582D	Padus	L	M	W	L		F	p		23	60	5	0.24	0.191
Ashland	582D	Pence	S	S	SE	L		F	p		23	60	5	0.24	0.191
Ashland	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Ashland	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Ashland	594B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Ashland	594B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Ashland	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Ashland	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016
Ashland	594D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Ashland	594D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Ashland	597A	Meehan	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Ashland	598A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.05	0.003
Ashland	599C	Grayling	S	S	E	L		F	p		7	150	5	0.02	0.004
Ashland	5A	Arnheim	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Ashland	603B	Redrim	L	M	E	VL	S	F	r	r	3	200	1	0.02	0.007
Ashland	610B	Zeba	L	M	SP	M		F		w	3	200	2	0.17	0.03
Ashland	611B	Abbaye	L	M	MW	L		F		w	3	200	2	0.1	0.017

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	611B	Lapoin	L	M	MW	L		F		w	3	200	2	0.37	0.065
Ashland	614B	Abbaye	L	M	MW	L		F		w	3	200	2	0.1	0.017
Ashland	614B	Zeba	L	M	SP	M		F		w	3	200	2	0.17	0.03
Ashland	638B	Torch	L	M	SP	M		F			2	250	3	0.37	0.032
Ashland	639A	Neconish	S	S	MW	L		F	p		2	250	5	0.28	0.015
Ashland	644B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Ashland	644C	Shanagolden	L	M	MW	L		F			11	150	4	0.28	0.135
Ashland	644D	Shanagolden	L	M	MW	L		F			23	80	4	0.28	0.321
Ashland	670B	Keweenaw	S	S	W	L		F	p		3	150	5	0.15	0.01
Ashland	670B	Pence	S	S	SE	L		F	p		3	150	5	0.24	0.015
Ashland	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Ashland	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Ashland	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Ashland	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Ashland	674B	Sultz	S	S	W	L		F	p		3	200	5	0.05	0.003
Ashland	674C	Sultz	S	S	W	L		F	p		11	150	5	0.05	0.019
Ashland	674E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Ashland	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Ashland	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Ashland	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Ashland	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Ashland	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Ashland	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Ashland	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Ashland	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Ashland	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Ashland	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Ashland	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Ashland	6A	Moquah	L	M	MW	H		F			2	250	5	0.15	0.008
Ashland	701A	Whisklake	L	M	SP	L		F	w	w	2	200	3	0.49	0.041
Ashland	705B	Ashwabab	S	S	MW	L		F	p		3	200	4	0.05	0.004
Ashland	705B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Ashland	705B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Ashland	705C	Ashwabab	S	S	MW	L		F	p		11	150	4	0.05	0.024
Ashland	705C	Croswell	S	S	MW	L		F	p		9	150	5	0.02	0.006
Ashland	705C	Cublake	S	S	MW	L		F	p		11	150	5	0.02	0.008
Ashland	712B	Morganlake	S	S	MW	M		F			3	200	5	0.15	0.01
Ashland	712C	Morganlake	S	S	MW	M		F			11	150	5	0.15	0.058
Ashland	713B	Allendale	S	S	SP	L		F	p		4	200	4	0.2	0.027
Ashland	713B	Ashwabab	S	S	MW	L		F	p		4	200	4	0.05	0.007
Ashland	713B	Kellogg	S	S	MW	M		F	p		4	200	4	0.02	0.003
Ashland	713C	Allendale	S	S	SP	L		F	p		9	150	4	0.2	0.072
Ashland	713C	Ashwabab	S	S	MW	L		F	p		11	150	4	0.05	0.024
Ashland	713C	Kellogg	S	S	MW	M		F	p		11	150	4	0.02	0.01
Ashland	730B	Glidden	L	M	W	M		F			3	200	3	0.43	0.05
Ashland	730C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Ashland	730D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Ashland	738A	Cable	L	M	P	M		F			1	250	4	0.43	0.018

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	744B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Ashland	74B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Ashland	74C	Vilas	S	S	E	L		F	p		11	150	5	0.05	0.019
Ashland	753B	Munuscong	L	M	P	M		F			1	250	4	0.2	0.008
Ashland	753B	Sedgwick	L	M	SP	M		F			3	200	5	0.28	0.02
Ashland	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Ashland	755A	Moppet	L	M	MW	M		F	w	w	2	150	3	0.2	0.015
Ashland	756B	Sedgwick	S	S	SP	M		F			3	200	5	0.2	0.014
Ashland	756B	Superior	L	M	MW	M		F			4	200	3	0.28	0.049
Ashland	756C	Sedgwick	L	M	SP	M		F			7	150	5	0.2	0.04
Ashland	756C	Superior	L	M	MW	M		F			11	150	3	0.28	0.18
Ashland	770B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Ashland	770B	Shanagolden	L	M	MW	L		F	p		4	200	4	0.28	0.037
Ashland	770C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Ashland	770C	Shanagolden	L	M	MW	L		F	p		11	150	4	0.28	0.135
Ashland	770D	Pence	L	M	SE	L		F	p		20	200	5	0.24	0.277
Ashland	770D	Shanagolden	L	M	MW	L		F	p		20	200	4	0.28	0.404
Ashland	805E	Ashwababay	S	S	MW	L		F	p		23	80	4	0.05	0.057
Ashland	805E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Ashland	805E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Ashland	809C	Gogebic	L	M	MW	L		F	r	r	12	100	4	0.28	0.126
Ashland	809C	Metonga	L	M	W	L		F	r	r	12	100	2	0.43	0.387
Ashland	809D	Gogebic	L	M	MW	L		F	r	r	27	60	4	0.28	0.363
Ashland	809D	Metonga	L	M	W	L		F	r	r	22	80	2	0.43	0.918
Ashland	813E	Ashwababay	S	S	MW	L		F	p		30	60	4	0.05	0.077
Ashland	813E	Kellogg	S	S	MW	M		F	p		22	60	4	0.02	0.018
Ashland	813E	Manistee	S	S	W	L		F	p		30	60	4	0.02	0.031
Ashland	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Ashland	830A	Spiderlake	L	M	MW	M		F		w	2	200	3	0.37	0.031
Ashland	834B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Ashland	834B	Spiderlake	L	M	MW	M		F			2	250	3	0.37	0.032
Ashland	835C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Ashland	835C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Ashland	835D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Ashland	835D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Ashland	852C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Ashland	852C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Ashland	852D	Padus	L	M	W	L		F	p		23	150	5	0.24	0.302
Ashland	852D	Pence	S	S	SE	L		F	p		23	150	5	0.24	0.302
Ashland	874B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Ashland	874B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Ashland	874C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Ashland	874C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Ashland	9012B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Ashland	9012B	Sayner	S	S	E	L		F	p		3	300	5	0.15	0.012
Ashland	9012C	Lindquist	S	S	SE	L		F	p		11	150	5	0.15	0.058
Ashland	9012C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Ashland	9012D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ashland	9012D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Ashland	9013A	Manitowish	S	S	MW	L		F			2	200	3	0.17	0.014
Ashland	9013A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Ashland	9050A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Ashland	9050A	Fordum	L	M	P	M		F	w	w	0.5	250	3	0.37	0.014
Ashland	9050A	Totagatic	L	M	P	L		F	w	w	0.5	250	5	0.32	0.007
Ashland	9051A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Ashland	9051A	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Ashland	9051A	Pleine	L	M	P	M		F			1	250	1	0.02	0.003
Ashland	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Ashland	9113B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Ashland	9113B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Ashland	9113C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Ashland	9113C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Ashland	9113D	Karlin	L	M	SE	L		F	p		23	150	5	0.2	0.252
Ashland	9113D	Padus	L	M	W	L		F	p		23	80	5	0.24	0.22
Ashland	9155A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Ashland	9155A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	9155A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Ashland	9155A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Ashland	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Ashland	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Ashland	925C	Ishpeming	L	M	SE	VL	S	F	r	r	8	150	2	0.2	0.121
Ashland	974B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Ashland	974B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Ashland	974B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Ashland	974C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Ashland	974C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Ashland	974C	Vilas	S	S	E	L		F	p		11	150	5	0.1	0.039
Ashland	974D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Ashland	974D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Ashland	974D	Vilas	S	S	E	L		F	p		23	80	5	0.1	0.092
Barron	Ad	Adolph	L	M	VP	M		F			1	250	5	0.32	0.011
Barron	AfA	Aftad	L	H	MW	M		F			2	160	5	0.32	0.015
Barron	AhA	Almena	L	H	SP	H		F			2	190	5	0.37	0.018
Barron	AID	Amery	L	H	W	M		F			14	100	5	0.24	0.11
Barron	AmD	Amery	L	H	W	M		F	w	w	25	100	5	0.24	0.283
Barron	AmD	Greenwood	O	M	VP			F	w	w	1	160	2	0.02	0.002
Barron	AnA	Anigon	L	H	W	M		F			2	160	3	0.43	0.033
Barron	AnB	Anigon	L	H	W	M		F			4	160	3	0.43	0.069
Barron	AnC2	Anigon	L	H	W	M		F			8	120	3	0.43	0.156
Barron	ApB	Arland	L	M	W	L		F			5	180	3	0.32	0.077
Barron	ApC2	Arland	L	M	W	L		F			10	110	3	0.32	0.154
Barron	ApD	Arland	L	M	W	L		F			15	100	3	0.32	0.273
Barron	AsB	Arland	L	M	W	L		F			4	140	3	0.49	0.075
Barron	AsC2	Arland	L	M	W	L		F			9	120	3	0.49	0.209
Barron	Au	Auburndale	L	M	P	H		F			1	160	5	0.37	0.011
Barron	Ba	Barronett	L	M	P	H		F			1	120	5	0.43	0.012

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Barron	Be	Beseman	O	M	VP			F	w	w	1	250	1	0.02	0.003
Barron	BpA	Brill	L	H	MW	M		F			2	160	3	0.43	0.033
Barron	CaC2	Campia	L	H	W	H		F			8	120	5	0.43	0.094
Barron	Cb	Capitola	L	M	P	M		F			1	250	3	0.37	0.021
Barron	CkA	Chetek	L	M	SE	L		F			2	140	4	0.24	0.013
Barron	CkB	Chetek	L	M	SE	L		F			4	200	4	0.24	0.032
Barron	CkC2	Chetek	L	M	SE	L		F			7	120	4	0.24	0.054
Barron	CID	Chetek	L	M	SE	L		F			14	100	4	0.24	0.137
Barron	CID	Rosholt	L	H	W	M		F			14	100	3	0.43	0.328
Barron	Cm	Comstock	L	H	SP	H		F			2	150	5	0.43	0.02
Barron	CsC	Cress	S	S	SE	L		F	p		10	120	2	0.24	0.18
Barron	CsC	Mahtomedi	S	S	E	L		F	p		10	120	5	0.1	0.03
Barron	CsD	Cress	S	S	SE	L		F	p		18	60	2	0.24	0.319
Barron	CsD	Mahtomedi	S	S	E	L		F	p		18	60	5	0.1	0.053
Barron	CuA	Crystal Lake	L	H	MW	VH		F			2	140	5	0.43	0.019
Barron	CuB	Crystal Lake	L	H	MW	VH		F			5	150	5	0.43	0.057
Barron	DoB	Dobie	L	H	W	M		F			5	140	3	0.43	0.09
Barron	DoC2	Dobie	L	H	W	M		F			10	120	3	0.43	0.215
Barron	DoD2	Dobie	L	H	W	M		F			14	140	3	0.43	0.388
Barron	DrB	Doritty	L	H	MW	VH		F			4	160	5	0.43	0.041
Barron	Fm	Fordum	L	M	P	M		F	w	w	1	160	3	0.37	0.018
Barron	FnB	Freeon	L	H	MW	H		F			5	200	5	0.49	0.074
Barron	FnC2	Freeon	L	H	MW	H		F			7	140	5	0.49	0.096
Barron	FrA	Friendship	S	S	MW	L		F	p		2	140	5	0.15	0.007
Barron	Gr	Greenwood	O	M	VP			F	w	w	1	160	2	0.02	0.002
Barron	HaB	Haugen	L	H	MW	M		F			5	120	5	0.2	0.024
Barron	HaC	Haugen	L	H	MW	M		F			8	120	5	0.2	0.044
Barron	HgC	Greenwood	O	M	VP			F			1	160	2	0.02	0.002
Barron	HgC	Haugen	L	H	MW	M		F			8	120	5	0.2	0.044
Barron	HvC2	Hayriver	L	M	W	L	S	F			11	100	3	0.28	0.147
Barron	HvD	Hayriver	L	M	W	L	S	F			15	100	3	0.28	0.239
Barron	HyB	Hayriver	L	M	W	L	S	F			5	140	3	0.43	0.09
Barron	HzF	Hayriver	L	M	W	L	S	F	p		35	120	3	0.28	1.045
Barron	HzF	Twinmound	S	S	E	VL	S	F	p		33	120	3	0.02	0.068
Barron	MaB	Magnor	L	H	SP	M		F			2	150	4	0.43	0.025
Barron	Me	Markey	O	M	VP			F	w	w	1	160	1	0.02	0.003
Barron	Mh	Meehan	S	S	SP	L		F	w	w	2	110	5	0.15	0.006
Barron	MnA	Menahga	S	S	E	L		F	p		2	250	5	0.2	0.01
Barron	MnB	Menahga	S	S	E	L		F	p		4	200	5	0.2	0.021
Barron	MnC	Menahga	S	S	E	L		F	p		8	150	5	0.2	0.048
Barron	MnD	Menahga	S	S	E	L		F	p		14	110	5	0.2	0.096
Barron	Mo	Moppet	L	H	MW	M		F			2	160	3	0.17	0.013
Barron	NeB	Newood	L	H	MW	M		F			4	200	5	0.28	0.03
Barron	NeC	Newood	L	H	MW	M		F			11	150	5	0.28	0.108
Barron	NoD	Newot	L	H	W	M		F			25	60	4	0.28	0.319
Barron	Ns	Newson	S	S	VP	L		F	w	w	1	110	5	0.1	0.003
Barron	Oe	Oesterle	L	M	SP	L		F	w	w	2	150	3	0.2	0.015
Barron	OsC2	Otterholt	L	H	W	H		F			9	120	5	0.49	0.125

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Barron	OsD	Otterholt	L	H	W	H		F			14	110	5	0.49	0.236
Barron	PdB	Plainbo	S	S	E	VL		F	p		4	150	3	0.1	0.016
Barron	PdC	Plainbo	S	S	E	VL		F	p		10	100	3	0.1	0.046
Barron	PdD	Plainbo	S	S	E	VL		F	p		16	130	3	0.1	0.108
Barron	Px	Poskin	L	H	SP	M		F	w	w	2	150	3	0.43	0.033
Barron	QuA	Quarderer	L	H	MW	VH		F			2	150	5	0.37	0.017
Barron	Rb	Rib	L	M	P	M		F	w	w	2	140	3	0.37	0.027
Barron	RhC	Ribhill	L	M	W	L		F			9	120	2	0.32	0.205
Barron	RhE	Ribhill	L	M	W	L		F			25	100	2	0.32	0.942
Barron	RoA	Rosholt	L	H	W	M		F			2	160	3	0.43	0.033
Barron	RoB	Rosholt	L	H	W	M		F			5	130	3	0.43	0.087
Barron	RoC2	Rosholt	L	H	W	M		F			8	110	3	0.43	0.149
Barron	SaB	Santiago	L	H	W	H		F			6	140	4	0.49	0.098
Barron	SaC2	Santiago	L	H	W	H		F			9	120	4	0.49	0.157
Barron	SaD2	Santiago	L	H	W	H		F			13	100	4	0.49	0.25
Barron	ScA	Scoba	L	M	MW	L		F			2	140	3	0.24	0.018
Barron	Sm	Cathro	O	M	VP			F	w	w	1	160	1	0.02	0.003
Barron	Sm	Seelyeville	O	M	VP			F	w	w	1	160	2	0.02	0.002
Barron	SoA	Sioux creek	L	M	SP	L		F			2	130	3	0.43	0.032
Barron	SrB	Spencer	L	H	MW	H		F			5	200	5	0.43	0.065
Barron	SrC2	Spencer	L	H	MW	H		F			8	120	5	0.43	0.094
Barron	Va	Vancecreek	L	M	P	VH		F	w	w	1	160	5	0.32	0.01
Barron	WkC2	Wickware	L	H	W	VH		F			8	120	5	0.43	0.094
Barron	WkD2	Wickware	L	H	W	VH		F			16	100	5	0.43	0.244
Bayfield	121A	Wakeley	L	M	VP	L		F			1	250	4	0.15	0.006
Bayfield	1274B	Amnicon	L	M	MW	M		F			3	250	5	0.32	0.024
Bayfield	1274B	Miskoaki	L	M	W	M		F			4	200	5	0.24	0.025
Bayfield	1280B	Odanah	L	M	W	M		F			4	200	5	0.37	0.039
Bayfield	1280B	Sanborg	L	M	MW	M		F			3	200	5	0.55	0.038
Bayfield	1385B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Bayfield	1385B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Bayfield	1451B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Bayfield	1451B	Gogebic	L	M	MW	L		F			4	200	4	0.28	0.037
Bayfield	1451C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Bayfield	1451C	Gogebic	L	M	MW	L		F			12	100	4	0.28	0.126
Bayfield	1653B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Bayfield	1653B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Bayfield	1653B	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	1653C	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Bayfield	1653C	Stanberry	L	M	MW	L		F			9	150	4	0.32	0.115
Bayfield	1653C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	174B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Bayfield	174C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Bayfield	174D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Bayfield	174F	Rubicon	S	S	E	L		F	p		45	60	5	0.02	0.047
Bayfield	1760C	Cathro	O	M	VP			F	wp	w	0.5	250	1	0.02	0.002
Bayfield	1760C	Keweenaw	L	M	W	L		F	wp	w	11	150	5	0.15	0.058
Bayfield	1760C	Pence	L	M	SE	L		F	wp	w	11	150	5	0.24	0.093

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	1760E	Cathro	O	M	VP			F	wp	w	0.5	250	1	0.02	0.002
Bayfield	1760E	Keweenaw	L	M	W	L		F	wp	w	30	60	5	0.15	0.185
Bayfield	1760E	Pence	L	M	SE	L		F	wp	w	30	60	5	0.24	0.296
Bayfield	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Bayfield	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Bayfield	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Bayfield	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Bayfield	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Bayfield	203B	Wakefield	L	M	MW	M		F			4	200	4	0.32	0.042
Bayfield	203C	Wakefield	L	M	MW	M		F			12	100	4	0.32	0.144
Bayfield	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Bayfield	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Bayfield	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Bayfield	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Bayfield	217C	Karlin	S	S	SE	L		F	p		9	150	5	0.2	0.058
Bayfield	226A	Allendale	S	S	SP	L		F			2	250	4	0.2	0.013
Bayfield	242B	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Bayfield	242C	Fence	L	M	MW	H		F			11	150	5	0.49	0.189
Bayfield	247A	Shag	L	M	P	H		F			1	250	5	0.43	0.015
Bayfield	262B	Amnicon	L	M	MW	M		F			2	250	5	0.32	0.017
Bayfield	262B	Cuttre	L	M	SP	L		F			2	250	5	0.2	0.01
Bayfield	274C	Miskoaki	L	M	W	M		F			9	150	5	0.24	0.069
Bayfield	274D	Miskoaki	L	M	W	M		F			19	80	5	0.24	0.161
Bayfield	280C	Odanah	L	M	W	M		F	w	w	11	150	5	0.37	0.143
Bayfield	280D	Odanah	L	M	W	M		F	w	w	20	80	5	0.37	0.27
Bayfield	280F	Odanah	L	M	W	M		F	w	w	43	60	5	0.37	0.813
Bayfield	309C	Metonga	L	M	W	L		F	r	r	15	60	2	0.43	0.426
Bayfield	309E	Metonga	L	M	W	L		F	r	r	30	60	2	0.43	1.324
Bayfield	317D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257
Bayfield	319A	Tonkey	L	M	P	M		F			1	250	5	0.15	0.005
Bayfield	3243A	Spear	L	M	SP	H		F			2	250	5	0.49	0.025
Bayfield	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Bayfield	339B	Rousseau	S	S	W	L		F	p		3	200	5	0.17	0.012
Bayfield	339C	Rousseau	S	S	W	L		F	p		11	150	5	0.17	0.066
Bayfield	339D	Rousseau	S	S	W	L		F	p		23	80	5	0.17	0.156
Bayfield	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	3423A	Rifle	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	3424C	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Bayfield	3424C	Magroc	L	M	SP	M		F	r	r	2	250	3	0.49	0.042
Bayfield	3424C	Stinnett	L	M	SP	H		F	r	r	2	250	4	0.43	0.028
Bayfield	3454B	Cornucopia	L	M	W	M		F	w	w	4	200	3	0.43	0.076
Bayfield	3454B	Odanah	L	M	W	M		F	w	w	4	200	5	0.37	0.039
Bayfield	347A	Bergland	L	M	P	M		F			1	250	5	0.2	0.007
Bayfield	347A	Cuttre	L	M	SP	L		F			2	250	5	0.2	0.01
Bayfield	348A	Badriver	L	M	SP	M		F			2	250	5	0.17	0.009
Bayfield	3512D	Menominee	S	S	W	M		F			23	80	5	0.1	0.092

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	3576B	Anton	L	M	MW	M		F			3	250	5	0.37	0.028
Bayfield	3576B	Borea	L	M	SP	L		F			2	250	5	0.15	0.008
Bayfield	3608B	Brownstone	S	S	E	VL		F	p		3	200	2	0.05	0.009
Bayfield	3608B	Deerton	S	S	W	VL		F	p		3	200	2	0.02	0.003
Bayfield	3608C	Brownstone	S	S	E	VL		F	p		11	150	2	0.05	0.048
Bayfield	3608C	Deerton	S	S	W	VL		F	p		11	150	2	0.02	0.019
Bayfield	3609C	Abbaye	L	M	MW	L		F		w	11	150	2	0.1	0.096
Bayfield	371A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Bayfield	375A	Robago	L	M	SP	M		F	w	w	2	250	5	0.32	0.017
Bayfield	376B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Bayfield	3826B	Allendale	S	S	SP	L		F			3	200	4	0.2	0.017
Bayfield	3826B	Kinross	L	M	VP	L		F			1	250	5	0.02	0.001
Bayfield	3826B	Wakeley	L	M	VP	L		F			1	250	4	0.15	0.006
Bayfield	384B	Springstead	L	M	MW			F	p		3	250	3	0.24	0.03
Bayfield	388B	Dechamps	S	S	SP	L		F	wp	w	1	250	5	0.17	0.006
Bayfield	388B	Pelkie	S	S	MW	L		F	wp	w	2	250	5	0.37	0.019
Bayfield	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Bayfield	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Bayfield	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Bayfield	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	425B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Bayfield	425C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Bayfield	425D	Karlin	L	M	SE	L		F	p		22	80	5	0.2	0.171
Bayfield	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Bayfield	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Bayfield	475B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Bayfield	475B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Bayfield	475C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Bayfield	475C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Bayfield	475D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Bayfield	475D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Bayfield	479A	Herbster	L	M	SP	M		F			2	250	4	0.43	0.028
Bayfield	479A	Lerch	L	M	P	L		F			1	250	5	0.2	0.007
Bayfield	480B	Herbster	L	M	SP	M		F			2	250	4	0.43	0.028
Bayfield	480B	Portwing	L	M	MW	M		F			4	200	5	0.43	0.046
Bayfield	481C	Cornucopia	L	M	W	M		F			11	150	3	0.43	0.277
Bayfield	481E	Cornucopia	L	M	W	M		F			30	60	3	0.43	0.883
Bayfield	485C	Lupton	O	M	VP			F	w	w	8	150	2	0.02	0.012
Bayfield	485C	Tawas	O	M	VP			F	w	w	8	150	1	0.02	0.024
Bayfield	500A	Croswell	S	S	MW	L		F	p		2	250	5	0.02	0.001
Bayfield	500B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Bayfield	509B	Gogebic	L	M	MW	L		F			4	200	4	0.28	0.037
Bayfield	509C	Gogebic	L	M	MW	L		F			12	100	4	0.28	0.126

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	509D	Gogebic	L	M	MW	L		F			27	60	4	0.28	0.363
Bayfield	514B	Iosco	S	S	SP	M		F	w	w	2	250	5	0.05	0.003
Bayfield	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Bayfield	5171B	Gogebic	L	M	MW	L		F			4	295	4	0.37	0.057
Bayfield	5171B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Bayfield	5171B	Wormet	L	M	SP	L		F			2	250	3	0.1	0.009
Bayfield	5172B	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Bayfield	5172B	Gogebic	L	M	MW	L		F	p		4	295	4	0.37	0.057
Bayfield	5172B	Pence	L	M	SE	L		F	p		3	200	2	0.43	0.075
Bayfield	5172C	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Bayfield	5172C	Gogebic	L	M	MW	L		F	p		12	150	4	0.37	0.204
Bayfield	5172C	Pence	L	M	SE	L		F	p		12	100	2	0.43	0.387
Bayfield	5172D	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Bayfield	5172D	Gogebic	L	M	MW	L		F	p		27	100	4	0.37	0.619
Bayfield	5172D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Bayfield	5173D	Gogebic	L	M	MW	L		F	p		27	60	4	0.37	0.479
Bayfield	5173D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Bayfield	517B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Bayfield	517C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Bayfield	524E	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Bayfield	524E	Metonga	L	M	W	L		F	r	r	33	60	2	0.43	1.548
Bayfield	526A	Flink	L	M	SP	L		F			2	250	5	0.05	0.003
Bayfield	548A	Badriver	L	M	SP	M		F			2	250	5	0.17	0.009
Bayfield	548A	Pickford	L	M	P	L		F			1	250	5	0.28	0.01
Bayfield	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Bayfield	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Bayfield	574B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Bayfield	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Bayfield	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Bayfield	577A	Borea	L	M	SP	L		F			2	250	5	0.15	0.008
Bayfield	577A	Lerch	L	M	P	L		F			1	250	5	0.2	0.007
Bayfield	578C	Anton	L	M	MW	M		F			9	150	5	0.37	0.107
Bayfield	579B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Bayfield	580B	Badriver	L	M	SP	M		F			2	250	5	0.17	0.009
Bayfield	580B	Sanborg	L	M	MW	M		F			3	200	5	0.55	0.038
Bayfield	582B	Keweenaw	S	S	W	L		F	p		3	200	5	0.15	0.01
Bayfield	582B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Bayfield	582B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Bayfield	582C	Keweenaw	S	S	W	L		F	p		11	150	5	0.15	0.058
Bayfield	582C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Bayfield	582C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Bayfield	582D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Bayfield	582D	Padus	L	M	W	L		F	p		23	60	5	0.24	0.191
Bayfield	582D	Pence	S	S	SE	L		F	p		23	60	5	0.24	0.191
Bayfield	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Bayfield	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Bayfield	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Bayfield	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	594D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Bayfield	594D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Bayfield	597A	Meehan	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Bayfield	5A	Arnheim	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Bayfield	603B	Redrim	L	M	E	VL	S	F	r	r	3	200	1	0.02	0.007
Bayfield	605B	Lapoin	L	M	MW	L		F		w	3	200	2	0.37	0.065
Bayfield	610B	Zeba	L	M	SP	M		F		w	3	200	2	0.17	0.03
Bayfield	611B	Abbaye	L	M	MW	L		F		w	3	200	2	0.1	0.017
Bayfield	611B	Lapoin	L	M	MW	L		F		w	3	200	2	0.37	0.065
Bayfield	614B	Abbaye	L	M	MW	L		F		w	3	200	2	0.1	0.017
Bayfield	614B	Zeba	L	M	SP	M		F		w	3	200	2	0.17	0.03
Bayfield	633F	Padus	L	M	W	L		F	p		38	60	5	0.24	0.433
Bayfield	633F	Pence	S	S	SE	L		F	p		38	60	5	0.24	0.433
Bayfield	639A	Neconish	S	S	MW	L		F	p		2	250	5	0.28	0.015
Bayfield	644B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Bayfield	644C	Shanagolden	L	M	MW	L		F			11	150	4	0.28	0.135
Bayfield	644D	Shanagolden	L	M	MW	L		F			23	80	4	0.28	0.321
Bayfield	670B	Keweenaw	S	S	W	L		F	p		3	150	5	0.15	0.01
Bayfield	670B	Pence	S	S	SE	L		F	p		3	150	5	0.24	0.015
Bayfield	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Bayfield	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Bayfield	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Bayfield	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Bayfield	674B	Sultz	S	S	W	L		F	p		3	200	5	0.05	0.003
Bayfield	674C	Sultz	S	S	W	L		F	p		11	150	5	0.05	0.019
Bayfield	674D	Sultz	S	S	W	L		F	p		20	80	5	0.05	0.036
Bayfield	674E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Bayfield	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Bayfield	680B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Bayfield	680B	Stanberry	L	M	MW	L		F	p		4	200	4	0.32	0.042
Bayfield	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Bayfield	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Bayfield	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Bayfield	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Bayfield	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Bayfield	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Bayfield	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Bayfield	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Bayfield	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Bayfield	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Bayfield	6A	Moquah	L	M	MW	H		F			2	250	5	0.15	0.008
Bayfield	705B	Ashwabay	S	S	MW	L		F	p		3	200	4	0.05	0.004
Bayfield	705B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Bayfield	705B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Bayfield	705C	Ashwabay	S	S	MW	L		F	p		11	150	4	0.05	0.024
Bayfield	705C	Croswell	S	S	MW	L		F	p		9	150	5	0.02	0.006
Bayfield	705C	Cublake	S	S	MW	L		F	p		11	150	5	0.02	0.008
Bayfield	712B	Morganlake	S	S	MW	M		F			3	200	5	0.15	0.01

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	712C	Morganlake	S	S	MW	M		F			11	150	5	0.15	0.058
Bayfield	713B	Allendale	S	S	SP	L		F	p		4	200	4	0.2	0.027
Bayfield	713B	Ashwabay	S	S	MW	L		F	p		4	200	4	0.05	0.007
Bayfield	713B	Kellogg	S	S	MW	M		F	p		4	200	4	0.02	0.003
Bayfield	713C	Allendale	S	S	SP	L		F	p		9	150	4	0.2	0.072
Bayfield	713C	Ashwabay	S	S	MW	L		F	p		11	150	4	0.05	0.024
Bayfield	713C	Kellogg	S	S	MW	M		F	p		11	150	4	0.02	0.01
Bayfield	724A	Rib	L	M	P	M		F	wr	wr	1	250	3	0.37	0.021
Bayfield	733A	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	744B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Bayfield	74B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Bayfield	74C	Vilas	S	S	E	L		F	p		11	150	5	0.05	0.019
Bayfield	74D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Bayfield	74E	Vilas	S	S	E	L		F	p		32	60	5	0.05	0.068
Bayfield	753B	Munuscong	L	M	P	M		F			1	250	4	0.2	0.008
Bayfield	753B	Sedgwick	L	M	SP	M		F			3	200	5	0.28	0.02
Bayfield	756B	Sedgwick	S	S	SP	M		F			3	200	5	0.2	0.014
Bayfield	756B	Superior	L	M	MW	M		F			4	200	3	0.28	0.049
Bayfield	756C	Sedgwick	L	M	SP	M		F			7	150	5	0.2	0.04
Bayfield	756C	Superior	L	M	MW	M		F			11	150	3	0.28	0.18
Bayfield	805E	Ashwabay	S	S	MW	L		F	p		23	80	4	0.05	0.057
Bayfield	805E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Bayfield	805E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Bayfield	809C	Gogebic	L	M	MW	L		F	r	r	12	100	4	0.28	0.126
Bayfield	809C	Metonga	L	M	W	L		F	r	r	12	100	2	0.43	0.387
Bayfield	809D	Gogebic	L	M	MW	L		F	r	r	27	60	4	0.28	0.363
Bayfield	809D	Metonga	L	M	W	L		F	r	r	22	80	2	0.43	0.918
Bayfield	813E	Ashwabay	S	S	MW	L		F	p		30	60	4	0.05	0.077
Bayfield	813E	Kellogg	S	S	MW	M		F	p		22	60	4	0.02	0.018
Bayfield	813E	Manistee	S	S	W	L		F	p		30	60	4	0.02	0.031
Bayfield	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Bayfield	817D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257
Bayfield	830A	Spiderlake	L	M	MW	M		F		w	2	200	3	0.37	0.031
Bayfield	853C	Frogcreek	L	M	MW	M		F			8	150	4	0.43	0.13
Bayfield	853C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Bayfield	853C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	856B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Bayfield	857B	Frogcreek	L	M	MW	M		F			4	200	4	0.43	0.057
Bayfield	857C	Frogcreek	L	M	MW	M		F			10	150	4	0.43	0.181
Bayfield	869B	Beaverbay	L	M	MW	M		F			4	200	4	0.55	0.073
Bayfield	869C	Beaverbay	L	M	MW	M		F			11	150	4	0.55	0.265
Bayfield	869D	Beaverbay	L	M	MW	M		F			23	80	4	0.55	0.631
Bayfield	873B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Bayfield	873C	Stanberry	L	M	MW	L		F			11	150	4	0.32	0.154
Bayfield	873D	Stanberry	L	M	MW	L		F			23	80	4	0.32	0.367
Bayfield	874B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Bayfield	874B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Bayfield	874C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	874C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Bayfield	874D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Bayfield	874D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Bayfield	874E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Bayfield	874E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Bayfield	884C	Cathro	O	M	VP			F	p	w	0.5	250	1	0.02	0.002
Bayfield	884C	Keweenaw	S	S	W	L		F	p	w	10	150	5	0.15	0.05
Bayfield	884C	Vilas	S	S	E	L		F	p	w	11	150	5	0.05	0.019
Bayfield	884E	Cathro	O	M	VP			F	p	w	0.5	250	1	0.02	0.002
Bayfield	884E	Keweenaw	S	S	W	L		F	p	w	30	60	5	0.15	0.185
Bayfield	884E	Vilas	S	S	E	L		F	p	w	30	60	5	0.05	0.062
Bayfield	885B	Annalake	L	M	MW	M		F	p		3	200	5	0.28	0.02
Bayfield	885B	Cathro	O	M	VP			F	p		1	250	1	0.02	0.003
Bayfield	885B	Springstead	L	M	MW	L		F	p		3	200	3	0.24	0.028
Bayfield	9012B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Bayfield	9012B	Sayner	S	S	E	L		F	p		3	300	5	0.15	0.012
Bayfield	9012C	Lindquist	S	S	SE	L		F	p		11	150	5	0.15	0.058
Bayfield	9012C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Bayfield	9012D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Bayfield	9012D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Bayfield	9013A	Manitowish	S	S	MW	L		F			2	200	3	0.17	0.014
Bayfield	9013A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Bayfield	9020C	Annalake	L	M	MW	M		F			12	100	5	0.28	0.101
Bayfield	9020C	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Bayfield	9020C	Wakefield	L	M	MW	M		F			12	100	4	0.32	0.144
Bayfield	9020D	Annalake	L	M	MW	M		F			25	60	5	0.28	0.255
Bayfield	9020D	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Bayfield	9020D	Wakefield	L	M	MW	M		F			25	60	4	0.32	0.365
Bayfield	9050A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Bayfield	9050A	Fordum	L	M	P	M		F	w	w	0.5	250	3	0.37	0.014
Bayfield	9050A	Totagatic	L	M	P	L		F	w	w	0.5	250	5	0.32	0.007
Bayfield	9051A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Bayfield	9051A	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Bayfield	9051A	Pleine	L	M	P	M		F			1	250	1	0.02	0.003
Bayfield	9064E	Rubicon	S	S	E	L		F	p		32	60	5	0.02	0.027
Bayfield	9113B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Bayfield	9113B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Bayfield	9113C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Bayfield	9113C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Bayfield	9113D	Karlin	L	M	SE	L		F	p		23	150	5	0.2	0.252
Bayfield	9113D	Padus	L	M	W	L		F	p		23	80	5	0.24	0.22
Bayfield	9155A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Bayfield	9155A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	9155A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Bayfield	9155A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Bayfield	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Bayfield	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Bayfield	953B	Beaverbay	L	M	MW	M		F			4	200	4	0.55	0.073

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Bayfield	953B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Bayfield	953B	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	953C	Beaverbay	L	M	MW	M		F			11	150	4	0.55	0.265
Bayfield	953C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Bayfield	953C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Bayfield	974B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Bayfield	974B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Bayfield	974B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Bayfield	974C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Bayfield	974C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Bayfield	974C	Vilas	S	S	E	L		F	p		11	150	5	0.1	0.039
Bayfield	974D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Bayfield	974D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Bayfield	974D	Vilas	S	S	E	L		F	p		23	80	5	0.1	0.092
Brown	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Brown	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Brown	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Brown	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Brown	7501	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Brown	7601	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Brown	7601	Solona	L	H	SP	H		F			2	250	5	0.32	0.017
Brown	AdA	Allendale	S	S	SP	L		F	w	w	1.5	250	4	0.24	0.013
Brown	AeA	Allendale	S	S	SP	M		F	w	w	1.5	250	4	0.24	0.013
Brown	Ax	Angelica	L	M	P	H		F	w	w	1	250	5	0.37	0.013
Brown	Bc	Bellevue	L	H	MW	H		M	w	w	1	250	5	0.43	0.015
Brown	Bd	Bellevue variar	L	H	SP	H		M	w	w	1	250	5	0.28	0.01
Brown	BnA	Bonduel	L	M	SP	L	S	F	w	w	1.5	250	2	0.37	0.039
Brown	BrB	Boyer	S	S	W	L		M	p		4	200	4	0.2	0.027
Brown	BrC2	Boyer	S	S	W	L		M	p		9	150	4	0.2	0.072
Brown	BrD2	Boyer	S	S	W	L		M	p		16	100	4	0.2	0.142
Brown	BrE	Boyer	S	S	W	L		M	p		25	60	4	0.2	0.228
Brown	BtB	Briggsville	L	H	W	H		M			4	200	5	0.43	0.046
Brown	Ca	Carbondale	O	M	VP			F	w	w	1	250	2	0.02	0.002
Brown	CcB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Brown	CcC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Brown	CdE2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Brown	CdE2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Brown	Cm	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Brown	DdA	Dresden	L	M	W	L		M			2	250	3	0.15	0.013
Brown	DeA	dresden variar	L	H	SP	M		M		w	1	250	3	0.28	0.016
Brown	DrA	Dresden	L	M	W	L		M			2	250	4	0.32	0.021
Brown	DsA	dresden variar	L	H	SP	M		M		w	2	250	3	0.32	0.028
Brown	Fa	Fabius	L	M	SP	L		M	w	w	1	250	3	0.32	0.018
Brown	HoB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Brown	HoC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Brown	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Brown	KfB	Kewaunee	L	H	W	M		M			4	200	5	0.24	0.025
Brown	KfC2	Kewaunee	L	H	W	M		M			9	150	5	0.24	0.069

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Brown	KgB	Kewaunee	L	H	W	M		M			4	200	4	0.37	0.049
Brown	KhB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Brown	KhB2	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Brown	KhC2	Kewaunee	L	H	W	M		M			9	150	3	0.49	0.235
Brown	KhD2	Kewaunee	L	H	W	M		M			16	100	3	0.49	0.464
Brown	KhE2	Kewaunee	L	H	W	M		M			25	60	5	0.49	0.447
Brown	KkC3	Kewaunee	L	H	W	M		M			9	150	5	0.28	0.081
Brown	KkD3	Kewaunee	L	H	W	M		M			16	100	5	0.28	0.159
Brown	KkE3	Kewaunee	L	H	W	M		M			25	60	5	0.28	0.255
Brown	KlB	Kewaunee	L	H	W	M		M			4	200	3	0.49	0.087
Brown	KlB	Manawa	L	H	SP	H		M			4	200	3	0.32	0.057
Brown	KlB2	Kewaunee	L	H	W	M		M			4	200	5	0.49	0.052
Brown	KlB2	Manawa	L	H	SP	H		M			4	200	5	0.32	0.034
Brown	KmE2	Kewaunee	L	H	W	M		M			22.5	80	5	0.49	0.434
Brown	KmE2	Sisson	L	H	W	H		M			22.5	80	5	0.24	0.213
Brown	KnA	Kibbie	L	H	SP	H		M	w	w	2	250	5	0.43	0.022
Brown	KoB	Kolberg	L	M	W	L		F			3.5	200	2	0.49	0.113
Brown	KoC2	Kolberg	L	M	W	L		F			9	150	2	0.49	0.353
Brown	LaA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Brown	MaA	Manawa	L	H	SP	M		M			2	250	3	0.24	0.021
Brown	McA	Manawa	L	H	SP	M		M			1.5	250	3	0.37	0.026
Brown	MeB	Manistee	S	S	W	L		F	p		4	200	4	0.2	0.027
Brown	MeC2	Manistee	S	S	W	L		F	p		10	150	4	0.2	0.084
Brown	MfB	Manistee	S	S	W	M		F			4	200	4	0.24	0.032
Brown	Mk	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Brown	MsB	Menominee	S	S	W	M		F			4	200	5	0.28	0.03
Brown	NaB	Namur	L	M	W	VL	S	F	r	r	3.5	200	1	0.32	0.147
Brown	NaD	Namur	L	M	W	VL	S	F	r	r	13	100	1	0.32	0.653
Brown	Ne	Namur varian	L	M	P	VL	S	F	wr	wr	1	250	1	0.32	0.054
Brown	Od	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Brown	OeB	Onaway	L	H	W	M		F			4	200	5	0.15	0.016
Brown	OhB	Onaway	L	H	W	H		F			4	200	5	0.28	0.03
Brown	OmA	Oshkosh	L	H	W	M		M			1	250	5	0.24	0.008
Brown	OmB	Oshkosh	L	H	W	M		M			4	200	5	0.24	0.025
Brown	OnA	Oshkosh	L	H	W	M		M			1	250	5	0.43	0.015
Brown	OnB	Oshkosh	L	H	W	M		M			4	200	5	0.43	0.046
Brown	OnC2	Oshkosh	L	H	W	M		M			9	150	5	0.43	0.124
Brown	OnD2	Oshkosh	L	H	W	M		M			16	100	5	0.43	0.244
Brown	OnE2	Oshkosh	L	H	W	M		M			25	60	5	0.43	0.392
Brown	OoB	Oshkosh	L	H	MW	M		M			4	200	5	0.43	0.046
Brown	OsA	Oshkosh	L	H	W	M		M			1	250	5	0.37	0.013
Brown	OsB	Oshkosh	L	H	W	M		M			4	250	5	0.37	0.043
Brown	Pe	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Brown	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Brown	Rs	Roscommon	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Brown	Ru	Ruse	L	M	VP	VL	S	F	wr	wr	1	250	1	0.32	0.054
Brown	Sb	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Brown	SeC	Shawano	S	S	E	L		F	p		9	150	5	0.02	0.006

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Brown	SeD	Shawano	S	S	E	L		F	p		21	80	5	0.02	0.016
Brown	SfB	Shawano	S	S	E	L		F	p		4	200	5	0.2	0.021
Brown	SfC	Shawano	S	S	E	L		F	p		9	150	5	0.2	0.058
Brown	SgB	ullsburg varia	L	M	SP	L	S	M	w	wr	4	200	3	0.32	0.057
Brown	ShB	Sisson	L	H	W	H		M			4	200	5	0.2	0.021
Brown	ShC2	Sisson	L	H	W	H		M			9	150	5	0.2	0.058
Brown	ShD2	Sisson	L	H	W	H		M			16	100	5	0.2	0.114
Brown	SnA	Sisson	L	H	W	H		M			1	250	5	0.43	0.015
Brown	SnB	Sisson	L	H	W	H		M			4	200	5	0.43	0.046
Brown	SoA	Solona	L	H	SP	M		F	w	w	2	250	5	0.24	0.012
Brown	SpA	Solona	L	H	SP	M		F	w	w	2	250	5	0.32	0.017
Brown	SuB	Summerville	L	M	W	VL	S	F	r	r	3.5	200	1	0.28	0.129
Brown	SuD2	Summerville	L	M	W	VL	S	F	r	r	13	100	1	0.28	0.571
Brown	SvB	ummerville vari	L	M	W	L	S	F	r	r	4	200	1	0.43	0.228
Brown	TeA	Tedrow	S	S	SP	L		M		w	1.5	250	5	0.24	0.01
Brown	Wa	Wauseon	L	M	VP	M		M			1	250	4	0.17	0.007
Brown	WmB	Waymor	L	H	W	M		M			4	200	5	0.28	0.03
Brown	WoA	Waymor	L	H	W	M		M			1	250	5	0.49	0.017
Brown	WoB	Waymor	L	H	W	M		M			4	200	5	0.49	0.052
Brown	WoC2	Waymor	L	H	W	M		M			9	150	5	0.49	0.141
Brown	WoD2	Waymor	L	H	W	M		M			16	100	5	0.49	0.278
Brown	WsC	Casco	L	M	W	L		M			7.5	150	2	0.37	0.205
Brown	WsC	Sisson	L	H	W	H		M			7.5	150	5	0.43	0.095
Brown	WsC	Waymor	L	H	W	M		M			7.5	150	5	0.49	0.109
Brown	WsE	Casco	L	M	W	L		M			18.5	80	2	0.37	0.594
Brown	WsE	Sisson	L	H	W	H		M			18.5	80	5	0.43	0.276
Brown	WsE	Waymor	L	H	W	M		M			18.5	80	5	0.49	0.315
Brown	YaA	Yahara	L	H	SP	H		M		w	1.5	250	5	0.24	0.01
Brown	YhA	Yahara	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Buffalo	104C2	Lindstrom	L	H	W	VH		M			9	150	5	0.32	0.092
Buffalo	104D2	Lindstrom	L	H	W	VH		M			16	100	5	0.32	0.182
Buffalo	104E2	Lindstrom	L	H	W	VH		M			25	60	5	0.32	0.292
Buffalo	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Buffalo	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Buffalo	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Buffalo	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Buffalo	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Buffalo	114C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Buffalo	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Buffalo	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Buffalo	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Buffalo	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Buffalo	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Buffalo	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Buffalo	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Buffalo	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Buffalo	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Buffalo	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Buffalo	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Buffalo	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Buffalo	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Buffalo	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Buffalo	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Buffalo	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Buffalo	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Buffalo	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Buffalo	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Buffalo	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Buffalo	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Buffalo	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Buffalo	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Buffalo	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Buffalo	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Buffalo	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Buffalo	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Buffalo	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Buffalo	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Buffalo	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Buffalo	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Buffalo	213B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Buffalo	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Buffalo	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Buffalo	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Buffalo	214B2	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Buffalo	214C2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Buffalo	214D2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Buffalo	214E2	Gale	L	H	W	M		M			25	60	3	0.49	0.745
Buffalo	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Buffalo	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Buffalo	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Buffalo	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Buffalo	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Buffalo	233B	Boone	S	S	E	VL		M	p		3	200	3	0.05	0.006
Buffalo	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
Buffalo	233E	Boone	S	S	E	VL		M	p		22	60	3	0.05	0.062
Buffalo	240C2	Hesch	L	H	W	M		M			8	200	4	0.32	0.112
Buffalo	240D2	Hesch	L	M	W	L		M			16	100	4	0.32	0.227
Buffalo	240E2	Hesch	L	M	W	L		M			25	60	4	0.32	0.365
Buffalo	244C2	Elk mound	L	M	W	VL	S	M	r	r	9	150	2	0.43	0.31
Buffalo	244D2	Elk mound	L	M	W	VL	S	M	r	r	16	100	2	0.43	0.611
Buffalo	245C2	Hesch	L	M	W	L		M	p		8	200	4	0.24	0.084
Buffalo	245D2	Hesch	L	M	W	L		M	p		16	100	4	0.24	0.17
Buffalo	245E2	Hesch	L	M	W	L		M	p		25	125	4	0.24	0.395
Buffalo	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Buffalo	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Buffalo	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Buffalo	254F	Norden	L	M	W	L		M			38	60	3	0.37	1.114
Buffalo	255B2	Urne	L	M	W	L		M			4	200	3	0.24	0.042
Buffalo	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Buffalo	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Buffalo	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Buffalo	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Buffalo	265B	Garne	S	S	SE	L		M	p		4	200	3	0.2	0.035
Buffalo	265C	Garne	S	S	SE	L		M	p		9	150	3	0.2	0.096
Buffalo	303A	Boguscreek	L	H	W	VH		M			1	250	4	0.49	0.021
Buffalo	305B	Richwood	L	H	W	H		M			3	200	4	0.37	0.032
Buffalo	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
Buffalo	312A	Festina	L	H	W	VH		M			1	250	5	0.43	0.015
Buffalo	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Buffalo	312C2	Festina	L	H	W	VH		M			9	150	5	0.43	0.124
Buffalo	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Buffalo	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Buffalo	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Buffalo	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Buffalo	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Buffalo	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
Buffalo	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Buffalo	336B	Toddville	L	H	MW	H		M			4	200	5	0.43	0.046
Buffalo	382B	Bertrand	L	H	W	H		M			4	200	4	0.49	0.065
Buffalo	382C2	Bertrand	L	H	W	H		M			9	150	4	0.49	0.176
Buffalo	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Buffalo	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Buffalo	403B	Dakota	L	H	W	M		M			4	200	3	0.37	0.065
Buffalo	40A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Buffalo	40A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Buffalo	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Buffalo	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Buffalo	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Buffalo	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Buffalo	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Buffalo	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Buffalo	424C2	Merit	L	H	W	M		M			9	150	5	0.43	0.124
Buffalo	424F	Merit	L	H	W	M		M			33	60	5	0.37	0.533
Buffalo	429A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Buffalo	432A	Kevilar	L	H	MW	M		M	p		1	250	5	0.24	0.008
Buffalo	432B	Kevilar	L	H	MW	M		M	p		4	200	5	0.24	0.025
Buffalo	432C2	Kevilar	L	H	MW	M		M	p		9	150	5	0.24	0.069
Buffalo	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Buffalo	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Buffalo	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Buffalo	433D2	Forkhorn	L	M	W	L		M	p		16	100	3	0.24	0.227
Buffalo	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Buffalo	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Buffalo	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Buffalo	438A	Hoopeston	L	H	SP	M		M		w	1	250	3	0.2	0.011
Buffalo	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
Buffalo	446B2	Merimod	L	H	MW	M		M			4	250	5	0.43	0.05
Buffalo	448A	Sooner	L	H	SP	M		M		w	1	250	5	0.43	0.015
Buffalo	453A	Burkhardt	S	S	SE	L		M	p		1	250	2	0.24	0.02
Buffalo	453B	Burkhardt	S	S	SE	L		M	p		4	200	2	0.24	0.064
Buffalo	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Buffalo	458A	Hoop	L	M	SP	L		M		w	1	250	3	0.24	0.014
Buffalo	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Buffalo	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Buffalo	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Buffalo	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Buffalo	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Buffalo	510B	Boplain	S	S	E	VL		M	p		2	250	3	0.05	0.004
Buffalo	511A	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Buffalo	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Buffalo	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Buffalo	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Buffalo	512B	Drammen	S	S	SE	L		M	p		2	250	5	0.24	0.012
Buffalo	512C	Drammen	S	S	SE	L		M	p		9	150	5	0.24	0.069
Buffalo	512D	Drammen	S	S	SE	L		M	p		16	100	5	0.24	0.136
Buffalo	546A	Prissel	S	S	MW	L		M	p		1	250	5	0.24	0.008
Buffalo	546B	Prissel	S	S	MW	L		M	p		4	200	5	0.24	0.025
Buffalo	551A	Impact	S	S	E	L		M	p		1	250	5	0.05	0.002
Buffalo	551B	Impact	S	S	E	L		M	p		4	200	5	0.05	0.005
Buffalo	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Buffalo	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019
Buffalo	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Buffalo	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
Buffalo	562C	Gosil	S	S	SE	L		M	p		9	150	5	0.24	0.069
Buffalo	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
Buffalo	576B	Tintson	S	S	MW	L		M	p		3	200	5	0.05	0.003
Buffalo	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
Buffalo	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Buffalo	616C	Chaseburg	L	H	W	VH		M			8	150	5	0.49	0.119
Buffalo	622A	Worthen	L	H	W	VH		M			1	300	5	0.37	0.013
Buffalo	622B	Worthen	L	H	W	VH		M			4	200	5	0.37	0.039
Buffalo	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Buffalo	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Buffalo	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Buffalo	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Buffalo	649A	Walkkill	L	M	P	L		M	w	w	2	250	5	0.37	0.019
Buffalo	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Buffalo	666A	Absco	S	S	MW	L		M	p		1	250	5	0.15	0.005
Buffalo	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Buffalo	679A	Ettrick	L	M	P	H		M	w	w	1	250	4	0.37	0.016
Buffalo	826B2	Hersey	L	H	MW	VH		M			4	200	5	0.49	0.052
Buffalo	826C2	Hersey	L	H	MW	VH		M			9	150	5	0.49	0.141

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	100B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Burnett	100C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Burnett	100D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Burnett	1070C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Burnett	1070C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Burnett	1070D	Cress	S	S	SE	L		F	p		21	80	2	0.24	0.474
Burnett	1070D	Fremstadt	S	S	W	L		F	p		23	80	5	0.24	0.22
Burnett	1080B	Cress	S	S	SE	L		F	p		3	200	2	0.24	0.042
Burnett	1080B	Spoonerhill	S	S	MW	L		F	p		4	200	5	0.24	0.025
Burnett	120B	Kost	S	S	E	L		F	p		3	200	5	0.1	0.007
Burnett	127D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Burnett	127D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Burnett	127E	Amery	L	M	W	M		F			33	60	5	0.24	0.346
Burnett	127E	Rosholt	L	M	W	L		F			33	60	5	0.28	0.403
Burnett	12A	Makwa	L	M	VP	L		F	w	w	1	250	1	0.02	0.003
Burnett	151A	Bluffton	L	M	VP	M		F	w	w	1	250	5	0.32	0.011
Burnett	152A	Alstad	L	M	SP	M		F	w	w	2	250	5	0.28	0.015
Burnett	154E	Cushing	L	M	W	M		F			27	80	5	0.17	0.203
Burnett	156B	Magnor	L	M	SP	H		F			2	250	4	0.49	0.032
Burnett	157B	Freeon	L	M	MW	H		F			4	200	4	0.49	0.065
Burnett	157C	Freeon	L	M	MW	H		F			9	150	4	0.49	0.176
Burnett	160A	Oesterle	L	M	SP	L		F		w	1	250	3	0.24	0.014
Burnett	165B	Elderon	S	S	SE	VL		F	p		4	200	2	0.17	0.045
Burnett	185B	Taylor	L	M	MW	M		F			4	200	3	0.32	0.057
Burnett	185B	Tradelake	L	M	MW	M		F			4	200	4	0.17	0.023
Burnett	185C	Taylor	L	M	MW	M		F			9	150	3	0.32	0.154
Burnett	185C	Tradelake	L	M	MW	M		F			9	150	4	0.17	0.061
Burnett	185D	Taylor	L	M	MW	M		F			18.5	80	3	0.32	0.342
Burnett	185D	Tradelake	L	M	MW	M		F			18.5	80	4	0.17	0.136
Burnett	185E	Taylor	L	M	MW	M		F			30	60	3	0.32	0.657
Burnett	185E	Tradelake	L	M	MW	M		F			30	60	4	0.17	0.262
Burnett	189A	Siren	L	M	SP	M		F			2	250	5	0.28	0.015
Burnett	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Burnett	22A	Comstock	L	M	SP	H		F			2	200	5	0.43	0.022
Burnett	27A	Scott Lake	L	M	MW	L		F			2	150	3	0.24	0.018
Burnett	28B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Burnett	28B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Burnett	28C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Burnett	28C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Burnett	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Burnett	3082E	Braham	S	S	W	M		F	p		20	60	5	0.24	0.152
Burnett	3082E	Shawano	S	S	E	L		F	p		26	60	5	0.1	0.097
Burnett	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Burnett	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Burnett	3312B	Glendenning	L	M	SP	M		F			1	250	5	0.28	0.01
Burnett	3336A	Fenander	L	M	P	M		F			1	250	5	0.37	0.013
Burnett	337A	Plover	L	M	SP	H		F			2	250	5	0.37	0.019
Burnett	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	3429B	Lara	S	S	MW	L		F			3	200	4	0.24	0.021
Burnett	3429C	Lara	S	S	MW	L		F			9	150	4	0.24	0.086
Burnett	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Burnett	3448B	Grettum	S	S	MW	L		F	p		3	200	5	0.1	0.007
Burnett	3448C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Burnett	3510B	Fremstadt	S	S	W	L		F	p		4	200	5	0.24	0.025
Burnett	3510B	Pomroy	S	S	MW	M		F	p		4	200	4	0.2	0.027
Burnett	3510C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Burnett	3510C	Pomroy	S	S	MW	M		F	p		10	150	4	0.2	0.084
Burnett	3511A	Bushville	S	S	SP	L		F			2	250	4	0.24	0.016
Burnett	3516A	Slimlake	S	S	MW	L		F			2	250	5	0.24	0.012
Burnett	3625A	Lino	S	S	SP	L		F	w	w	1	250	5	0.28	0.01
Burnett	3626A	Crex	S	S	MW	L		F			2	250	5	0.2	0.01
Burnett	3629B	Perida	S	S	MW	L		F	p		2	200	4	0.15	0.009
Burnett	3636B	Plainbo	S	S	E	L		F	p		4	200	3	0.02	0.004
Burnett	3636C	Plainbo	S	S	E	VL	S	F	p		9	150	3	0.05	0.024
Burnett	368B	Cress	S	S	SE	L		F	p		4	200	2	0.24	0.064
Burnett	368B	Mahtomedi	S	S	E	VL		F	p		4	200	5	0.1	0.011
Burnett	368C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Burnett	368C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Burnett	368D	Cress	S	S	SE	L		F	p		20	80	2	0.24	0.438
Burnett	368D	Mahtomedi	S	S	E	VL		F	p		20	80	5	0.1	0.073
Burnett	368E	Cress	S	S	SE	L		F	p		30	60	2	0.24	0.739
Burnett	368E	Mahtomedi	S	S	E	VL		F	p		30	60	5	0.1	0.123
Burnett	380B	Cress	S	S	SE	L		F			4	200	2	0.24	0.064
Burnett	380B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Burnett	380C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Burnett	380C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Burnett	380D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Burnett	380D	Rosholt	L	M	W	L		F			21	80	5	0.28	0.221
Burnett	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Burnett	383C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Burnett	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Burnett	38A	Rosholt	L	M	W	L		F			1	250	5	0.28	0.01
Burnett	38B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Burnett	38C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Burnett	38D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Burnett	392C	Dairyland	L	M	MW	L		F	p		11	150	4	0.1	0.048
Burnett	392C	Makwa	L	M	VP	L		F	p		7	150	1	0.02	0.02
Burnett	392C	Rockmarsh	L	M	SP	L		F	p		11	150	4	0.43	0.207
Burnett	396B	Friendship	S	S	MW	L		F	p		1	250	5	0.02	0.001
Burnett	396B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Burnett	396B	Wurtsmith	S	S	MW	L		F	p		1	250	5	0.02	0.001
Burnett	397A	Perchlake	S	S	SP	L		F	w	w	1	250	5	0.17	0.006
Burnett	399B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Burnett	399C	Grayling	S	S	E	VL		F	p		9	150	5	0.02	0.006

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	399D	Grayling	S	S	E	VL		F	p		21	80	5	0.02	0.016
Burnett	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Burnett	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Burnett	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Burnett	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	410A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	410A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	419A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	419A	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	419A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	421A	Dora	O	M	VP			F			0.5	250	1	0.02	0.002
Burnett	421A	Markey	O	M	VP			F			0.5	250	1	0.02	0.002
Burnett	421A	Seelyeville	O	M	VP			F			0.5	250	2	0.02	0.001
Burnett	422A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	422A	Rondeau	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	422A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	426B	Emmert	S	S	E	VL		F	p		4	200	5	0.1	0.011
Burnett	426B	Mahtomedi	S	S	E	VL		F	p		4	200	5	0.1	0.011
Burnett	426B	Menahga	S	S	E	L		F	p		4	200	5	0.15	0.016
Burnett	426C	Emmert	S	S	E	VL		F	p		9	150	5	0.1	0.029
Burnett	426C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Burnett	426C	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Burnett	426D	Emmert	S	S	E	VL		F	p		21	80	5	0.1	0.079
Burnett	426D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Burnett	426D	Menahga	S	S	E	L		F	p		21	80	5	0.15	0.118
Burnett	42D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Burnett	430A	Freya	S	S	SP	L		F			2	250	4	0.2	0.013
Burnett	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Burnett	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Burnett	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Burnett	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Burnett	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Burnett	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Burnett	43B	Antigo	L	M	W	M		F			4	200	3	0.49	0.087
Burnett	43C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Burnett	442C	Greenwood	O	M	VP			F			1	250	2	0.02	0.002
Burnett	442C	Haugen	L	M	MW	M		F			7	150	5	0.24	0.048
Burnett	443D	Amery	L	M	W	M		F	w	w	25	80	5	0.24	0.253
Burnett	443D	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Burnett	459A	Daisybay	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	459A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	459A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Burnett	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Burnett	465A	Meehan	S	S	SP	L		F	w	w	2	200	5	0.15	0.008
Burnett	465A	Newson	L	M	VP	L		F	w	w	1	250	5	0.2	0.007
Burnett	469E	Bigisland	S	S	SE	VL		F	p		31	60	4	0.1	0.162

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	469E	Milaca	L	M	MW	M		F	p		31	60	4	0.2	0.325
Burnett	471B	Dairyland	S	S	MW	L		F	p		3	200	4	0.1	0.009
Burnett	471B	Emmert	S	S	E	VL		F	p		3	200	5	0.2	0.014
Burnett	471C	Dairyland	S	S	MW	L		F	p		11	150	4	0.1	0.048
Burnett	471C	Emmert	S	S	E	VL		F	p		11	150	5	0.2	0.077
Burnett	472A	Clemens	L	M	SP	L		F			1	250	4	0.43	0.018
Burnett	472A	Rockmarsh	L	M	SP	L		F			1	250	4	0.43	0.018
Burnett	473A	Dairyland	L	M	MW	L		F	p		1	250	4	0.1	0.004
Burnett	473A	Skog	L	M	MW	VL		F	p		1	250	2	0.2	0.017
Burnett	484A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Burnett	484A	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Burnett	485C	Lupton	O	M	VP			F	w	w	8	150	2	0.02	0.012
Burnett	485C	Tawas	O	M	VP			F	w	w	8	150	1	0.02	0.024
Burnett	495B	Grettum	S	S	MW	L		F	p		4	200	5	0.1	0.011
Burnett	495B	Karlsborg	S	S	MW	L		F	p		4	200	4	0.1	0.013
Burnett	495B	Perida	S	S	MW	L		F	p		4	200	4	0.15	0.02
Burnett	495C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Burnett	495C	Karlsborg	S	S	MW	L		F	p		9	150	4	0.1	0.036
Burnett	495C	Perida	S	S	MW	L		F	p		9	150	4	0.15	0.054
Burnett	495D	Grettum	S	S	MW	L		F	p		21	80	5	0.1	0.079
Burnett	495D	Karlsborg	S	S	MW	L		F	p		21	80	4	0.1	0.099
Burnett	495D	Perida	S	S	MW	L		F	p		21	80	4	0.15	0.148
Burnett	496B	Karlsborg	S	S	MW	L		F			4	200	4	0.1	0.013
Burnett	496C	Karlsborg	S	S	MW	L		F			9	150	4	0.1	0.036
Burnett	496D	Karlsborg	S	S	MW	L		F			21	80	4	0.1	0.099
Burnett	497A	Meenon	S	S	SP	L		F			2	250	4	0.1	0.007
Burnett	521A	Dody	L	M	VP	L		F			1	250	4	0.1	0.004
Burnett	523A	Nokasippi	L	M	VP	L		F			0.5	250	4	0.24	0.007
Burnett	529B	Perida	S	S	MW	L		F	p		2	250	4	0.1	0.007
Burnett	531A	Stengel	S	S	SP	L		F			2	250	4	0.15	0.01
Burnett	542B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Burnett	542C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Burnett	544F	Mahtomedi	S	S	E	VL		F	p		38	60	5	0.1	0.181
Burnett	544F	Menahga	S	S	E	L		F	p		38	60	5	0.02	0.036
Burnett	553B	Branstad	L	M	MW	H		F			3	200	5	0.28	0.02
Burnett	553C	Branstad	L	M	MW	H		F			9	150	5	0.28	0.081
Burnett	553D	Branstad	L	M	MW	H		F			16	100	5	0.28	0.159
Burnett	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Burnett	557B	Shawano	S	S	E	L		F	p		3	200	5	0.1	0.007
Burnett	557C	Shawano	S	S	E	L		F	p		9	150	5	0.1	0.029
Burnett	557D	Shawano	S	S	E	L		F	p		21	80	5	0.1	0.079
Burnett	586A	Chelmo	L	M	P	L		F			1	250	3	0.32	0.018
Burnett	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Burnett	615C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Burnett	615D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Burnett	620C	Haustrup	L	M	SE	L	S	F	r	r	7	150	1	0.55	0.556
Burnett	620C	Lundeen	L	M	W	M		F	r	r	7	150	2	0.43	0.217
Burnett	621A	Bjorkland	L	M	VP	L		F			1	250	4	0.1	0.004

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Burnett	624A	Ossmer	L	M	SP	M		F		w	2	200	3	0.37	0.031
Burnett	631A	Giese	L	M	VP	H		F			0.5	250	5	0.32	0.007
Burnett	632A	Aftad	L	M	MW	H		F			1	250	5	0.43	0.015
Burnett	632B	Aftad	L	M	MW	H		F			4	200	5	0.55	0.058
Burnett	632C	Aftad	L	M	MW	H		F			9	150	5	0.55	0.158
Burnett	634C	Beartree	L	M	VP	VL	S	F	wr	wr	1	250	1	0.37	0.063
Burnett	634C	Drylanding	L	M	SE	VL	S	F	wr	wr	7	150	1	0.49	0.495
Burnett	635C	Beartree	L	M	VP	VL	S	F	wr	wr	1	250	1	0.37	0.063
Burnett	635C	Drylanding	L	M	SE	VL	S	F	wr	wr	7	150	1	0.49	0.495
Burnett	63A	Crystal Lake	L	M	MW	VH		F			1	250	5	0.37	0.013
Burnett	63B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Burnett	63C	Crystal Lake	L	M	MW	VH		F			9	150	5	0.37	0.107
Burnett	648B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Burnett	64A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Burnett	64A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.1	0.005
Burnett	669D	Fremstadt	S	S	W	L		F	p		22	80	5	0.24	0.205
Burnett	669D	Pomroy	S	S	MW	M		F	p		22	80	4	0.2	0.214
Burnett	671B	Spoonerhill	S	S	MW	L		F			4	200	5	0.24	0.025
Burnett	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Burnett	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Burnett	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Burnett	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Burnett	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Burnett	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Burnett	706A	Totagatic	S	S	P	L		F	w	w	1	250	5	0.28	0.01
Burnett	706A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.37	0.019
Burnett	715A	Mora	L	M	SP	M		F			2	250	4	0.37	0.024
Burnett	717B	Milaca	L	M	MW	M		F			5	200	4	0.37	0.07
Burnett	717C	Milaca	L	M	MW	M		F			9	150	4	0.37	0.133
Burnett	720F	Haustrup	L	M	SE	L	S	F	r	r	18	150	1	0.49	2.063
Burnett	720F	Lundeen	L	M	W	M		F	r	r	18	150	2	0.43	0.905
Burnett	726B	Sissabagama	S	S	MW	L		F	p		3	200	5	0.15	0.01
Burnett	742B	Milaca	L	M	MW	M		F			4	200	4	0.2	0.027
Burnett	742C	Milaca	L	M	MW	M		F			9	150	4	0.2	0.072
Burnett	742D	Milaca	L	M	MW	M		F			16	100	4	0.2	0.142
Burnett	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Burnett	755A	Moppet	L	M	MW	M		F	w	w	2	150	3	0.2	0.015
Burnett	771A	Lenroot	S	S	MW	VL		F	p		1	250	5	0.1	0.003
Burnett	812B	Mora	L	M	SP	M		F			2	250	4	0.2	0.013
Burnett	825A	Meehan	S	S	SP	L		F		w	1	250	5	0.02	0.001
Burnett	82B	Branstad	L	M	MW	H		F	p		3.5	200	5	0.28	0.026
Burnett	82B	Cutaway	S	S	MW	M		F	p		3.5	200	5	0.24	0.022
Burnett	82C	Branstad	L	M	MW	H		F	p		9	150	5	0.28	0.081
Burnett	82C	Cutaway	S	S	MW	M		F	p		9	150	5	0.24	0.069
Burnett	83A	Smestad	S	S	SP	M		F			2	250	4	0.17	0.011
Burnett	85B	Taylor	L	M	MW	M		F			4	200	3	0.43	0.076
Burnett	85C	Taylor	L	M	MW	M		F			9	150	3	0.43	0.206

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Burnett	86A	Alango	L	M	SP	M		F			1	250	5	0.24	0.008
Burnett	86A	Indus	L	M	P	M		F			0.5	250	5	0.24	0.005
Burnett	896A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.05	0.003
Burnett	89A	Wildwood	L	M	VP	VL		F			1	250	1	0.02	0.003
Burnett	96B	Karlsborg	S	S	MW	L		F			4	200	4	0.02	0.003
Burnett	96C	Karlsborg	S	S	MW	L		F			9	150	4	0.02	0.007
Burnett	96D	Karlsborg	S	S	MW	L		F			16	100	4	0.02	0.014
Burnett	980A	Soderbeck	L	M	SP	L		F			1	250	3	0.32	0.018
Calumet	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Calumet	BcA	Bellevue	L	H	MW	H		M	w	w	1.5	250	5	0.37	0.016
Calumet	BrB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03
Calumet	BrC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Calumet	BsB	Boyer	L	H	W	M		M	p		4	200	5	0.17	0.018
Calumet	BtB	Briggsville	L	H	MW	H		M			4	200	5	0.43	0.046
Calumet	BtC2	Briggsville	L	H	W	H		M			9	150	5	0.43	0.124
Calumet	Bu	Brookston	L	M	VP	M		M	w	w	1	250	5	0.28	0.01
Calumet	CnB	Channahon	L	M	MW	L	S	M	r	r	4	200	1	0.24	0.127
Calumet	CnC	Channahon	L	M	MW	L	S	M	r	r	9	150	1	0.24	0.346
Calumet	CoA	Cosad	S	S	SP	M		M			1.5	250	4	0.28	0.015
Calumet	DoB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Calumet	Gb	Granby	S	S	VP	L		M	w	w	1	250	2	0.15	0.013
Calumet	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Calumet	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Calumet	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Calumet	HnB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03
Calumet	HnB	Hochheim	L	H	W	M		M	p		4	200	5	0.28	0.03
Calumet	HnB	Nichols	L	H	W	H		M	p		4	200	5	0.43	0.046
Calumet	HnC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Calumet	HnC2	Hochheim	L	H	W	M		M	p		9	150	5	0.28	0.081
Calumet	HnC2	Nichols	L	H	W	H		M	p		9	150	5	0.43	0.124
Calumet	HnD	Boyer	L	M	W	L		M	p		18.5	80	3	0.17	0.182
Calumet	HnD	Hochheim	L	H	W	M		M	p		18.5	80	5	0.28	0.18
Calumet	HnD	Nichols	L	H	W	H		M	p		18.5	80	5	0.43	0.276
Calumet	HrB	Hortonville	L	H	W	H		M			4	200	5	0.43	0.046
Calumet	HrC2	Hortonville	L	H	W	H		M			9	140	5	0.43	0.12
Calumet	HrD2	Hortonville	L	H	W	H		M			16	115	5	0.43	0.261
Calumet	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Calumet	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Calumet	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.37	0.065
Calumet	KnC2	Kewaunee	L	H	W	M		M			9	150	5	0.32	0.092
Calumet	KnD2	Kewaunee	L	H	W	M		M			16	100	5	0.32	0.182
Calumet	KnE	Kewaunee	L	H	W	M		M			25	60	5	0.32	0.292
Calumet	KpB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03
Calumet	KpB	Kewaunee	L	H	W	M		M	p		4	200	5	0.32	0.034
Calumet	KpB	Nichols	L	H	W	H		M	p		4	200	5	0.43	0.046
Calumet	KpC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Calumet	KpC2	Kewaunee	L	H	W	M		M	p		9	150	5	0.32	0.092
Calumet	KpC2	Nichols	L	H	W	H		M	p		9	150	5	0.43	0.124

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Calumet	KpD	Boyer	L	M	W	L		M	p		16	100	3	0.17	0.161
Calumet	KpD	Kewaunee	L	H	W	M		M	p		16	100	5	0.32	0.182
Calumet	KpD	Nichols	L	H	W	H		M	p		16	100	5	0.43	0.244
Calumet	KrB	Kolberg	L	M	W	L	S	F			4	200	2	0.37	0.098
Calumet	KrC2	Kolberg	L	M	W	L	S	F			9	150	2	0.37	0.266
Calumet	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Calumet	LuB	Lutzke	L	M	W	VL		M			4	200	3	0.28	0.049
Calumet	LuC2	Lutzke	L	M	W	VL		M			9	150	3	0.28	0.134
Calumet	LuD	Lutzke	L	M	W	VL		M			16	100	3	0.28	0.265
Calumet	MbA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Calumet	McB	Kewaunee	L	H	W	M		M			2	250	5	0.32	0.017
Calumet	McB	Manawa	L	H	SP	H		M			2	250	3	0.32	0.028
Calumet	McB	Poygan	L	M	P	M		M			2	250	5	0.32	0.017
Calumet	MIA	Mayville	L	H	MW	H		M			2	250	5	0.43	0.022
Calumet	MsA	Mosel	L	H	SP	M		M			1.5	250	5	0.32	0.013
Calumet	MuA	Mundelein	L	H	SP	H		M	w	w	1.5	250	5	0.32	0.013
Calumet	NsB	Nichols	L	H	W	H		M			4	200	5	0.43	0.046
Calumet	NsC2	Nichols	L	H	W	H		M			9	150	5	0.43	0.124
Calumet	OaB	Oakville	S	S	W	L		M	p		4	200	5	0.24	0.025
Calumet	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.24	0.069
Calumet	OgB	Granby	S	S	VP	L		M	wp	w	1	250	2	0.15	0.013
Calumet	OgB	Oakville	S	S	MW	L		M	wp	w	2	250	5	0.24	0.012
Calumet	OzC2	Omro	L	H	W	M		M			8	150	4	0.32	0.097
Calumet	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Calumet	Pe	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Calumet	PIBT	Plainfield	S	S	E	L		M	p		4	200	5	0.1	0.011
Calumet	PICT	Plainfield	S	S	E	L		M	p		9	150	5	0.1	0.029
Calumet	PIDT	Plainfield	S	S	E	L		M	p		18	80	5	0.1	0.061
Calumet	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Calumet	ShA	Shiocton	L	H	SP	M		F	w	w	1.5	250	5	0.43	0.018
Calumet	SyA	Symco	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Calumet	TeA	Tedrow	S	S	SP	L		M		w	1.5	250	5	0.28	0.012
Calumet	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Calumet	TuB	Tustin	S	S	W	M		M			4	200	4	0.2	0.027
Calumet	WaA	Wasepi	L	M	SP	L		M		w	1.5	250	4	0.24	0.013
Calumet	We	Wauseon	L	M	VP	M		M			1	250	4	0.15	0.006
Calumet	WoB	Waymor	L	H	W	M		M			4	200	5	0.49	0.052
Calumet	WoC2	Waymor	L	H	W	M		M			9	150	5	0.49	0.141
Calumet	WoD2	Waymor	L	H	W	M		M			16	100	5	0.49	0.278
Calumet	WpB	Whalan	L	H	W	M		M			4	200	2	0.37	0.098
Calumet	Wt	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Calumet	WvB	'yocena varia	L	H	W	M		M	p		4	200	5	0.2	0.021
Calumet	WvC2	'yocena varia	L	H	W	M		M	p		9	150	5	0.2	0.058
Calumet	ZuB	Zurich	L	H	W	H		M			4	200	5	0.43	0.046
Calumet	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
Chippewa	AfB	Alban	L	H	MW	M		F			4	300	5	0.37	0.046
Chippewa	AfC	Alban	L	H	W	H		F			8	300	5	0.37	0.127
Chippewa	AgB	Almena	L	H	SP	H		F			4	300	5	0.43	0.053

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Chippewa	AIB	Amery	L	M	W	L		F			4	200	3	0.24	0.042
Chippewa	AIC	Amery	L	M	W	L		F			9	150	3	0.24	0.115
Chippewa	AID	Amery	L	M	W	L		F			18	150	3	0.24	0.337
Chippewa	AIF	Amery	L	M	W	L		F			30	60	5	0.24	0.296
Chippewa	AnB	Antigo	L	H	W	M		F			4	200	3	0.43	0.076
Chippewa	AnC2	Antigo	L	H	W	M		F			8	150	3	0.43	0.173
Chippewa	AoA	Arenzville	L	H	MW	VH		M			2	200	5	0.49	0.024
Chippewa	ApB	Arland	L	M	W	L		F			4	300	3	0.28	0.058
Chippewa	ApC2	Arland	L	M	W	L		F			8	150	3	0.28	0.113
Chippewa	ApD2	Arland	L	M	W	L		F			16	150	3	0.28	0.325
Chippewa	AsB	Arland	L	M	W	L		F			4	300	3	0.37	0.076
Chippewa	AsC2	Arland	L	M	W	L		F			8	150	3	0.37	0.149
Chippewa	AsD2	Arland	L	M	W	L		F			16	100	3	0.37	0.35
Chippewa	Au	Auburndale	L	M	P			F	w	w	1	300	5	0.43	0.015
Chippewa	Ba	Barronett	L	M	P	H		F			1	300	5	0.43	0.015
Chippewa	Bb	Barronett	L	M	P	VH		F			1	300	5	0.43	0.015
Chippewa	Be	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Chippewa	BIA	Billett	L	M	W	L		M	p		1	300	3	0.24	0.014
Chippewa	BIB	Billett	L	M	W	L		M	p		4	300	3	0.24	0.05
Chippewa	BIC2	Billett	L	M	W	L		M	p		10	150	3	0.24	0.134
Chippewa	BmA	Billett	L	H	MW	M		M	p		1	300	3	0.24	0.014
Chippewa	BoE	Boone	S	S	E	VL	S	M	p	r	25	100	3	0.05	0.098
Chippewa	BpA	Brill	L	H	MW	M		F			2	200	3	0.43	0.036
Chippewa	BuA	Burkhardt	S	S	E	L		M	p		2	300	2	0.24	0.034
Chippewa	Cb	Cable	L	M	VP	M		F	w	w	2	300	4	0.37	0.026
Chippewa	CdB	Campia	L	H	W	H		F			4	300	5	0.49	0.061
Chippewa	CdC2	Campia	L	H	W	H		F			8	150	5	0.49	0.119
Chippewa	CdD2	Campia	L	H	W	H		F			16	80	5	0.49	0.249
Chippewa	CeA	Caryville	S	S	W	L		F	p		1	300	5	0.24	0.009
Chippewa	CkA	Chetek	L	M	SE	L		F			2	300	5	0.2	0.011
Chippewa	CkB	Chetek	L	M	SE	L		F			4	200	5	0.2	0.021
Chippewa	CkC2	Chetek	L	M	SE	L		F			8	150	5	0.2	0.048
Chippewa	CkD2	Chetek	L	M	SE	L		F	p		18	80	5	0.2	0.123
Chippewa	CkD2	Mahtomedi	S	S	E	L		F	p		18	80	5	0.1	0.061
Chippewa	CkE	Chetek	L	M	SE	L		F	p		30	80	3	0.2	0.474
Chippewa	CkE	Mahtomedi	S	S	E	L		F	p		30	80	5	0.1	0.142
Chippewa	Cm	Comstock	L	H	SP	H		F			1	300	5	0.43	0.015
Chippewa	CuA	Crystal Lake	L	H	MW	VH		F			2	300	5	0.43	0.024
Chippewa	EIB	Eleva	L	M	W	L		M	p		4	300	4	0.24	0.037
Chippewa	EIC2	Eleva	L	M	W	L		M	p		9	150	4	0.24	0.086
Chippewa	EID2	Eleva	L	M	W	L		M	p		16	80	4	0.24	0.152
Chippewa	EmB	Elkmound	L	M	W	VL	S	M	r	r	4	200	2	0.43	0.114
Chippewa	EmC2	Elkmound	L	M	W	VL	S	M	r	r	9	150	2	0.43	0.31
Chippewa	EmD2	Elkmound	L	M	W	VL	S	M	r	r	16	80	2	0.43	0.546
Chippewa	EmE	Elkmound	L	M	W	VL	S	M	r	r	25	80	2	0.43	1.133
Chippewa	Eo	Elm Lake	S	S	P	L		F	w	w	1	300	4	0.2	0.009
Chippewa	FaB	Fallcreek	L	H	SP	M		F	w	w	4	300	5	0.32	0.04
Chippewa	FbB	Flambeau	L	H	MW	H		F			4	300	5	0.37	0.046

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Chippewa	FbC2	Flambeau	L	H	MW	H		F			8	150	5	0.37	0.09
Chippewa	Fm	Fordum	L	M	P	M		F	w	w	1	200	3	0.28	0.015
Chippewa	FnB	Freeon	L	M	MW	L		F			4	200	5	0.49	0.052
Chippewa	FnC2	Freeon	L	M	MW	L		F			8	150	5	0.49	0.119
Chippewa	FrA	Friendship	S	S	MW	L		F	p		2	300	5	0.24	0.013
Chippewa	GaB	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Chippewa	GaC2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Chippewa	GaD2	Gale	L	H	W	M		M			16	80	3	0.49	0.415
Chippewa	Gr	Greenwood	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Chippewa	Ha	Halder	L	H	SP	M		F	w	w	1	200	3	0.37	0.02
Chippewa	HeB	Hiles	L	M	MW	M	S	F			4	200	3	0.43	0.076
Chippewa	HfB	Hiles variant	L	H	MW	M		F			5	200	3	0.43	0.109
Chippewa	HnB	Hixton	L	M	W	L		M			4	300	3	0.37	0.076
Chippewa	HnC2	Hixton	L	M	W	L		M			9	150	3	0.37	0.178
Chippewa	HuB	Humbird	L	M	MW	L		F			3	200	3	0.28	0.033
Chippewa	HuC2	Humbird	L	M	MW	L		F			8	150	3	0.28	0.113
Chippewa	KeB	Kert	L	H	SP	M		F			4	300	4	0.43	0.067
Chippewa	La	Lows	L	M	P	M		F	w	w	1	200	3	0.28	0.015
Chippewa	LoB	Loyal	L	H	MW	M		F			4	200	4	0.49	0.065
Chippewa	LoC2	Loyal	L	H	MW	M		F			9	150	4	0.49	0.176
Chippewa	Lp	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Chippewa	MbB	Magnor	L	H	SP	M		F			4	200	4	0.49	0.065
Chippewa	McB	Magnor	L	M	SP	L		F			4	200	4	0.49	0.065
Chippewa	MdB	Mahtomedi	S	S	E	L		F	p		4	300	5	0.1	0.012
Chippewa	MdC	Mahtomedi	S	S	E	L		F	p		8	150	5	0.1	0.024
Chippewa	Me	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Chippewa	Mh	Meehan	S	S	SP	L		F	w	w	1	300	5	0.15	0.005
Chippewa	MkB	Menahga	S	S	E	L		F	p		3	200	5	0.2	0.014
Chippewa	MkC	Menahga	S	S	E	L		F	p		9	150	5	0.2	0.058
Chippewa	MIA	Meridian	L	H	W	M		M			1	200	3	0.37	0.02
Chippewa	MIB	Meridian	L	H	W	M		M			4	200	3	0.37	0.065
Chippewa	MmA	Meridian	L	H	MW	M		M			1	200	3	0.37	0.02
Chippewa	MrB	Merrillan	L	H	SP	M		F	w	w	4	200	3	0.32	0.057
Chippewa	Mu	Minocqua	L	M	P	M		F	w	w	1	200	3	0.28	0.015
Chippewa	MvA	Moundville	S	S	MW	L		M	p		1	200	5	0.24	0.008
Chippewa	Na	Newson	S	S	VP	L		F	w	w	1	300	5	0.15	0.005
Chippewa	NtB	Northfield	L	M	W	L	S	M	r	r	4	200	2	0.49	0.13
Chippewa	NtC2	Northfield	L	M	W	L	S	M	r	r	9	150	2	0.49	0.353
Chippewa	NtD2	Northfield	L	M	W	L	S	M	r	r	16	80	2	0.49	0.622
Chippewa	Oe	Oesterle	L	M	SP	L		F	w	w	1	200	3	0.2	0.011
Chippewa	Or	Orion	L	H	SP	VH		M		w	1	200	5	0.49	0.016
Chippewa	OsC2	Otterholt	L	H	W	H		F			8	250	5	0.49	0.154
Chippewa	PdB	Plainbo	S	S	E	VL	S	F	p		4	200	3	0.05	0.009
Chippewa	PdC	Plainbo	S	S	E	VL	S	F	p		9	150	3	0.05	0.024
Chippewa	PdD	Plainbo	S	S	E	VL	S	F	p		16	80	3	0.05	0.042
Chippewa	Pv	Plover	L	H	SP	H		F			1	300	5	0.49	0.018
Chippewa	Px	Poskin	L	H	SP	M		F	w	w	1	200	3	0.43	0.023
Chippewa	Rb	Rib	L	M	P	M		F	w	w	1	200	3	0.37	0.02



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Chippewa	Rc	Rib	L	M	P	H		F	w	w	1	200	4	0.37	0.015
Chippewa	RfA	Richford	S	S	SE	L		M	p		2	300	5	0.17	0.01
Chippewa	RoA	Rosholt	L	M	W	L		F	p		1	250	5	0.24	0.008
Chippewa	RoB	Rosholt	L	M	W	L		F	p		4	200	5	0.24	0.025
Chippewa	RoC2	Rosholt	L	M	W	L		F	p		8	100	5	0.24	0.048
Chippewa	RpA	Rosholt	L	M	W	L		F			1	200	3	0.37	0.02
Chippewa	RpB	Rosholt	L	M	W	L		F			4	200	3	0.37	0.065
Chippewa	RpC2	Rosholt	L	M	W	L		F			8	150	3	0.37	0.149
Chippewa	SaB	Santiago	L	H	W	H		F			4	300	5	0.43	0.053
Chippewa	SaC2	Santiago	L	H	W	H		F			8	250	5	0.43	0.135
Chippewa	SaD2	Santiago	L	H	W	H		F			16	200	5	0.43	0.345
Chippewa	SbA	Sattre	L	H	W	M		M			2	300	3	0.28	0.026
Chippewa	ScB	Scott Lake	L	M	MW	L		F			4	200	3	0.28	0.049
Chippewa	SdA	Scott Lake	L	H	MW	M		F			2	200	3	0.37	0.031
Chippewa	SeB	Seaton	L	H	W	VH		M			4	300	5	0.49	0.061
Chippewa	SeC2	Seaton	L	H	W	VH		M			8	150	5	0.49	0.119
Chippewa	SeD2	Seaton	L	H	W	VH		M			16	80	5	0.49	0.249
Chippewa	SfA	Seaton	L	H	MW	VH		M			2	300	5	0.43	0.024
Chippewa	SgA	Seaton	L	H	W	H		M			1	400	4	0.43	0.022
Chippewa	SgB	Seaton	L	H	W	H		M			4	300	4	0.43	0.067
Chippewa	Sm	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Chippewa	So	Shiffer	L	H	SP	M		M		w	1	200	3	0.32	0.017
Chippewa	SrB	Spencer	L	H	MW	H		F			4	300	5	0.43	0.053
Chippewa	SrC2	Spencer	L	H	MW	H		F			8	300	5	0.43	0.148
Chippewa	SsA	Spencer	L	H	MW	H		F			2	250	4	0.43	0.028
Chippewa	SsB	Spencer	L	H	MW	H		F			4	300	4	0.43	0.067
Chippewa	TeB	Tell	L	H	W	M		M			2	200	3	0.49	0.041
Chippewa	Ve	Vesper	L	M	P	M		F	w	w	2	200	5	0.37	0.018
Chippewa	Wb	Warman variat	S	S	SP	L		F	w	w	1	200	5	0.2	0.006
Chippewa	WeB	Withee	L	H	SP	M		F			2	250	4	0.43	0.028
Clark	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Clark	AbB	Aftad	L	H	MW	M		F			4	300	5	0.49	0.061
Clark	AgA	Almena	L	H	SP	H		F			2	300	5	0.37	0.021
Clark	AnA	Au Gres	S	S	SP	L		F	w	w	2	200	5	0.02	0.001
Clark	AnA	Newson	S	S	VP	L		F	w	w	1	200	5	0.24	0.008
Clark	Au	Auburndale	L	M	P	H		F			1	150	5	0.32	0.01
Clark	Ba	Barronett	L	M	P	H		F			1	150	5	0.37	0.011
Clark	BIB	Bilson	L	H	W	M		M			4	250	3	0.17	0.033
Clark	BoC	Boone	S	S	E	VL		M	p		6	150	3	0.02	0.005
Clark	BoF	Boone	S	S	E	VL		M	p		17	125	3	0.02	0.023
Clark	BpF	Boone	S	S	E	VL		M	p		20	125	3	0.02	0.03
Clark	BpF	Elevasil	L	M	SE	L		M	p		20	125	3	0.17	0.258
Clark	BrA	Brander	L	H	MW	M		F		w	2	300	3	0.43	0.04
Clark	Ca	Capitola	L	M	P	M		F			1	150	3	0.32	0.016
Clark	Ca	Marshfield	L	M	VP	M		F			1	150	5	0.28	0.008
Clark	Ca	Veedum	L	M	VP	M		F			1	150	3	0.49	0.024
Clark	Cd	Citypoint	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	CmA	Comstock	L	H	SP	H		F			2	200	5	0.43	0.022

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Clark	CoC2	Council	L	H	W	H		M			8	175	5	0.43	0.113
Clark	CsD2	Council	L	H	W	H		M			16	125	5	0.43	0.273
Clark	CsD2	Seaton	L	H	W	VH		M			16	125	5	0.49	0.311
Clark	CuB	Crystal Lake	L	H	MW	VH		F			3	300	5	0.43	0.034
Clark	Da	Dawsil	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	EaB	Eauclaire	S	S	MW	M		F	p		4	250	5	0.05	0.006
Clark	EiB	Elevasil	L	M	SE	L		M			4	175	3	0.17	0.028
Clark	EiC2	Elevasil	L	M	SE	L		M			9	150	3	0.17	0.082
Clark	EiD2	Elevasil	L	M	SE	L		M			16	150	3	0.17	0.197
Clark	FeA	Elm Lake	S	S	VP	L		F	w	w	1	250	3	0.05	0.003
Clark	FeA	Fairchild	S	S	SP	VL		F	w	w	2	250	3	0.02	0.002
Clark	FfA	Fallcreek	L	H	SP	H		F	w	w	2	300	5	0.43	0.024
Clark	FgA	Fallcreek	L	H	SP	H		F	w	w	2	300	5	0.43	0.024
Clark	FgA	Merrillan	L	M	SP	L	S	F	w	w	2	300	3	0.24	0.022
Clark	FhB	Flambeau	L	H	MW	H		F			4	250	5	0.37	0.043
Clark	FhC	Flambeau	L	H	MW	H		F			9	150	5	0.37	0.107
Clark	FhD	Flambeau	L	H	MW	H		F			16	125	5	0.37	0.235
Clark	FkB	Flambeau	L	H	MW	M		F			4	250	5	0.28	0.032
Clark	FiB	Flambeau	L	H	MW	H		F			4	200	5	0.37	0.039
Clark	FiB	Humbird	L	M	MW	L	S	F			4	200	3	0.24	0.042
Clark	FiC	Flambeau	L	H	MW	M		F			9	150	5	0.28	0.081
Clark	FiC	Humbird	L	M	MW	L	S	F			9	150	3	0.24	0.115
Clark	Fm	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Clark	FnB	Freeon	L	H	MW	M		F			4	300	5	0.49	0.061
Clark	FnC	Freeon	L	H	MW	M		F			11	175	5	0.49	0.205
Clark	HeB	Hiles	L	M	MW	L	S	F			4	250	3	0.37	0.072
Clark	HuB	Humbird	L	M	MW	L		F			4	175	3	0.24	0.04
Clark	HuC	Humbird	L	M	MW	VL	S	F			9	150	3	0.28	0.134
Clark	HxB	Humbird	L	M	MW	VL	S	F			4	150	3	0.24	0.038
Clark	HxB	Merrillan	L	M	SP	L		F			2	150	3	0.24	0.018
Clark	IxA	Ironrun	S	S	SP	L		F	w	w	2	200	5	0.02	0.001
Clark	IxA	Ponycreek	S	S	VP	L		F	w	w	1	200	5	0.02	0.001
Clark	IzB	Arbutus	S	S	E	VL	S	F	p	w	4	200	2	0.1	0.027
Clark	IzB	Ironrun	S	S	SP	L		F	p	w	2	200	5	0.02	0.001
Clark	IzB	Ponycreek	S	S	VP	L		F	p	w	1	200	5	0.02	0.001
Clark	KeA	Kert	L	H	SP	M		F			2	250	3	0.37	0.032
Clark	Lk	Loxley	O	M	VP			F	w	w	1	150	2	0.02	0.002
Clark	Lm	Beseman	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	Lm	Dawson	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	Lm	Loxley	O	M	VP			F	w	w	1	150	2	0.02	0.002
Clark	LoB	Loyal	L	H	MW	M		F			4	200	4	0.49	0.065
Clark	LoC	Loyal	L	H	MW	M		F			9	150	4	0.49	0.176
Clark	LsB	Hiles	L	M	MW	L	S	F		r	4	250	3	0.37	0.072
Clark	LsB	Loyal	L	H	MW	M		F		r	4	250	5	0.49	0.057
Clark	LsC	Hiles	L	M	MW	L	S	F			9	175	3	0.37	0.191
Clark	LsC	Loyal	L	H	MW	M		F			9	175	5	0.49	0.152
Clark	LuB	Ludington	S	S	MW	L		F	p		4	200	3	0.02	0.004
Clark	LuC	Ludington	S	S	MW	VL		F	p		9	175	3	0.02	0.01

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Clark	LxB	Fairchild	S	S	SP	VL		F	p		2	150	3	0.02	0.002
Clark	LxB	Ludington	S	S	MW	L		F	p		4	150	3	0.02	0.003
Clark	LyD	Humbird	L	M	MW	VL	S	F	p		16	125	3	0.28	0.296
Clark	LyD	Ludington	S	S	MW	VL		F	p		16	125	3	0.02	0.021
Clark	MaB	Magnor	L	H	SP	M		F			2	295	4	0.43	0.03
Clark	MbB	Mahtomedi	S	S	E	L		F	p		3	175	5	0.1	0.007
Clark	MbC	Mahtomedi	S	S	E	L		F	p		9	175	5	0.1	0.031
Clark	McA	Maplehurst	L	H	SP	H		F	w	w	2	300	4	0.49	0.034
Clark	Me	Markey	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	Me	Newson	L	M	VP	L		F	w	w	1	150	5	0.24	0.007
Clark	Mf	Marshfield	L	M	P	M		F			1	250	5	0.43	0.015
Clark	MgB	Menahga	S	S	E	L		F	p		3	200	5	0.15	0.01
Clark	MmA	Merimod	L	H	MW	M		M			2	300	3	0.37	0.035
Clark	MnB	Merit	L	H	W	M		M			3	200	3	0.43	0.05
Clark	MoB	Gardenvale	L	H	W	M		M			4	300	4	0.37	0.057
Clark	MoB	Merit	L	H	W	M		M			4	300	3	0.43	0.089
Clark	MpA	Merrillan	L	M	SP	L		F	w	w	2	250	3	0.24	0.021
Clark	MrA	Merrillan	L	M	SP	L	S	F	w	w	2	200	3	0.24	0.02
Clark	MrA	Veedum	L	M	VP	L	S	F	w	w	1	200	3	0.49	0.026
Clark	MxA	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Clark	MxA	Moppet	L	H	MW	M		F	w	w	2	150	3	0.24	0.018
Clark	NeB	Newood	L	H	MW	M		F			4	175	5	0.2	0.02
Clark	NeC	Newood	L	H	MW	M		F			11	175	4	0.2	0.104
Clark	NmC	Cathro	O	M	VP			F			1	175	1	0.02	0.003
Clark	NmC	Magnor	L	H	SP	M		F			2	175	5	0.43	0.021
Clark	NmC	Newood	L	H	MW	M		F			11	175	4	0.2	0.104
Clark	NoC	Northmound	L	M	W	L	S	F			11	175	2	0.43	0.449
Clark	NrF	Northmound	L	M	W	L	S	F	r	r	33	175	2	0.43	2.642
Clark	OeA	Oesterle	L	M	SP	L		F	w	w	2	200	3	0.37	0.031
Clark	PeA	Pelkie	S	S	MW	L		F	w	w	2	150	5	0.2	0.009
Clark	PeA	Winterfield	S	S	SP	L		F	w	w	2	150	5	0.2	0.009
Clark	PoA	Plover	L	H	SP	H		F			2	300	5	0.43	0.024
Clark	Pv	Dawsil	O	M	VP			F	w	w	1	150	1	0.02	0.003
Clark	Pv	Ponycreek	L	M	VP	L		F	w	w	1	150	5	0.02	0.001
Clark	PxA	Poskin	L	H	SP	M		F	w	w	2	300	3	0.37	0.035
Clark	Rb	Rib	L	M	P	M		F	w	w	1	150	3	0.32	0.016
Clark	RkA	Rockdam	S	S	MW	L		F	p		2	150	5	0.02	0.001
Clark	RoA	Rosholt	S	S	W	L		F	p		1	300	5	0.28	0.01
Clark	RoB	Rosholt	S	S	W	L		F	p		4	200	5	0.28	0.03
Clark	RoC	Rosholt	L	M	W	L		F	p		9	150	5	0.24	0.069
Clark	RzB	Rozellville	L	H	W	M		F			4	300	5	0.32	0.04
Clark	RzC	Rozellville	L	H	W	M		F			9	175	5	0.32	0.099
Clark	ScA	Simescreek	S	S	E	L		F	p		2	300	5	0.02	0.001
Clark	SrB	Spencer	L	H	MW	H		F			4	300	5	0.37	0.046
Clark	SrC	Spencer	L	H	MW	H		F			9	150	5	0.37	0.107
Clark	TrB	Tarr	S	S	E	L		M	p		3	150	5	0.02	0.001
Clark	Ve	Veedum	L	M	VP	M		F	w	w	1	150	3	0.37	0.018
Clark	Vs	Elm Lake	L	M	VP	L		F	w	w	1	150	3	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Clark	Vs	Veedum	L	M	VP	L	S	F	w	w	1	150	3	0.49	0.024
Clark	WeA	Withee	L	H	SP	M		F			2	250	4	0.43	0.028
Clark	WkA	Kert	L	H	SP	M		F			2	300	3	0.37	0.035
Clark	WkA	Withee	L	H	SP	M		F			2	300	5	0.37	0.021
Columbia	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Columbia	AtA	Atterberry	L	H	SP	H		M			1	250	5	0.43	0.015
Columbia	AtB	Atterberry	L	H	SP	H		M			4	200	5	0.43	0.046
Columbia	BaB2	Baraboo	L	H	MW	M		M			4	200	2	0.43	0.114
Columbia	BaC2	Baraboo	L	H	MW	M		M			9	150	2	0.43	0.31
Columbia	BaD	Baraboo	L	H	W	M		M			16	100	2	0.43	0.611
Columbia	BaE	Baraboo	L	H	W	M		M			25	60	2	0.43	0.98
Columbia	BbA	Barry	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Columbia	BnC	Boone	S	S	E	VL	S	M	p	r	9	150	3	0.32	0.154
Columbia	BnE	Boone	S	S	E	VL	S	M	p	r	28.5	60	3	0.32	0.604
Columbia	Bo	Boots	O	H	VP			M	w	w	1	250	2	0.02	0.002
Columbia	BpA	Boyer	S	S	W	L		M	p		1	250	5	0.24	0.008
Columbia	BpB	Boyer	S	S	W	L		M	p		4	200	4	0.24	0.032
Columbia	BpC2	Boyer	S	S	W	L		M	p		9	150	4	0.24	0.086
Columbia	BpD2	Boyer	S	S	W	L		M	p		21	80	5	0.24	0.19
Columbia	BrA	Boyer	L	M	W	L		M	p		1	250	3	0.28	0.016
Columbia	BrB	Boyer	L	M	W	L		M	p		4	200	3	0.28	0.049
Columbia	BsB	Briggsville	L	H	W	H		M			5	200	5	0.37	0.056
Columbia	BtB2	iggsville varia	L	H	W	H		M			3.5	200	5	0.49	0.045
Columbia	CaB	Channahon	L	M	MW	L	S	M			4	200	2	0.37	0.098
Columbia	CaC2	Channahon	L	M	MW	L	S	M			9	150	2	0.37	0.266
Columbia	CaE2	Channahon	L	M	MW	L	S	M			21	80	2	0.37	0.731
Columbia	ChB	Chelsea	S	S	E	L		M	p		3.5	200	5	0.17	0.016
Columbia	ChC	Chelsea	S	S	E	L		M	p		9	150	5	0.17	0.049
Columbia	CoA	Colwood	L	M	P	H		M	w	w	1.5	250	5	0.2	0.008
Columbia	DoB2	Dodge	L	H	W	H		M			4	200	5	0.49	0.052
Columbia	DoC2	Dodge	L	H	W	H		M			9	150	5	0.49	0.141
Columbia	DoD2	Dodge	L	H	W	H		M			16	100	5	0.49	0.278
Columbia	DrB	Dresden	L	M	W	L		M			3.5	200	3	0.28	0.043
Columbia	DrC2	Dresden	L	M	W	L		M			9	150	4	0.28	0.101
Columbia	DrD2	Dresden	L	M	W	L		M			16	100	4	0.28	0.199
Columbia	FrB	Friesland	L	H	W	H		M			3.5	200	5	0.24	0.022
Columbia	GaA	Gilford	L	M	P	M		M	w	w	1.5	250	5	0.24	0.01
Columbia	Gb	Granby	S	S	VP	L		M	w	w	1	250	5	0.1	0.003
Columbia	GeB	Grellton	L	H	W	H		M			3.5	200	5	0.28	0.026
Columbia	GeC2	Grellton	L	H	W	H		M			9	150	5	0.28	0.081
Columbia	GnA	rellton variar	L	H	SP	H		M			2	250	5	0.24	0.012
Columbia	GrB2	Griswold	L	H	W	M		M			4	200	5	0.37	0.039
Columbia	GrC2	Griswold	L	H	W	M		M			9	150	5	0.37	0.107
Columbia	GrD2	Griswold	L	H	W	M		M			16	100	5	0.37	0.21
Columbia	Ho	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Columbia	JoA	Joy	L	H	SP	VH		M			2	250	5	0.43	0.022
Columbia	KbA	Kibbie	L	H	SP	H		M			2	250	5	0.28	0.015
Columbia	KnB	Knowles	L	H	W	M		M			4	200	2	0.37	0.098

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Columbia	KnC2	Knowles	L	H	W	M		M			9	150	2	0.37	0.266
Columbia	KnD2	Knowles	L	H	W	M		M			16	100	2	0.37	0.525
Columbia	LaB	Lapeer	L	H	W	M		M			4	200	5	0.32	0.034
Columbia	LaC2	Lapeer	L	H	W	M		M			9	150	5	0.32	0.092
Columbia	LaD2	Lapeer	L	H	W	M		M			16	100	5	0.32	0.182
Columbia	LaE2	Lapeer	L	H	W	M		M			25	60	5	0.32	0.292
Columbia	LoB	Lorenzo	L	M	W	L		M			4	200	2	0.28	0.074
Columbia	LoC2	Lorenzo	L	M	W	L		M			9	150	2	0.28	0.202
Columbia	LoD2	Lorenzo	L	M	W	L		M			16	100	2	0.28	0.398
Columbia	MaB	Marcellon	L	H	SP	H		M			3.5	200	5	0.32	0.029
Columbia	Mc	Marshan	L	M	VP	M		M	w	w	1	250	3	0.28	0.016
Columbia	MeB2	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Columbia	MeC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Columbia	MeD2	McHenry	L	H	W	H		M			16	100	5	0.43	0.244
Columbia	MnB	Military	L	M	W	L	S	M			4	200	3	0.32	0.057
Columbia	MnC2	Military	L	M	W	L	S	M			9	150	3	0.32	0.154
Columbia	MnD2	Military	L	M	W	L	S	M			16	100	3	0.32	0.303
Columbia	MoA	Morocco	S	S	SP	L		M		w	1.5	250	5	0.24	0.01
Columbia	MrD2	Mt. Carroll	L	H	W	VH		M			16	100	5	0.43	0.244
Columbia	MtA	Mt. Carroll	L	H	MW	VH		M			1	250	5	0.43	0.015
Columbia	MtB	Mt. Carroll	L	H	MW	VH		M			4	200	5	0.43	0.046
Columbia	MtC2	Mt. Carroll	L	H	MW	VH		M			9	150	5	0.43	0.124
Columbia	NoB	Northfield	L	M	W	L	S	M	r	r	4	200	1	0.15	0.08
Columbia	NoC	Northfield	L	M	W	L	S	M	r	r	9	150	1	0.15	0.216
Columbia	NoE	Northfield	L	M	W	L	S	M	r	r	21	80	1	0.15	0.592
Columbia	OkB	Okee	S	S	SE	L		M	p		4	200	5	0.2	0.021
Columbia	OkC	Okee	S	S	SE	L		M	p		9	150	5	0.2	0.058
Columbia	OmA	Oshtemo	S	S	W	M		M	p		1	250	5	0.24	0.008
Columbia	OmB	Oshtemo	S	S	W	M		M	p		4	200	4	0.24	0.032
Columbia	OmC2	Oshtemo	S	S	W	M		M	p		9	150	5	0.24	0.069
Columbia	OmD2	Oshtemo	S	S	W	M		M	p		16	100	5	0.24	0.136
Columbia	OsA	Ossian	L	M	P	VH		M	w	w	1.5	250	5	0.37	0.016
Columbia	Ot	Otter	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Columbia	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Columbia	PeC2	Plainfield	S	S	E	L		M	p		7	150	5	0.02	0.004
Columbia	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.2	0.007
Columbia	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.2	0.021
Columbia	PfC	Plainfield	S	S	E	L		M	p		9	150	5	0.2	0.058
Columbia	PfD	Plainfield	S	S	E	L		M	p		18.5	80	5	0.2	0.128
Columbia	PkB	Plainfield	S	S	E	L		M	p		4	200	5	0.24	0.025
Columbia	PkC	Plainfield	S	S	E	L		M	p		9	150	5	0.24	0.069
Columbia	PkD	Plainfield	S	S	E	L		M	p		18.5	80	5	0.24	0.154
Columbia	PnA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Columbia	PnB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Columbia	PnC2	Plano	L	H	W	H		M			9	150	5	0.37	0.107
Columbia	PoA	Poygan	L	M	P	H		M	w	w	1.5	250	3	0.37	0.026
Columbia	PuB	Puchyan	S	S	MW	H		M			4	200	5	0.28	0.03
Columbia	PuC	Puchyan	S	S	W	H		M			9	150	5	0.32	0.092

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Columbia	RdB2	Ringwood	L	H	W	H		M			3.5	200	5	0.32	0.029
Columbia	RdC2	Ringwood	L	H	W	H		M			9	150	5	0.32	0.092
Columbia	ReB	Ripon	L	H	W	M		M			4	200	2	0.43	0.114
Columbia	ReC2	Ripon	L	H	W	M		M			9	150	2	0.43	0.31
Columbia	RoC	Rodman	L	M	E	VL		M	p		7	150	5	0.32	0.065
Columbia	RoD	Rodman	L	M	E	VL		M	p		16	100	5	0.32	0.182
Columbia	RoE	Rodman	L	M	E	VL		M	p		32.5	60	5	0.32	0.449
Columbia	RtB	Rotamer	L	H	W	M		M			4	200	5	0.37	0.039
Columbia	RtC2	Rotamer	L	H	W	M		M			9	150	5	0.37	0.107
Columbia	RtD2	Rotamer	L	H	W	M		M			16	100	5	0.37	0.21
Columbia	RtE2	Rotamer	L	H	W	M		M			25	60	5	0.37	0.337
Columbia	SaA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Columbia	SaB2	St. Charles	L	H	W	H		M			4	200	5	0.43	0.046
Columbia	SaC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Columbia	SaD2	St. Charles	L	H	W	H		M			15	100	5	0.43	0.22
Columbia	SaE	St. Charles	L	H	W	H		M			25	60	5	0.43	0.392
Columbia	SbA	Salter	L	H	W	H		M			1	250	5	0.32	0.011
Columbia	SbB	Salter	L	H	W	H		M			4	200	5	0.32	0.034
Columbia	SbC2	Salter	L	H	W	H		M			9	150	5	0.32	0.092
Columbia	SbD2	Salter	L	H	W	H		M			16	100	5	0.32	0.182
Columbia	ScB	Salter variant	L	H	MW	H		M			3.5	200	5	0.28	0.026
Columbia	SeB2	Saybrook	L	H	W	H		M			4	200	5	0.37	0.039
Columbia	SeC2	Saybrook	L	H	W	H		M			9	150	5	0.37	0.107
Columbia	SeD2	Saybrook	L	H	W	H		M			16	100	5	0.37	0.21
Columbia	SfA	Seaton	L	H	W	VH		M			1	250	5	0.43	0.015
Columbia	SfB2	Seaton	L	H	W	VH		M			4	200	5	0.37	0.039
Columbia	SfC2	Seaton	L	H	W	VH		M			9	150	5	0.37	0.107
Columbia	SfD2	Seaton	L	H	W	VH		M			16	100	5	0.37	0.21
Columbia	SnA	Sisson	L	H	W	H		M			1	250	5	0.24	0.008
Columbia	SnB	Sisson	L	H	W	H		M			4	200	5	0.24	0.025
Columbia	SnC2	Sisson	L	H	W	H		M			9	150	5	0.24	0.069
Columbia	SnD2	Sisson	L	H	W	H		M			16	100	5	0.24	0.136
Columbia	SnE	Sisson	L	H	W	H		M			25	60	5	0.24	0.219
Columbia	SpB	Sparta	S	S	E	L		M	p		3.5	200	2	0.32	0.074
Columbia	TsA	Troxel	L	H	MW	H		M			1.5	250	5	0.37	0.016
Columbia	TuB	Tustin	S	S	W	M		M			4	200	4	0.24	0.032
Columbia	TvA	Tustin variant	S	S	SP	L		M			2	250	4	0.2	0.013
Columbia	Wa	Wacousta	L	M	VP	VH		M	w	w	1	250	5	0.37	0.013
Columbia	Wb	Wallkill	L	M	VP	L		M	w	w	1	250	5	0.37	0.013
Columbia	WcA	Wasepi	L	M	SP	L		M			1.5	250	3	0.24	0.017
Columbia	WnB	Winneshiek	L	M	W	L		M			4	200	2	0.28	0.074
Columbia	WnC2	Winneshiek	L	M	W	L		M			9	150	2	0.28	0.202
Columbia	WoB	Wyocena	S	S	W	L		M	p		4	200	5	0.24	0.025
Columbia	WoC2	Wyocena	S	S	W	L		M	p		9	150	5	0.24	0.069
Columbia	WoD2	Wyocena	S	S	W	L		M	p		16	100	5	0.24	0.136
Columbia	WoE	Wyocena	S	S	W	L		M	p		32.5	60	5	0.24	0.337
Columbia	WxB	Wyocena	L	H	W	M		M	p		4	200	5	0.28	0.03
Columbia	WxC2	Wyocena	L	H	W	M		M	p		9	150	5	0.28	0.081

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Columbia	WxD2	Wyocena	L	H	W	M		M	p		16	100	5	0.28	0.159
Columbia	WyB	Wyocena	L	H	W	M		M	p		4	200	4	0.28	0.037
Columbia	WyC2	Wyocena	L	H	W	M		M	p		9	150	4	0.28	0.101
Columbia	WyD2	Wyocena	L	H	W	M		M	p		16	100	4	0.28	0.199
Columbia	WyE	Wyocena	L	H	W	M		M	p		32.5	60	4	0.28	0.491
Columbia	YaA	Yahara	L	H	SP	H		M			2	250	5	0.28	0.015
Crawford	104C2	Lindstrom	L	H	W	VH		M			9	150	5	0.32	0.092
Crawford	104D2	Lindstrom	L	H	W	VH		M			16	100	5	0.32	0.182
Crawford	104E2	Lindstrom	L	H	W	VH		M			25	60	5	0.32	0.292
Crawford	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Crawford	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Crawford	112B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Crawford	112C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Crawford	112D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Crawford	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Crawford	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Crawford	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Crawford	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Crawford	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Crawford	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Crawford	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Crawford	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Crawford	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Crawford	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Crawford	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Crawford	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Crawford	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Crawford	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Crawford	117E2	Brownchurch	L	H	W	H		M			25	80	5	0.2	0.211
Crawford	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Crawford	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Crawford	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Crawford	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Crawford	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Crawford	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Crawford	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
Crawford	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
Crawford	133B2	Valton	L	H	W	M		M			4	200	4	0.49	0.065
Crawford	133C2	Valton	L	H	W	M		M			9	150	4	0.49	0.176
Crawford	133D2	Valton	L	H	W	M		M			16	100	4	0.49	0.348
Crawford	134C2	Lamoille	L	H	W	M		M			9	150	3	0.49	0.235
Crawford	137B	Mickle	L	H	MW	VH		M			4	200	5	0.43	0.046
Crawford	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Crawford	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Crawford	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Crawford	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Crawford	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Crawford	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Crawford	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Crawford	163E2	Elbaville	L	H	W	M		M			25	60	4	0.43	0.49
Crawford	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Crawford	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Crawford	164D	Elizabeth	L	M	SE	VL	S	M	r	r	16	100	1	0.37	1.051
Crawford	164E	Elizabeth	L	M	SE	VL	S	M	r	r	25	60	1	0.37	1.687
Crawford	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Crawford	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Crawford	201E	Boone	S	S	E	VL		M	p		22	60	3	0.1	0.123
Crawford	214B2	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Crawford	214C2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Crawford	214D2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Crawford	214E2	Gale	L	H	W	M		M			25	60	3	0.49	0.745
Crawford	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Crawford	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Crawford	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Crawford	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Crawford	231D	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Crawford	231E	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Crawford	233E	Boone	S	S	E	VL		M	p		22	60	3	0.05	0.062
Crawford	234C2	Basco	L	M	W	L		M			9	150	3	0.49	0.235
Crawford	234D2	Basco	L	M	W	L		M			16	100	3	0.49	0.464
Crawford	235F	Keyesville	L	M	SE	VL	S	M			42.5	60	3	0.24	0.862
Crawford	240D2	Hesch	L	M	W	L		M			16	100	4	0.32	0.227
Crawford	240E2	Hesch	L	M	W	L		M			25	60	4	0.32	0.365
Crawford	245D2	Hesch	L	M	W	L		M	p		16	100	4	0.24	0.17
Crawford	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Crawford	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Crawford	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Crawford	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Crawford	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Crawford	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Crawford	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Crawford	303A	Boguscreek	L	H	W	VH		M			1	250	4	0.49	0.021
Crawford	305B	Richwood	L	H	W	H		M			3	200	4	0.37	0.032
Crawford	305C2	Richwood	L	H	W	H		M			9	150	4	0.37	0.133
Crawford	312A	Festina	L	H	W	VH		M			1	250	5	0.43	0.015
Crawford	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Crawford	312C2	Festina	L	H	W	VH		M			9	150	5	0.43	0.124
Crawford	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Crawford	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Crawford	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Crawford	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Crawford	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Crawford	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
Crawford	326C2	Medary	L	H	MW	H		M			9	150	3	0.49	0.235
Crawford	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Crawford	336B	Toddville	L	H	MW	H		M			4	200	5	0.43	0.046



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Crawford	343B	Worthen	L	H	W	M		M			4	200	5	0.37	0.039
Crawford	343C	Worthen	L	H	W	M		M			9	150	5	0.37	0.107
Crawford	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Crawford	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Crawford	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Crawford	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Crawford	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Crawford	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Crawford	424C2	Merit	L	H	W	M		M			9	150	5	0.43	0.124
Crawford	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Crawford	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Crawford	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Crawford	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Crawford	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Crawford	435B2	ixmaruhanix	L	H	W	M		M			3.5	200	4	0.37	0.043
Crawford	435C2	ixmaruhanix	L	H	W	M		M			9	150	4	0.37	0.133
Crawford	435D2	ixmaruhanix	L	H	W	M		M			16	100	4	0.37	0.263
Crawford	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Crawford	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
Crawford	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Crawford	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Crawford	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Crawford	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Crawford	502D	Chelsea	S	S	E	L		M	p		22	60	5	0.15	0.111
Crawford	504A	Sparta	S	S	E	L		M	p		1	250	5	0.28	0.01
Crawford	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Crawford	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Crawford	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Crawford	572B2	Windward	S	S	SE	L		M	p		4	200	5	0.32	0.034
Crawford	572C2	Windward	S	S	SE	L		M	p		9	150	5	0.32	0.092
Crawford	572D	Windward	S	S	SE	L		M	p		18	100	5	0.32	0.22
Crawford	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Crawford	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
Crawford	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Crawford	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Crawford	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Crawford	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Crawford	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Crawford	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Dane	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Dane	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Dane	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Dane	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Dane	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Dane	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Dane	1180B2	Dubuque	L	M	W	L		M	r	r	4	300	2	0.43	0.133
Dane	1180B2	Dunbarton	L	M	SE	L	S	M	r	r	4	250	1	0.43	0.249
Dane	1180C2	Dubuque	L	M	W	L		M	r	r	9	200	2	0.43	0.357

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dane	1180C2	Dunbarton	L	M	SE	L	S	M	r	r	9	250	1	0.43	0.796
Dane	1180D2	Dubuque	L	M	W	L		M	r	r	16	150	2	0.43	0.748
Dane	1180D2	Dunbarton	L	M	SE	L	S	M	r	r	16	150	1	0.43	1.496
Dane	1180E	Dubuque	L	M	W	L		M	r	r	25	100	2	0.49	1.443
Dane	1180E	Dunbarton	L	M	SE	L	S	M	r	r	25	100	1	0.43	2.533
Dane	1180F	Dubuque	L	M	W	L		M	r	r	38	60	2	0.49	2.212
Dane	1180F	Dunbarton	L	M	SE	L	S	M	r	r	45	60	1	0.43	5.061
Dane	1195F	Elkmound	L	M	W	VL	S	M	r	r	45	60	1	0.28	3.296
Dane	1195F	Northfield	L	M	W	L	S	M	r	r	45	60	2	0.37	2.177
Dane	161B2	Fivepoints	L	M	W	L		M			4	200	2	0.49	0.13
Dane	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Dane	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Dane	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Dane	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Dane	AsB	Ashdale	L	H	W	H		M			4	200	3	0.37	0.065
Dane	AsC2	Ashdale	L	H	W	H		M			9	150	3	0.37	0.178
Dane	BaB2	Basco	L	M	W	L		M			4	200	3	0.43	0.076
Dane	BaC2	Basco	L	M	W	L		M			9	150	3	0.43	0.206
Dane	BaD2	Basco	L	M	W	L		M			16	100	3	0.43	0.407
Dane	BaE2	Basco	L	M	W	L		M			25	60	3	0.43	0.654
Dane	BbA	Batavia	L	H	W	H		M			1	250	4	0.43	0.018
Dane	BbB	Batavia	L	H	W	H		M			4	200	4	0.43	0.057
Dane	BbC2	Batavia	L	H	W	H		M			9	150	4	0.43	0.155
Dane	BoB	Boyer	L	M	W	L		M	p		4	200	3	0.24	0.042
Dane	BoC2	Boyer	L	M	W	L		M	p		9	150	3	0.24	0.115
Dane	BoD2	Boyer	L	M	W	L		M	p		16	100	3	0.24	0.227
Dane	BrA	Brems	S	S	MW	L		M	p		1	250	5	0.24	0.008
Dane	ChB	Chaseburg	L	H	MW	VH		M			4	205	5	0.43	0.046
Dane	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Dane	DeA	Dells	L	H	SP	M		M			1.5	250	3	0.49	0.034
Dane	DfA	Del Rey	L	H	SP	M		M			1.5	250	5	0.43	0.018
Dane	DgB2	Derinda	L	M	MW	L		M			4	200	3	0.43	0.076
Dane	DgC2	Derinda	L	M	MW	L		M			9	150	3	0.43	0.206
Dane	DkA	Dickinson	L	M	SE	M		M	p		1	250	3	0.2	0.011
Dane	DkB	Dickinson	L	M	SE	M		M	p		4	200	3	0.2	0.035
Dane	DkC	Dickinson	L	M	SE	M		M	p		9	150	3	0.2	0.096
Dane	DmA	ckinson varia	S	S	E	L		M	p		2.5	200	5	0.24	0.014
Dane	DnB	Dodge	L	H	W	H		M			4	200	5	0.49	0.052
Dane	DnC2	Dodge	L	H	W	H		M			9	150	5	0.49	0.141
Dane	DoC2	Dodge	L	H	W	H		M			13	100	5	0.49	0.2
Dane	DoC2	Kidder	L	H	W	M		M			13	100	5	0.37	0.151
Dane	DpB	Dodgeville	L	M	W	L		M			4	200	2	0.37	0.098
Dane	DpC	Dodgeville	L	M	W	L		M			9	150	2	0.37	0.266
Dane	DpD2	Dodgeville	L	M	W	L		M			16	100	2	0.37	0.525
Dane	DrD2	Dresden	L	H	W	M		M			16	100	3	0.28	0.265
Dane	DrE2	Dresden	L	H	W	M		M			25	60	3	0.28	0.426
Dane	DsB	Dresden	L	H	W	M		M			4	200	3	0.37	0.065
Dane	DsC2	Dresden	L	H	W	M		M			9	150	3	0.37	0.178

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dane	DuB2	Dunbarton	L	M	W	L	S	M	r	r	4	200	1	0.43	0.228
Dane	DuC2	Dunbarton	L	M	W	L	S	M	r	r	9	150	1	0.43	0.619
Dane	DuD2	Dunbarton	L	M	W	L	S	M	r	r	16	100	1	0.43	1.221
Dane	DuE2	Dunbarton	L	M	W	L	S	M	r	r	25	60	1	0.43	1.961
Dane	EdB2	Edmund	L	M	W	L	S	M	r	r	4	200	1	0.37	0.196
Dane	EdC2	Edmund	L	M	W	L	S	M	r	r	9	150	1	0.37	0.533
Dane	EdD2	Edmund	L	M	W	L	S	M	r	r	16	100	1	0.37	1.051
Dane	EfB	Elburn	L	H	SP	H		M			2.5	200	5	0.37	0.022
Dane	EgA	Elburn	L	H	SP	H		M			1.5	250	4	0.37	0.019
Dane	EhC2	Eleva	L	M	W	L		M			9	150	3	0.24	0.115
Dane	EhD2	Eleva	L	M	W	L		M			16	100	3	0.24	0.227
Dane	EhE2	Eleva	L	M	W	L		M			25	60	3	0.24	0.365
Dane	EmC2	Elkmound	L	M	W	VL	S	M	r	r	9	150	2	0.28	0.202
Dane	EmD2	Elkmound	L	M	W	VL	S	M	r	r	16	100	2	0.28	0.398
Dane	EmE2	Elkmound	L	M	W	VL	S	M	r	r	25	60	2	0.28	0.638
Dane	EmF	Elkmound	L	M	W	VL	S	M	r	r	45	60	2	0.28	1.648
Dane	Ev	Elvers	L	M	VP	M		M	w	w	1	250	5	0.55	0.019
Dane	GaB	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Dane	GaC2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Dane	GaD2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Dane	Gn	Granby	S	S	VP	L		M	w	w	1	250	5	0.1	0.003
Dane	GsA	Grays	L	H	W	H		M			1	250	5	0.43	0.015
Dane	GsB	Grays	L	H	W	H		M			4	200	5	0.43	0.046
Dane	GsC2	Grays	L	H	W	H		M			9	150	5	0.43	0.124
Dane	GwB	Griswold	L	H	W	M		M			4	200	5	0.32	0.034
Dane	GwC	Griswold	L	H	W	M		M			9	150	5	0.32	0.092
Dane	GwD2	Griswold	L	H	W	M		M			16	100	5	0.32	0.182
Dane	HaA	Hayfield	L	H	SP	M		M			1.5	250	3	0.37	0.026
Dane	HbB	Hixton	L	M	W	L		M			4	200	3	0.37	0.065
Dane	HbC2	Hixton	L	M	W	L		M			9	150	3	0.37	0.178
Dane	HbD2	Hixton	L	M	W	L		M			16	100	3	0.37	0.35
Dane	Ho	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Dane	HuA	Huntsville	L	H	W	VH		M			1	250	5	0.37	0.013
Dane	HuB	Huntsville	L	H	W	VH		M			4	200	5	0.37	0.039
Dane	KcB	Kickapoo	L	H	W	M		M			4	200	5	0.24	0.025
Dane	KdB	Kidder	L	H	W	M		M			4	200	5	0.37	0.039
Dane	KdC2	Kidder	L	H	W	M		M			9	150	5	0.37	0.107
Dane	KdD2	Kidder	L	H	W	M		M			16	100	5	0.37	0.21
Dane	KeA	Kegonsa	L	H	W	M		M			1	250	3	0.43	0.024
Dane	KeB	Kegonsa	L	H	W	M		M			4	200	3	0.43	0.076
Dane	KrD2	Kidder	L	H	W	M		M			15	100	5	0.37	0.189
Dane	KrE2	Kidder	L	H	W	M		M			27.5	60	5	0.37	0.395
Dane	Mc	Marshan	L	M	VP	M		M	w	w	1	250	3	0.32	0.018
Dane	MdB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Dane	MdC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Dane	MdD2	McHenry	L	H	W	H		M			16	100	5	0.43	0.244
Dane	MeA	Meridian	L	H	W	M		M			1	250	3	0.37	0.021
Dane	MeB	Meridian	L	H	W	M		M			4	200	3	0.37	0.065

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dane	MhC2	Military	L	M	W	L		M			9	150	3	0.37	0.178
Dane	MhD2	Military	L	M	W	L		M			16	100	3	0.37	0.35
Dane	MhE2	Military	L	M	W	L		M			25	60	3	0.37	0.562
Dane	MoA	Montgomery	L	M	VP	H		M	w	w	1.5	250	5	0.32	0.013
Dane	NeB2	Newglarus	L	M	W	L		M			4	300	2	0.43	0.133
Dane	NeC2	Newglarus	L	M	W	L		M			9	200	2	0.43	0.357
Dane	NeD2	Newglarus	L	M	W	L		M			16	150	2	0.43	0.748
Dane	NeE2	Newglarus	L	M	W	L		M			25	100	2	0.43	1.266
Dane	Or	Orion	L	H	SP	H		M			1	250	5	0.49	0.017
Dane	Os	Orion variant	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Dane	Ot	Otter	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Dane	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Dane	PeB	Pecatonica	L	H	W	H		M			4	200	5	0.37	0.039
Dane	PeC2	Pecatonica	L	H	W	H		M			9	150	5	0.37	0.107
Dane	PfB	Plainfield	S	S	E	L		M	p		3.5	200	5	0.05	0.005
Dane	PnA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Dane	PnB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Dane	PnC2	Plano	L	H	W	H		M			9	150	5	0.37	0.107
Dane	PoA	Plano	L	H	W	H		M			1	250	4	0.37	0.016
Dane	PoB	Plano	L	H	W	H		M			4	200	4	0.37	0.049
Dane	PoC2	Plano	L	H	W	H		M			9	150	4	0.37	0.133
Dane	PrB	Port Byron	L	H	MW	VH		M			4	200	5	0.37	0.039
Dane	PrC	Port Byron	L	H	MW	VH		M			9	150	5	0.37	0.107
Dane	RaA	Radford	L	H	SP	VH		M			1.5	250	5	0.43	0.018
Dane	RnB	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Dane	RnC2	Ringwood	L	H	W	H		M			9	150	5	0.32	0.092
Dane	RoB	Rockton	L	H	W	M		M			4	200	2	0.32	0.085
Dane	RoC2	Rockton	L	H	W	M		M			9	150	2	0.32	0.23
Dane	RoD2	Rockton	L	H	W	M		M			21	80	2	0.32	0.632
Dane	RpE	Rodman	L	M	E	VL		M	p		23.5	80	2	0.2	0.476
Dane	SaA	Sable	L	M	P	H		M	w	w	0.5	200	5	0.24	0.005
Dane	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Dane	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Dane	ScC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Dane	ScD2	St. Charles	L	H	W	H		M			15	100	5	0.43	0.22
Dane	SeB	Salter	L	H	MW	H		M			4	200	5	0.28	0.03
Dane	SeC2	Salter	L	H	W	H		M			9	150	5	0.28	0.081
Dane	SfA	Salter	L	H	MW	H		M			1	250	5	0.49	0.017
Dane	SfB2	Salter	L	H	MW	H		M			4	200	5	0.49	0.052
Dane	ShA	Salter variant	L	H	SP	M		M			1.5	250	5	0.28	0.012
Dane	SmB	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Dane	SmC2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Dane	SmD2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Dane	SmE2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Dane	SnC2	Seaton varian	L	H	W	H		M			9	150	5	0.24	0.069
Dane	SnD2	Seaton varian	L	H	W	H		M			16	100	5	0.24	0.136
Dane	SnE	Seaton varian	L	H	W	H		M			25	60	5	0.24	0.219
Dane	SoD	Sogn	L	M	SE	VL	S	M	r	r	11	150	1	0.37	0.714

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dane	SoE	Sogn	L	M	SE	VL	S	M	r	r	32.5	60	1	0.37	2.597
Dane	SpB	Plainfield	S	S	E	L		M	p		4	200	5	0.2	0.021
Dane	SpB	Spinks	S	S	W	L		M	p		4	200	5	0.15	0.016
Dane	SpC	Plainfield	S	S	E	L		M	p		9	150	5	0.2	0.058
Dane	SpC	Spinks	S	S	W	L		M	p		9	150	5	0.15	0.043
Dane	SpD	Plainfield	S	S	E	L		M	p		18.5	80	5	0.2	0.128
Dane	SpD	Spinks	S	S	W	L		M	p		18.5	80	5	0.15	0.096
Dane	TrB	Troxel	L	H	MW	VH		M			2	250	5	0.37	0.019
Dane	VrB	Virgil	L	H	SP	H		M			2.5	200	5	0.43	0.026
Dane	VwA	Virgil	L	H	SP	H		M			1.5	250	4	0.43	0.023
Dane	Wa	Wacousta	L	M	VP	VH		M	w	w	1	250	5	0.24	0.008
Dane	WrB	Warsaw	L	H	W	M		M			4	200	3	0.37	0.065
Dane	Wrc2	Warsaw	L	H	W	M		M			9	150	3	0.37	0.178
Dane	Wt	Watseka	S	S	SP	L		M	p		1	250	5	0.1	0.003
Dane	WvB	Westville	L	H	W	H		M			4	200	5	0.37	0.039
Dane	WvC2	Westville	L	H	W	H		M			9	150	5	0.37	0.107
Dane	WvD2	Westville	L	H	W	H		M			16	100	5	0.37	0.21
Dane	WwE2	Whalan	L	M	W	L		M			25	60	2	0.32	0.73
Dane	WxB	Whalan	L	M	W	L		M			4	200	2	0.43	0.114
Dane	WxC2	Whalan	L	M	W	L		M			9	150	2	0.43	0.31
Dane	WxD2	Whalan	L	M	W	L		M			16	100	2	0.43	0.611
Dodge	AcA	Ackmore	L	H	SP	VH		M			1.5	250	5	0.32	0.013
Dodge	Ar	Adrian variant	O	H	VP			M	w	w	1	250	1	0.02	0.003
Dodge	AsA	Ashippun	L	H	SP	H		M			1	250	3	0.32	0.018
Dodge	AsB	Ashippun	L	H	SP	H		M			4	200	3	0.37	0.065
Dodge	BsA	Brookston	L	M	VP	H		M	w	w	1.5	250	5	0.28	0.012
Dodge	CcB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Dodge	CcC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Dodge	CcD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Dodge	CdB	Channahon	L	M	MW	L	S	M	r	r	3.5	200	1	0.32	0.147
Dodge	CdC2	Channahon	L	M	MW	L	S	M			9	150	2	0.32	0.23
Dodge	CdD2	Channahon	L	M	MW	L	S	M			18.5	80	2	0.32	0.514
Dodge	ChB	Chelsea	S	S	E	L		M	p		4	200	5	0.1	0.011
Dodge	ChC	Chelsea	S	S	E	L		M	p		12	100	5	0.1	0.036
Dodge	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.28	0.01
Dodge	DdA	Dodge	L	H	W	H		M			1	250	5	0.49	0.017
Dodge	DdB	Dodge	L	H	W	H		M			4	200	5	0.49	0.052
Dodge	DdC2	Dodge	L	H	W	H		M			9	150	5	0.49	0.141
Dodge	EbA	Elburn	L	H	SP	H		M			1.5	250	5	0.32	0.013
Dodge	Ev	Elders	L	M	VP	M		M	w	w	1	250	5	0.55	0.019
Dodge	FoE2	Fox	L	H	W	M		M			24	80	3	0.32	0.525
Dodge	FsA	Fox	L	H	W	M		M			1	250	3	0.43	0.024
Dodge	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Dodge	FsC2	Fox	L	H	W	M		M			9	150	3	0.43	0.206
Dodge	FsD2	Fox	L	H	W	M		M			15	100	3	0.43	0.367
Dodge	FxC3	Fox	L	M	W	L		M			9	150	4	0.32	0.115
Dodge	Gb	Granby variant	S	S	VP	L		M	w	w	1	250	2	0.24	0.02
Dodge	HnB	Hochheim	L	H	W	M		M			4	200	3	0.43	0.076

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dodge	HnC2	Hochheim	L	H	W	H		M			9	150	3	0.49	0.235
Dodge	HnD2	Hochheim	L	H	W	M		M			16	100	1	0.49	1.392
Dodge	HnE2	Hochheim	L	H	W	M		M			24	80	2	0.43	1.058
Dodge	HoD3	Hochheim	L	H	W	M		M			15	100	2	0.28	0.358
Dodge	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Dodge	Hw	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Dodge	IoA	Ionia	L	H	MW	M		M			1.5	250	3	0.43	0.03
Dodge	JuA	Juneau	L	H	MW	H		M			1	250	5	0.49	0.017
Dodge	JuB	Juneau	L	H	MW	H		M			4	200	5	0.49	0.052
Dodge	Ke	Keowns	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Dodge	KIA	Kibbie	L	H	SP	H		M		w	1	250	5	0.37	0.013
Dodge	KIB	Kibbie	L	H	SP	H		M		w	4	200	5	0.37	0.039
Dodge	KrB	Kidder	L	H	W	M		M			4	200	5	0.32	0.034
Dodge	KrC2	Kidder	L	H	W	M		M			9	150	5	0.32	0.092
Dodge	KrD2	Kidder	L	H	W	M		M			15	100	5	0.32	0.164
Dodge	KrE2	Kidder	L	H	W	M		M			24	80	5	0.32	0.315
Dodge	KwA	Knowles	L	M	W	L	S	M			1	250	2	0.43	0.037
Dodge	KwB	Knowles	L	M	W	L	S	M			4	200	2	0.43	0.114
Dodge	KwC2	Knowles	L	M	W	L	S	M			9	150	2	0.43	0.31
Dodge	KxA	nowles variar	L	M	SP	M	S	M		w	1	250	2	0.43	0.037
Dodge	KxB	nowles variar	L	M	SP	M	S	M		w	4	200	2	0.43	0.114
Dodge	LmA	Lamartine	L	H	SP	M		M			1	250	5	0.32	0.011
Dodge	LmB	Lamartine	L	H	SP	M		M			4	200	5	0.32	0.034
Dodge	LrB	LeRoy	L	H	W	M		M			4	200	3	0.43	0.076
Dodge	LrC2	LeRoy	L	H	W	M		M			9	150	3	0.43	0.206
Dodge	LrD2	LeRoy	L	H	W	M		M			15	100	3	0.43	0.367
Dodge	LrE2	LeRoy	L	H	W	M		M			24	80	3	0.43	0.705
Dodge	LvB	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Dodge	LvC2	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Dodge	MdB	Markesan	L	H	W	M		M			4	200	2	0.28	0.074
Dodge	MdC2	Markesan	L	H	W	M		M			9	150	2	0.28	0.202
Dodge	MoA	Mayville	L	H	MW	H		M			1	250	3	0.43	0.024
Dodge	MoB	Mayville	L	H	MW	H		M			4	200	3	0.43	0.076
Dodge	MoC	Mayville	L	H	MW	H		M			9	150	3	0.43	0.206
Dodge	MrB	McHenry	L	H	W	H		M			4	200	5	0.37	0.039
Dodge	MrC2	McHenry	L	H	W	H		M			9	150	5	0.37	0.107
Dodge	MrD2	McHenry	L	H	W	H		M			15	100	5	0.37	0.189
Dodge	MsB	Mendota	L	H	W	H		M			4	200	3	0.32	0.057
Dodge	MsC2	Mendota	L	H	W	H		M			9	150	3	0.32	0.154
Dodge	MyB	Miami	L	H	W	M		M			4	200	5	0.49	0.052
Dodge	MyC2	Miami	L	H	W	M		M			9	150	5	0.49	0.141
Dodge	MyD2	Miami	L	H	W	M		M			15	100	5	0.49	0.251
Dodge	MzD3	Miami	L	H	W	M		M			15	100	5	0.32	0.164
Dodge	MzE3	Miami	L	H	W	M		M			24	80	5	0.32	0.315
Dodge	NeB	Neda	L	H	MW	H		M			4	200	5	0.43	0.046
Dodge	NeC2	Neda	L	H	MW	H		M			9	150	5	0.43	0.124
Dodge	NeD2	Neda	L	H	MW	H		M			15	100	5	0.43	0.22
Dodge	NeE2	Neda	L	H	MW	H		M			24	80	5	0.43	0.423

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dodge	NvB	Neda variant	L	M	MW	L	S	M			4	200	3	0.37	0.065
Dodge	NvC2	Neda variant	L	M	MW	L	S	M			12	100	3	0.37	0.222
Dodge	NxA	Nenno	L	H	SP	M		M			1	250	3	0.37	0.021
Dodge	NxB	Nenno	L	H	SP	M		M			4	200	3	0.37	0.065
Dodge	Ot	Otter	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Dodge	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Dodge	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.28	0.01
Dodge	Pk	Pella variant	L	M	P	L	S	M			1	250	2	0.32	0.027
Dodge	PsA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Dodge	PsB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Dodge	PtA	Plano	L	H	MW	H		M			1.5	250	5	0.32	0.013
Dodge	PuB	Puchyan	S	S	W	M		M			4	200	5	0.24	0.025
Dodge	RcE	Channahon	L	M	MW	L	S	M	r	r	17.5	80	1	0.37	1.084
Dodge	RxC2	Casco	L	M	W	L		M	p		9	150	3	0.32	0.154
Dodge	RxC2	Rodman	L	M	E	VL		M	p		9	150	2	0.28	0.202
Dodge	RxD2	Casco	L	M	W	L		M	p		21	80	3	0.32	0.421
Dodge	RxD2	Rodman	L	M	E	VL		M	p		21	80	2	0.28	0.553
Dodge	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Dodge	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Dodge	ScC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Dodge	SdA	St. Charles	L	H	W	H		M			1	250	5	0.37	0.013
Dodge	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Dodge	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Dodge	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Dodge	SuA	Sisson	L	H	W	H		M			1	250	5	0.24	0.008
Dodge	SuB	Sisson	L	H	W	H		M			4	200	5	0.24	0.025
Dodge	SuC2	Sisson	L	H	W	H		M			9	150	5	0.24	0.069
Dodge	SuD2	Sisson	L	H	W	H		M			18.5	80	5	0.24	0.154
Dodge	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Dodge	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Dodge	ThD2	Theresa	L	H	W	M		M			15	100	3	0.43	0.367
Dodge	ThE2	Theresa	L	H	W	M		M			24	80	3	0.43	0.705
Dodge	TrD3	Theresa	L	H	W	M		M			18.5	80	3	0.43	0.46
Door	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Door	7203	Onaway	L	H	W	M		F			27	60	3	0.32	0.553
Door	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Door	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Door	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Door	7501	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Door	AdA	Allendale	S	S	SP	L		F	w	w	2	200	4	0.15	0.009
Door	ApC	Alpena	S	S	E	VL		F	p		8	195	5	0.17	0.047
Door	Ax	Angelica	L	M	P	H		F	w	w	2	200	5	0.32	0.016
Door	Bn	Bonduel	L	M	SP	L	S	F	w	w	2	200	2	0.37	0.046
Door	Bo	variant fine sand	L	M	SP	VL	S	F	wr	wr	1	200	1	0.28	0.045
Door	Bp	bonduel variar	L	M	P	L		F	w	w	2	200	2	0.32	0.04
Door	BrB	Boyer	S	S	W	L		M	p		4	200	4	0.17	0.023
Door	BrC	Boyer	S	S	W	L		M	p		8	200	4	0.17	0.06
Door	BrD	Boyer	S	S	W	L		M	p		16	150	5	0.17	0.118

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Door	Ca	Carbondale	O	M	VP			F	w	w	2	200	2	0.02	0.002
Door	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Door	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Door	Cm	Cathro	O	M	VP			F	w	w	2	200	1	0.02	0.005
Door	Cp	Chippeny	O	M	VP			F	w	w	2	200	1	0.02	0.005
Door	De	Deford	S	S	P	L		F	w	w	2	200	5	0.15	0.008
Door	DuB	Duel	S	S	W	VL	S	F	p		4	200	2	0.15	0.04
Door	Dv	Duel variant	S	S	P	VL		F	w	w	2	200	2	0.17	0.021
Door	Fa	Fabius	L	M	SP	L		M	w	w	2	200	2	0.37	0.046
Door	KhA	Kewaunee	L	H	W	M		M			2	200	3	0.49	0.041
Door	KhB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Door	KhC2	Kewaunee	L	H	W	M		M			8	200	3	0.49	0.229
Door	KkD3	Kewaunee	L	H	W	M		M			16	150	4	0.28	0.244
Door	KmB	Kiva	S	S	W	L		F			4	200	2	0.2	0.053
Door	KmC	Kiva	S	S	W	L		F			8	200	2	0.24	0.168
Door	KoA	Kolberg	L	M	W	L		F			2	200	2	0.49	0.061
Door	KoB	Kolberg	L	M	W	L		F			4	200	2	0.49	0.13
Door	KoC2	Kolberg	L	M	W	L		F			8	200	2	0.49	0.343
Door	KvB	olberg varian	L	M	W	L	S	F	r	r	4	200	1	0.37	0.196
Door	KvC2	olberg varian	L	M	W	L	S	F	r	r	8	200	1	0.37	0.518
Door	LoA	Longrie	L	M	W	L	S	F			2	200	2	0.32	0.04
Door	LoB	Longrie	L	M	W	L	S	F			4	200	2	0.32	0.085
Door	LoC	Longrie	L	M	W	L	S	F			8	200	2	0.32	0.224
Door	McA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Door	MeB	Manistee	S	S	W	L		F	p		4	200	4	0.1	0.013
Door	Mk	Markey	O	M	VP			F	w	w	2	200	1	0.02	0.005
Door	NaB	Namur	L	M	W	VL	S	F	r	r	4	200	1	0.32	0.17
Door	NaC	Namur	L	M	W	VL	S	F	r	r	8	200	1	0.32	0.448
Door	Nv	Namur varian	L	M	P	VL	S	F	r	r	2	200	1	0.32	0.08
Door	OmB	Omena	L	H	W	M		F			4	200	5	0.24	0.025
Door	OmC	Omena	L	H	W	M		F			8	200	5	0.24	0.067
Door	OmD	Omena	L	H	W	M		F			16	150	5	0.24	0.167
Door	OvB	Omena varian	L	H	SP	M		F		w	4	200	5	0.32	0.034
Door	OzB	Omro	L	H	MW	M		M			4	200	4	0.43	0.057
Door	Pn	Pinconning	S	S	P	L		F	w	w	2	200	4	0.15	0.009
Door	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Door	Rb	Namur	L	M	W	VL	S	F	r	r	13	150	1	0.32	0.8
Door	Rn	Rondeau	O	M	VP			F	w	w	2	200	1	0.02	0.005
Door	RoB	Rousseau	S	S	W	L		F	p		4	200	5	0.05	0.005
Door	RoC	Rousseau	S	S	W	L		F	p		8	200	5	0.05	0.014
Door	RpC	Rousseau	S	S	W	L		F	p		8	200	5	0.05	0.014
Door	RpC	Shawano	S	S	E	L		F	p		8	200	5	0.1	0.028
Door	RpD	Rousseau	S	S	W	L		F	p		25	150	5	0.05	0.072
Door	RpD	Shawano	S	S	E	L		F	p		25	150	5	0.1	0.144
Door	RrB	Deford	S	S	P	L		F	wp	w	4	200	5	0.02	0.002
Door	RrB	Rousseau	S	S	W	L		F	wp	w	4	200	5	0.02	0.002
Door	SnA	Sisson	L	H	W	H		M			2	200	5	0.2	0.01
Door	SnB	Sisson	L	H	W	H		M			4	200	5	0.2	0.021



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Door	SoA	Solona	L	H	SP	M		F	w	w	2	200	5	0.37	0.018
Door	Su	Suamico	O	H	VP			M	w	w	2	200	1	0.02	0.005
Door	SvA	Summerville	L	M	W	VL	S	F	r	r	2	200	1	0.32	0.08
Door	SvB	Summerville	L	M	W	VL	S	F	r	r	4	200	1	0.32	0.17
Door	SvC	Summerville	L	M	W	VL	S	F	r	r	8	200	1	0.32	0.448
Door	SvD	Summerville	L	M	W	VL	S	F	r	r	16	150	1	0.32	1.114
Door	Wa	Wainola	S	S	SP	L		F		w	2	200	5	0.2	0.01
Door	YaA	Yahara	L	H	SP	H		M		w	2	200	5	0.28	0.014
Door	Yv	'ahara varian	L	M	P	H		F	w	w	2	200	5	0.43	0.022
Douglas	100B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Douglas	100C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Douglas	100D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Douglas	1053C	Giese	L	M	VP	H		F			0.5	250	5	0.37	0.008
Douglas	1053C	Milaca	L	M	MW	M		F			10	150	4	0.37	0.155
Douglas	1053C	Mora	L	M	SP	M		F			3	200	4	0.37	0.032
Douglas	1153C	Capitola	L	M	VP	L		F			1	250	3	0.37	0.021
Douglas	1153C	Newood	L	M	MW	M		F			8	150	4	0.32	0.097
Douglas	1153C	Pesabic	L	M	SP	M		F			2	250	4	0.43	0.028
Douglas	121A	Wakeley	L	M	VP	L		F			1	250	4	0.15	0.006
Douglas	1274B	Amnicon	L	M	MW	M		F			3	250	5	0.32	0.024
Douglas	1274B	Miskoaki	L	M	W	M		F			4	200	5	0.24	0.025
Douglas	12A	Makwa	L	M	VP	L		F	w	w	1	250	1	0.02	0.003
Douglas	160A	Oesterle	L	M	SP	L		F		w	1	250	3	0.24	0.014
Douglas	1637B	Newood	L	M	MW	M		F			3	200	4	0.32	0.028
Douglas	1637C	Newood	L	M	MW	M		F			10	150	4	0.32	0.134
Douglas	1637D	Newood	L	M	MW	M		F			23	80	4	0.32	0.367
Douglas	1653B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Douglas	1653B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Douglas	1653B	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Douglas	1653C	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Douglas	1653C	Stanberry	L	M	MW	L		F			9	150	4	0.32	0.115
Douglas	1653C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Douglas	1670C	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Douglas	1670C	Keweenaw	L	M	W	L		F	p		11	100	5	0.15	0.047
Douglas	1670C	Newood	L	M	MW	M		F	p		9	150	4	0.32	0.115
Douglas	174B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Douglas	174C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Douglas	174D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Douglas	174F	Rubicon	S	S	E	L		F	p		45	60	5	0.02	0.047
Douglas	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Douglas	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Douglas	1884B	Markey	O	M	VP			F	p		1	250	1	0.02	0.003
Douglas	1884B	Springstead	L	M	MW	L		F	p		3	200	3	0.2	0.023
Douglas	1885B	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Douglas	1885B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Douglas	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Douglas	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Douglas	205C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	205D	Keweenaw	S	S	W	L		F	p		25	60	5	0.15	0.137
Douglas	205E	Keweenaw	S	S	W	L		F	p		40	60	5	0.15	0.294
Douglas	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Douglas	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Douglas	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Douglas	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Douglas	226A	Allendale	S	S	SP	L		F			2	250	4	0.2	0.013
Douglas	242B	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Douglas	242C	Fence	L	M	MW	H		F			11	150	5	0.49	0.189
Douglas	262B	Amnicon	L	M	MW	M		F			2	250	5	0.32	0.017
Douglas	262B	Cuttre	L	M	SP	L		F			2	250	5	0.2	0.01
Douglas	274C	Miskoaki	L	M	W	M		F			9	150	5	0.24	0.069
Douglas	274D	Miskoaki	L	M	W	M		F			19	80	5	0.24	0.161
Douglas	309C	Metonga	L	M	W	L		F	r	r	15	60	2	0.43	0.426
Douglas	309E	Metonga	L	M	W	L		F	r	r	30	60	2	0.43	1.324
Douglas	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Douglas	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Douglas	317D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257
Douglas	319A	Tonkey	L	M	P	M		F			1	250	5	0.15	0.005
Douglas	3244A	Brimley	L	M	SP	H		F	w	w	1	250	5	0.28	0.01
Douglas	3247A	Bruce	L	M	P	H		F	w	w	1	250	5	0.43	0.015
Douglas	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Douglas	337A	Plover	L	M	SP	H		F			2	250	5	0.37	0.019
Douglas	339B	Rousseau	S	S	W	L		F	p		3	200	5	0.17	0.012
Douglas	339C	Rousseau	S	S	W	L		F	p		11	150	5	0.17	0.066
Douglas	339D	Rousseau	S	S	W	L		F	p		23	80	5	0.17	0.156
Douglas	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	3423A	Rifle	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	3424C	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Douglas	3424C	Magroc	L	M	SP	M		F	r	r	2	250	3	0.49	0.042
Douglas	3424C	Stinnett	L	M	SP	H		F	r	r	2	250	4	0.43	0.028
Douglas	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Douglas	3448B	Grettum	S	S	MW	L		F	p		3	200	5	0.1	0.007
Douglas	3448C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Douglas	3454B	Cornucopia	L	M	W	M		F	w	w	4	200	3	0.43	0.076
Douglas	3454B	Odanah	L	M	W	M		F	w	w	4	200	5	0.37	0.039
Douglas	347A	Bergland	L	M	P	M		F			1	250	5	0.2	0.007
Douglas	347A	Cuttre	L	M	SP	L		F			2	250	5	0.2	0.01
Douglas	3510B	Fremstadt	S	S	W	L		F	p		4	200	5	0.24	0.025
Douglas	3510B	Pomroy	S	S	MW	M		F	p		4	200	4	0.2	0.027
Douglas	3510C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Douglas	3510C	Pomroy	S	S	MW	M		F	p		10	150	4	0.2	0.084
Douglas	3511A	Bushville	S	S	SP	L		F			2	250	4	0.24	0.016
Douglas	3512D	Menominee	S	S	W	M		F			23	80	5	0.1	0.092
Douglas	3516A	Slimlake	S	S	MW	L		F			2	250	5	0.24	0.012
Douglas	3547B	Newood	L	M	MW	M		F	p		4	200	4	0.32	0.042

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	3547B	Pence	L	M	SE	VL		F	p		3	200	5	0.24	0.017
Douglas	3576B	Anton	L	M	MW	M		F			3	250	5	0.37	0.028
Douglas	3576B	Borea	L	M	SP	L		F			2	250	5	0.15	0.008
Douglas	3601C	Ishpeming	S	S	SE	L	S	F	pr	r	13	100	2	0.02	0.02
Douglas	3676A	Au Gres	S	S	SP	L		F	w	w	2	250	5	0.02	0.001
Douglas	371A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Douglas	375A	Robago	L	M	SP	M		F	w	w	2	250	5	0.32	0.017
Douglas	376B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Douglas	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Douglas	383C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Douglas	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Douglas	384B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Douglas	385B	Springstead	L	M	MW	L		F	p		3	200	3	0.2	0.023
Douglas	388B	Dechamps	S	S	SP	L		F	wp	w	1	250	5	0.17	0.006
Douglas	388B	Pelkie	S	S	MW	L		F	wp	w	2	250	5	0.37	0.019
Douglas	392C	Dairyland	L	M	MW	L		F	p		11	150	4	0.1	0.048
Douglas	392C	Makwa	L	M	VP	L		F	p		7	150	1	0.02	0.02
Douglas	392C	Rockmarsh	L	M	SP	L		F	p		11	150	4	0.43	0.207
Douglas	396B	Friendship	S	S	MW	L		F	p		1	250	5	0.02	0.001
Douglas	396B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Douglas	396B	Wurtsmith	S	S	MW	L		F	p		1	250	5	0.02	0.001
Douglas	399B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Douglas	399C	Grayling	S	S	E	VL		F	p		9	150	5	0.02	0.006
Douglas	399D	Grayling	S	S	E	VL		F	p		21	80	5	0.02	0.016
Douglas	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Douglas	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Douglas	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Douglas	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	419A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	419A	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Douglas	419A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Douglas	426B	Emmert	S	S	E	VL		F	p		4	200	5	0.1	0.011
Douglas	426B	Mahtomedi	S	S	E	VL		F	p		4	200	5	0.1	0.011
Douglas	426B	Menahga	S	S	E	L		F	p		4	200	5	0.15	0.016
Douglas	426C	Emmert	S	S	E	VL		F	p		9	150	5	0.1	0.029
Douglas	426C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Douglas	426C	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Douglas	426D	Emmert	S	S	E	VL		F	p		21	80	5	0.1	0.079
Douglas	426D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Douglas	426D	Menahga	S	S	E	L		F	p		21	80	5	0.15	0.118
Douglas	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Douglas	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Douglas	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Douglas	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Douglas	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Douglas	43C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Douglas	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Douglas	451B	Annalake	L	M	MW	M		F			3	200	5	0.28	0.02
Douglas	451B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Douglas	451C	Annalake	L	M	MW	M		F			10	150	5	0.28	0.094
Douglas	451C	Newood	L	M	MW	M		F			10	150	4	0.32	0.134
Douglas	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Douglas	469E	Bigisland	S	S	SE	VL		F	p		31	60	4	0.1	0.162
Douglas	469E	Milaca	L	M	MW	M		F	p		31	60	4	0.2	0.325
Douglas	471B	Dairyland	S	S	MW	L		F	p		3	200	4	0.1	0.009
Douglas	471B	Emmert	S	S	E	VL		F	p		3	200	5	0.2	0.014
Douglas	471C	Dairyland	S	S	MW	L		F	p		11	150	4	0.1	0.048
Douglas	471C	Emmert	S	S	E	VL		F	p		11	150	5	0.2	0.077
Douglas	472A	Clemens	L	M	SP	L		F			1	250	4	0.43	0.018
Douglas	472A	Rockmarsh	L	M	SP	L		F			1	250	4	0.43	0.018
Douglas	473A	Dairyland	L	M	MW	L		F	p		1	250	4	0.1	0.004
Douglas	473A	Skog	L	M	MW	VL		F	p		1	250	2	0.2	0.017
Douglas	475B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Douglas	475B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Douglas	475C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Douglas	475C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Douglas	475D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Douglas	475D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Douglas	476B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Douglas	476B	Pesabic	L	M	SP	M		F			1	250	4	0.43	0.018
Douglas	485C	Lupton	O	M	VP			F	w	w	8	150	2	0.02	0.012
Douglas	485C	Tawas	O	M	VP			F	w	w	8	150	1	0.02	0.024
Douglas	495B	Grettum	S	S	MW	L		F	p		4	200	5	0.1	0.011
Douglas	495B	Karlsborg	S	S	MW	L		F	p		4	200	4	0.1	0.013
Douglas	495B	Perida	S	S	MW	L		F	p		4	200	4	0.15	0.02
Douglas	495C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Douglas	495C	Karlsborg	S	S	MW	L		F	p		9	150	4	0.1	0.036
Douglas	495C	Perida	S	S	MW	L		F	p		9	150	4	0.15	0.054
Douglas	500A	Croswell	S	S	MW	L		F	p		2	250	5	0.02	0.001
Douglas	500B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Douglas	514B	Iosco	S	S	SP	M		F	w	w	2	250	5	0.05	0.003
Douglas	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Douglas	517B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Douglas	517C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Douglas	523A	Nokasippi	L	M	VP	L		F			0.5	250	4	0.24	0.007
Douglas	524E	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Douglas	524E	Metonga	L	M	W	L		F	r	r	33	60	2	0.43	1.548
Douglas	526A	Flink	L	M	SP	L		F			2	250	5	0.05	0.003
Douglas	544F	Mahtomedi	S	S	E	VL		F	p		38	60	5	0.1	0.181
Douglas	544F	Menahga	S	S	E	L		F	p		38	60	5	0.02	0.036

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Douglas	574B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Douglas	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Douglas	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Douglas	577A	Borea	L	M	SP	L		F			2	250	5	0.15	0.008
Douglas	577A	Lerch	L	M	P	L		F			1	250	5	0.2	0.007
Douglas	578C	Anton	L	M	MW	M		F			9	150	5	0.37	0.107
Douglas	579B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Douglas	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Douglas	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Douglas	5A	Arnheim	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Douglas	604C	Amnicon	L	M	MW	M		F	r	r	9	150	5	0.37	0.107
Douglas	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Douglas	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Douglas	624A	Ossmer	L	M	SP	M		F		w	2	200	3	0.37	0.031
Douglas	631A	Giese	L	M	VP	H		F			0.5	250	5	0.32	0.007
Douglas	634C	Beartree	L	M	VP	VL	S	F	wr	wr	1	250	1	0.37	0.063
Douglas	634C	Drylanding	L	M	SE	VL	S	F	wr	wr	7	150	1	0.49	0.495
Douglas	635C	Beartree	L	M	VP	VL	S	F	wr	wr	1	250	1	0.37	0.063
Douglas	635C	Drylanding	L	M	SE	VL	S	F	wr	wr	7	150	1	0.49	0.495
Douglas	639A	Neconish	S	S	MW	L		F	p		2	250	5	0.28	0.015
Douglas	63B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Douglas	64A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Douglas	64A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.1	0.005
Douglas	654A	Capitola	L	M	VP	L		F			1	250	3	0.37	0.021
Douglas	654A	Newood	L	M	MW	M		F			2	200	4	0.32	0.02
Douglas	654A	Pesabic	L	M	SP	M		F			2	250	4	0.43	0.028
Douglas	669D	Fremstadt	S	S	W	L		F	p		22	80	5	0.24	0.205
Douglas	669D	Pomroy	S	S	MW	M		F	p		22	80	4	0.2	0.214
Douglas	66A	Pesabic	L	M	SP	M		F			1	250	4	0.43	0.018
Douglas	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Douglas	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Douglas	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Douglas	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Douglas	674B	Sultz	S	S	W	L		F	p		3	200	5	0.05	0.003
Douglas	674C	Sultz	S	S	W	L		F	p		11	150	5	0.05	0.019
Douglas	674E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Douglas	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Douglas	678B	Parkfalls	L	M	SP	L		F	p		2	250	3	0.28	0.024
Douglas	678B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Douglas	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Douglas	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Douglas	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Douglas	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Douglas	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Douglas	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Douglas	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Douglas	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Douglas	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Douglas	6A	Moquah	L	M	MW	H		F			2	250	5	0.15	0.008
Douglas	705B	Ashwabay	S	S	MW	L		F	p		3	200	4	0.05	0.004
Douglas	705B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Douglas	705B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Douglas	706A	Totagatic	S	S	P	L		F	w	w	1	250	5	0.28	0.01
Douglas	706A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.37	0.019
Douglas	712B	Morganlake	S	S	MW	M		F			3	200	5	0.15	0.01
Douglas	712C	Morganlake	S	S	MW	M		F			11	150	5	0.15	0.058
Douglas	713B	Allendale	S	S	SP	L		F	p		4	200	4	0.2	0.027
Douglas	713B	Ashwabay	S	S	MW	L		F	p		4	200	4	0.05	0.007
Douglas	713B	Kellogg	S	S	MW	M		F	p		4	200	4	0.02	0.003
Douglas	713C	Allendale	S	S	SP	L		F	p		9	150	4	0.2	0.072
Douglas	713C	Ashwabay	S	S	MW	L		F	p		11	150	4	0.05	0.024
Douglas	713C	Kellogg	S	S	MW	M		F	p		11	150	4	0.02	0.01
Douglas	714A	Brennyville	L	M	SP	M		F			1	250	4	0.49	0.021
Douglas	714A	Cebana	L	M	P	H		F			1	250	4	0.49	0.021
Douglas	715A	Mora	L	M	SP	M		F			2	250	4	0.37	0.024
Douglas	717B	Milaca	L	M	MW	M		F			5	200	4	0.37	0.07
Douglas	717C	Milaca	L	M	MW	M		F			9	150	4	0.37	0.133
Douglas	717D	Milaca	L	M	MW	M		F			16	100	4	0.37	0.263
Douglas	718B	Brennyville	L	M	SP	M		F			2	250	4	0.49	0.032
Douglas	718B	Milaca	L	M	MW	M		F			4	200	4	0.37	0.049
Douglas	724A	Rib	L	M	P	M		F	wr	wr	1	250	3	0.37	0.021
Douglas	728C	Metonga	L	M	W	L		F	p		8	150	2	0.2	0.121
Douglas	728C	Parkfalls	L	M	SP	L		F	p		2	200	3	0.28	0.023
Douglas	728C	Springstead	L	M	MW	L		F	p		3	200	3	0.24	0.028
Douglas	733A	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Douglas	742B	Milaca	L	M	MW	M		F			4	200	4	0.2	0.027
Douglas	742C	Milaca	L	M	MW	M		F			9	150	4	0.2	0.072
Douglas	742D	Milaca	L	M	MW	M		F			16	100	4	0.2	0.142
Douglas	74B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Douglas	74C	Vilas	S	S	E	L		F	p		11	150	5	0.05	0.019
Douglas	74D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Douglas	753B	Munuscong	L	M	P	M		F			1	250	4	0.2	0.008
Douglas	753B	Sedgwick	L	M	SP	M		F			3	200	5	0.28	0.02
Douglas	756B	Sedgwick	S	S	SP	M		F			3	200	5	0.2	0.014
Douglas	756B	Superior	L	M	MW	M		F			4	200	3	0.28	0.049
Douglas	756C	Sedgwick	L	M	SP	M		F			7	150	5	0.2	0.04
Douglas	756C	Superior	L	M	MW	M		F			11	150	3	0.28	0.18
Douglas	771A	Lenroot	S	S	MW	VL		F	p		1	250	5	0.1	0.003
Douglas	805E	Ashwabay	S	S	MW	L		F	p		23	80	4	0.05	0.057
Douglas	805E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Douglas	805E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Douglas	812B	Mora	L	M	SP	M		F			2	250	4	0.2	0.013
Douglas	813E	Ashwabay	S	S	MW	L		F	p		30	60	4	0.05	0.077
Douglas	813E	Kellogg	S	S	MW	M		F	p		22	60	4	0.02	0.018

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Douglas	813E	Manistee	S	S	W	L		F	p		30	60	4	0.02	0.031
Douglas	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Douglas	825A	Meehan	S	S	SP	L		F		w	1	250	5	0.02	0.001
Douglas	853C	Frogcreek	L	M	MW	M		F			8	150	4	0.43	0.13
Douglas	853C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Douglas	853C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Douglas	856B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Douglas	857B	Frogcreek	L	M	MW	M		F			4	200	4	0.43	0.057
Douglas	857C	Frogcreek	L	M	MW	M		F			10	150	4	0.43	0.181
Douglas	873B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Douglas	873C	Stanberry	L	M	MW	L		F			11	150	4	0.32	0.154
Douglas	873D	Stanberry	L	M	MW	L		F			23	80	4	0.32	0.367
Douglas	874B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Douglas	874B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Douglas	874C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Douglas	874C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Douglas	874D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Douglas	874D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Douglas	884C	Cathro	O	M	VP			F	p	w	0.5	250	1	0.02	0.002
Douglas	884C	Keweenaw	S	S	W	L		F	p	w	10	150	5	0.15	0.05
Douglas	884C	Vilas	S	S	E	L		F	p	w	11	150	5	0.05	0.019
Douglas	884E	Cathro	O	M	VP			F	p	w	0.5	250	1	0.02	0.002
Douglas	884E	Keweenaw	S	S	W	L		F	p	w	30	60	5	0.15	0.185
Douglas	884E	Vilas	S	S	E	L		F	p	w	30	60	5	0.05	0.062
Douglas	885B	Annalake	L	M	MW	M		F	p		3	200	5	0.28	0.02
Douglas	885B	Cathro	O	M	VP			F	p		1	250	1	0.02	0.003
Douglas	885B	Springstead	L	M	MW	L		F	p		3	200	3	0.24	0.028
Douglas	896A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.05	0.003
Douglas	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Douglas	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Douglas	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Douglas	926A	Flink	S	S	SP	L		F			2	200	5	0.24	0.012
Douglas	928C	Haustrup	L	M	SE	L	S	F	r	r	8	150	1	0.43	0.52
Douglas	928C	Milaca	L	M	MW	M		F	r	r	9	150	4	0.37	0.133
Douglas	928C	Mora	L	M	SP	M		F	r	r	2	250	4	0.37	0.024
Douglas	948A	Billyboy	L	M	MW	M		F			2	200	3	0.37	0.031
Dunn	101B	Menahga	S	S	E	L		F	p		2	250	5	0.05	0.003
Dunn	101C	Menahga	S	S	E	L		F	p		9	150	5	0.05	0.014
Dunn	101E	Menahga	S	S	E	L		F	p		21	80	5	0.05	0.04
Dunn	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Dunn	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Dunn	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Dunn	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Dunn	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Dunn	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Dunn	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Dunn	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Dunn	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dunn	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Dunn	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Dunn	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Dunn	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Dunn	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Dunn	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Dunn	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Dunn	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Dunn	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Dunn	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Dunn	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Dunn	1275F	Hayriver	L	M	W	L	S	F	p		30	60	3	0.24	0.493
Dunn	1275F	Twinmound	S	S	E	VL	S	F	p		30	60	3	0.1	0.205
Dunn	135C2	Wickware	L	H	W	VH		F			9	150	5	0.49	0.141
Dunn	135D2	Wickware	L	H	W	VH		F			16	100	5	0.49	0.278
Dunn	135E2	Wickware	L	H	W	VH		F			25	60	5	0.49	0.447
Dunn	136B	Doritty	L	H	MW	H		F			2	250	5	0.43	0.022
Dunn	136C2	Doritty	L	H	MW	H		F			9	150	5	0.43	0.124
Dunn	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Dunn	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Dunn	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Dunn	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Dunn	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Dunn	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Dunn	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Dunn	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Dunn	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Dunn	208A	Sioux creek	L	M	SP	L		F			1	250	3	0.43	0.024
Dunn	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Dunn	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Dunn	213B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Dunn	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Dunn	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Dunn	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Dunn	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Dunn	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Dunn	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
Dunn	243B2	Hixton	L	M	W	L	S	M		r	2	250	3	0.49	0.042
Dunn	243C2	Hixton	L	M	W	L	S	M		r	9	150	3	0.49	0.235
Dunn	244B	Elkmound	L	M	W	VL	S	M	r	r	2	250	2	0.43	0.056
Dunn	244C2	Elkmound	L	M	W	VL	S	M	r	r	9	150	2	0.43	0.31
Dunn	244D2	Elkmound	L	M	W	VL	S	M	r	r	16	100	2	0.43	0.611
Dunn	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Dunn	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Dunn	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Dunn	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Dunn	254F	Norden	L	M	W	L		M			38	60	3	0.37	1.114
Dunn	255B2	Urne	L	M	W	L		M			4	200	3	0.24	0.042



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dunn	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Dunn	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Dunn	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Dunn	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Dunn	265B	Garne	S	S	SE	L		M	p		4	200	3	0.2	0.035
Dunn	265C	Garne	S	S	SE	L		M	p		9	150	3	0.2	0.096
Dunn	266B	Hiles	L	M	MW	L	S	F			2	250	3	0.43	0.037
Dunn	268A	Kert	L	H	SP	M		F			1	250	3	0.37	0.021
Dunn	269A	Veedum	L	M	P	L	S	F	w	w	1	250	3	0.37	0.021
Dunn	273B2	Dobie	L	H	W	M		F			4	200	3	0.55	0.097
Dunn	273B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Dunn	273C2	Dobie	L	H	W	M		F			9	150	3	0.55	0.264
Dunn	273C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Dunn	273D2	Dobie	L	H	W	M		F			16	100	3	0.55	0.521
Dunn	273D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Dunn	273E2	Dobie	L	H	W	M		F			25	60	3	0.55	0.836
Dunn	273E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Dunn	275B2	Elevasil	L	M	W	L		M			4	200	3	0.32	0.057
Dunn	275B2	Hayriver	L	M	W	L	S	F			4	200	3	0.32	0.057
Dunn	275C2	Elevasil	L	M	W	L		M			9	150	3	0.32	0.154
Dunn	275C2	Hayriver	L	M	W	L	S	F			9	150	3	0.32	0.154
Dunn	275D2	Elevasil	L	M	W	L		M			16	100	3	0.32	0.303
Dunn	275D2	Hayriver	L	M	W	L	S	F			16	100	3	0.32	0.303
Dunn	276B	Humbird	L	M	MW	L	S	F			2	250	3	0.32	0.028
Dunn	278A	Merrillan	L	M	SP	L		F			1	250	3	0.28	0.016
Dunn	282C	Twinmound	S	S	E	VL	S	F	p		11	150	3	0.1	0.064
Dunn	282F	Twinmound	S	S	E	VL	S	F	p		30	60	3	0.1	0.205
Dunn	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Dunn	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Dunn	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Dunn	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Dunn	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Dunn	349A	Rib	L	M	P	M		F	w	w	1	250	3	0.37	0.021
Dunn	378A	Poskin	L	H	SP	H		F		w	1	250	3	0.43	0.024
Dunn	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Dunn	40A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Dunn	40A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Dunn	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Dunn	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Dunn	416A	Menomin	L	H	MW	M		M			1	250	3	0.43	0.024
Dunn	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Dunn	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Dunn	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Dunn	428A	Shiffer	L	H	SP	M		M		w	1	250	3	0.32	0.018
Dunn	429A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Dunn	432A	Kevilar	L	H	MW	M		M	p		1	250	5	0.24	0.008
Dunn	432B	Kevilar	L	H	MW	M		M	p		4	200	5	0.24	0.025
Dunn	432C2	Kevilar	L	H	MW	M		M	p		9	150	5	0.24	0.069

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dunn	432D2	Kevilar	L	H	MW	M		M	p		16	100	5	0.24	0.136
Dunn	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Dunn	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Dunn	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Dunn	433D2	Forkhorn	L	M	W	L		M	p		16	100	3	0.24	0.227
Dunn	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Dunn	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Dunn	438A	Hoopeston	L	H	SP	M		M		w	1	250	3	0.2	0.011
Dunn	453A	Burkhardt	S	S	SE	L		M	p		1	250	2	0.24	0.02
Dunn	453B	Burkhardt	S	S	SE	L		M	p		4	200	2	0.24	0.064
Dunn	454B	Chetek	L	M	SE	L		F	p		4	200	5	0.24	0.025
Dunn	454C2	Chetek	L	M	SE	L		F	p		9	150	5	0.24	0.069
Dunn	454D2	Chetek	L	M	SE	L		F	p		16	100	5	0.24	0.136
Dunn	454E	Chetek	L	M	SE	L		F	p		27	60	5	0.24	0.249
Dunn	45A	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Dunn	45A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Dunn	468A	Oesterle	L	M	SP	L		F		w	1	250	3	0.24	0.014
Dunn	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Dunn	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Dunn	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Dunn	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Dunn	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Dunn	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Dunn	510B	Boplain	S	S	E	VL		M	p		2	250	3	0.05	0.004
Dunn	510C	Boplain	S	S	E	VL		M	p		11	150	3	0.05	0.032
Dunn	511A	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Dunn	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Dunn	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Dunn	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Dunn	512B	Drammen	S	S	SE	L		M	p		2	250	5	0.24	0.012
Dunn	512C	Drammen	S	S	SE	L		M	p		9	150	5	0.24	0.069
Dunn	512D	Drammen	S	S	SE	L		M	p		16	100	5	0.24	0.136
Dunn	516A	Aldo	S	S	MW	L		M	p		1	250	5	0.05	0.002
Dunn	546A	Prissel	S	S	MW	L		M	p		1	250	5	0.24	0.008
Dunn	546B	Prissel	S	S	MW	L		M	p		4	200	5	0.24	0.025
Dunn	546C	Prissel	S	S	MW	L		M	p		11	150	5	0.24	0.093
Dunn	546F	Prissel	S	S	MW	L		M	p		38	60	5	0.17	0.307
Dunn	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Dunn	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Dunn	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Dunn	573B	Plainbo	S	S	E	VL		F	p		2	250	3	0.05	0.004
Dunn	573C	Plainbo	S	S	E	VL		F	p		11	150	3	0.05	0.032
Dunn	588A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Dunn	589A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Dunn	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Dunn	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Dunn	619A	Vancecreek	L	M	P	VH		F	w	w	1	250	5	0.37	0.013
Dunn	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Dunn	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Dunn	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Dunn	636A	Quarderer	L	H	MW	VH		F		w	1	250	5	0.43	0.015
Dunn	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Dunn	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Dunn	766A	Moppet	L	H	MW	M		F			2	150	3	0.2	0.015
Dunn	804B2	Arland	L	M	W	L		F			4	200	3	0.28	0.049
Dunn	804C2	Arland	L	M	W	L		F			9	150	3	0.28	0.134
Dunn	804D	Arland	L	M	W	L		F			19	80	3	0.2	0.223
Dunn	814D2	Renova	L	H	MW	H		M			16	100	5	0.49	0.278
Dunn	816B2	Vlasaty	L	H	MW	H		M			4	200	5	0.49	0.052
Dunn	816C2	Vlasaty	L	H	MW	H		M			9	150	5	0.49	0.141
Dunn	826B2	Hersey	L	H	MW	VH		M			4	200	5	0.49	0.052
Dunn	826C2	Hersey	L	H	MW	VH		M			9	150	5	0.49	0.141
Dunn	828B	Vasa	L	H	SP	VH		M			3	200	5	0.43	0.03
Dunn	836B2	Spencer	L	H	MW	H		F			4	200	5	0.49	0.052
Dunn	836C2	Spencer	L	H	MW	H		F			9	150	5	0.49	0.141
Dunn	838B	Almena	L	H	SP	H		F			3	200	5	0.43	0.03
Dunn	870B2	Santiago	L	H	W	H		F			4	200	5	0.49	0.052
Dunn	870C2	Santiago	L	H	W	H		F			9	150	5	0.49	0.141
Dunn	875B	Amery	L	H	W	M		F			4	200	5	0.24	0.025
Dunn	875C2	Amery	L	H	W	M		F			9	150	5	0.24	0.069
Dunn	875D	Amery	L	H	W	M		F			18	100	5	0.24	0.165
Eau Claire	Ad	Adrian	O	H	VP			M	w	w	1	135	1	0.02	0.003
Eau Claire	ArA	Arenzville	L	H	MW	VH		M			2	135	5	0.49	0.022
Eau Claire	AtB	Arland	L	H	W	M		F			4	115	4	0.28	0.029
Eau Claire	AtC2	Arland	L	H	W	M		F			10	95	4	0.28	0.093
Eau Claire	AtD2	Arland	L	H	W	M		F			16	85	4	0.28	0.183
Eau Claire	Au	Au Gres	S	S	SP	L		F	w	w	1	135	5	0.1	0.003
Eau Claire	BIB	Billett	L	H	W	M		M	p		4	115	3	0.24	0.034
Eau Claire	BIC2	Billett	L	H	W	M		M	p		10	95	3	0.24	0.106
Eau Claire	BID2	Billett	L	H	W	M		M	p		16	85	3	0.24	0.21
Eau Claire	BmA	Billett	L	H	MW	M		M	p		2	135	3	0.24	0.018
Eau Claire	BoB	Boone	S	S	E	VL	S	M	p		4	115	3	0.05	0.007
Eau Claire	BoB	Plainbo	S	S	E	VL	S	F	p		4	115	3	0.15	0.021
Eau Claire	BoC	Boone	S	S	E	VL	S	M	p		10	95	3	0.05	0.022
Eau Claire	BoC	Plainbo	S	S	E	VL	S	F	p		10	95	3	0.15	0.066
Eau Claire	BoE	Boone	S	S	E	VL	S	M	p		16	85	3	0.05	0.044
Eau Claire	BoE	Plainbo	S	S	E	VL	S	F	p		16	85	3	0.15	0.131
Eau Claire	BuA	Burkhardt	S	S	E	L		M	p		2	250	2	0.24	0.031
Eau Claire	Cb	Cable	L	M	VP	M		F			1	135	5	0.37	0.01
Eau Claire	CeA	Caryville	L	H	W	M		F	p		2	135	2	0.37	0.041
Eau Claire	CkB	Chetek	L	M	SE	L		F			4	115	3	0.28	0.039
Eau Claire	CkC2	Chetek	L	M	SE	L		F			10	95	3	0.28	0.124
Eau Claire	CkD2	Chetek	L	M	SE	L		F			16	85	3	0.28	0.245
Eau Claire	Cu	Curran	L	H	SP	H		M		w	1	135	5	0.43	0.012
Eau Claire	DaA	Dakota	L	H	W	M		M			1	135	3	0.28	0.013
Eau Claire	De	Dells	L	H	SP	H		M		w	1	135	3	0.49	0.023

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Eau Claire	DuA	Dunnville	L	H	W	M		F	p		1	135	5	0.24	0.007
Eau Claire	EIB	Eleva	L	M	W	L	S	M			4	115	3	0.24	0.034
Eau Claire	EIC2	Eleva	L	M	W	L	S	M			10	95	3	0.24	0.106
Eau Claire	EID2	Eleva	L	M	W	L	S	M			16	85	3	0.24	0.21
Eau Claire	EmB	Elkmound	L	M	W	VL	S	M	r	r	4	115	2	0.43	0.09
Eau Claire	EmC2	Elkmound	L	M	W	VL	S	M	r	r	10	95	2	0.43	0.286
Eau Claire	EmD2	Elkmound	L	M	W	VL	S	M	r	r	16	85	2	0.43	0.563
Eau Claire	EmE	Elkmound	L	M	W	VL	S	M	r	r	25	155	2	0.43	1.576
Eau Claire	Eo	Elm Lake	S	S	P	L		F	w	w	1	135	3	0.2	0.009
Eau Claire	Er	Ettrick	L	M	VP	VH		M	w	w	1	135	5	0.37	0.01
Eau Claire	FmA	Fairchild	S	S	SP	L		F		w	1	135	4	0.2	0.007
Eau Claire	FmA	Merrillan	L	M	SP	L	S	F		w	1	135	3	0.32	0.015
Eau Claire	FmB	Fairchild	S	S	SP	L		F		w	4	115	4	0.2	0.021
Eau Claire	FmB	Merrillan	L	M	SP	L	S	F		w	4	115	3	0.32	0.045
Eau Claire	FoA	Fallcreek	L	H	SP	M		F			2	135	5	0.32	0.014
Eau Claire	FoB	Fallcreek	L	H	SP	M		F			4	115	5	0.32	0.027
Eau Claire	FpB	Fallcreek	L	H	MW	H		F			4	115	5	0.37	0.031
Eau Claire	FpC	Fallcreek	L	H	MW	H		F			10	95	5	0.37	0.098
Eau Claire	FrA	Friendship	S	S	MW	L		F	p		2	135	5	0.24	0.011
Eau Claire	GaB	Gale	L	H	W	M		M			4	115	3	0.49	0.069
Eau Claire	GaC2	Gale	L	H	W	M		M			10	95	3	0.49	0.217
Eau Claire	GaD2	Gale	L	H	W	M		M			16	85	3	0.49	0.428
Eau Claire	GaE	Gale	L	H	W	M		M			25	50	3	0.49	0.679
Eau Claire	GoB	Gotham	S	S	W	L		M	p		4	115	5	0.24	0.02
Eau Claire	GoC2	Gotham	S	S	W	L		M	p		10	95	5	0.24	0.064
Eau Claire	GsB	Gotham	S	S	SE	L		M	p		4	115	4	0.24	0.025
Eau Claire	GsC2	Gotham	S	S	SE	L		M	p		10	95	4	0.24	0.08
Eau Claire	HeC2	Hiles	L	M	MW	L	S	F			10	95	3	0.43	0.191
Eau Claire	HkB	Hiles	L	M	MW	L	S	F			4	115	3	0.43	0.06
Eau Claire	HkB	Kert	L	H	SP	M		F			4	115	3	0.32	0.045
Eau Claire	HnB	Hixton	L	M	W	L		M			4	115	3	0.37	0.052
Eau Claire	HnC2	Hixton	L	M	W	L		M			10	95	3	0.37	0.164
Eau Claire	HnD2	Hixton	L	M	W	L		M			16	85	3	0.37	0.323
Eau Claire	Ho	Houghton	O	H	VP			M	w	w	1	135	2	0.02	0.001
Eau Claire	KeA	Kert	L	H	SP	M		F			2	135	3	0.32	0.023
Eau Claire	La	Lows	L	M	P	M		F	w	w	1	135	3	0.28	0.013
Eau Claire	LuB	Humbird	L	M	MW	L		F	p		4	115	3	0.28	0.039
Eau Claire	LuB	Ludington	S	S	MW	L		F	p		4	115	3	0.2	0.028
Eau Claire	LuC	Humbird	L	M	MW	L		F	p		10	95	3	0.28	0.124
Eau Claire	LuC	Ludington	S	S	MW	L		F	p		10	95	3	0.2	0.089
Eau Claire	Ma	Markey	O	M	VP			F	w	w	1	135	1	0.02	0.003
Eau Claire	Mc	Marshan	L	M	VP	M		M	w	w	1	135	3	0.28	0.013
Eau Claire	MdB	Menahga	S	S	E	L		F	p		4	200	5	0.05	0.005
Eau Claire	MdC	Menahga	S	S	E	L		F	p		10	95	5	0.05	0.013
Eau Claire	MeA	Meridian	L	H	W	M		M			2	135	3	0.37	0.027
Eau Claire	MeB	Meridian	L	H	W	M		M			3	115	3	0.37	0.037
Eau Claire	MeC2	Meridian	L	H	W	M		M			10	95	3	0.37	0.164
Eau Claire	MmA	Meridian	L	H	MW	M		M			2	135	3	0.37	0.027

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Eau Claire	Mo	Morocco	S	S	SP	L		M		w	2	135	5	0.24	0.011
Eau Claire	MrB	Mt. Carroll	L	H	W	VH		M			4	115	5	0.43	0.036
Eau Claire	MrC2	Mt. Carroll	L	H	W	VH		M			10	95	5	0.43	0.114
Eau Claire	Ms	Mt. Carroll	L	H	W	VH		M			2	135	5	0.43	0.019
Eau Claire	Na	Newson	S	S	VP	L		F	w	w	1	135	5	0.15	0.004
Eau Claire	NrC2	Norden	L	M	W	L	S	M			10	95	3	0.49	0.217
Eau Claire	NrD2	Norden	L	M	W	L	S	M			16	85	3	0.49	0.428
Eau Claire	NrE2	Norden	L	M	W	L	S	M			25	50	3	0.49	0.679
Eau Claire	NtB	Northfield	L	M	W	L	S	M	r	r	4	115	2	0.49	0.103
Eau Claire	NtC2	Northfield	L	M	W	L	S	M	r	r	10	95	2	0.49	0.326
Eau Claire	NtD2	Northfield	L	M	W	L	S	M	r	r	16	85	2	0.49	0.642
Eau Claire	NtE2	Northfield	L	M	W	L	S	M	r	r	25	50	2	0.49	1.019
Eau Claire	NtF	Northfield	L	M	W	L	S	M	r	r	32	40	2	0.49	1.37
Eau Claire	On	Orion	L	H	SP	VH		M		w	1	135	5	0.49	0.014
Eau Claire	Or	Otter	L	M	P	VH		M	w	w	1	135	5	0.37	0.01
Eau Claire	OsB	Otterholt	L	H	W	H		F			4	115	5	0.49	0.041
Eau Claire	OsC2	Otterholt	L	H	W	H		F			10	95	5	0.49	0.13
Eau Claire	PcB	Pillot	L	H	W	H		M			4	115	3	0.37	0.052
Eau Claire	PdB	Plainbo	S	S	E	VL	S	F	p		4	115	3	0.15	0.021
Eau Claire	PdC2	Plainbo	S	S	E	VL	S	F	p		10	95	3	0.15	0.066
Eau Claire	PfB	Plainfield	S	S	E	L		M	p		4	115	5	0.24	0.02
Eau Claire	PfC2	Plainfield	S	S	E	L		M	p		10	95	5	0.24	0.064
Eau Claire	PIB	Plainfield	S	S	E	L		M	p		4	115	5	0.24	0.02
Eau Claire	PIC2	Plainfield	S	S	E	L		M	p		10	95	5	0.24	0.064
Eau Claire	SeB	Seaton	L	H	W	VH		M			4	115	5	0.49	0.041
Eau Claire	SeC2	Seaton	L	H	W	M		M			10	95	5	0.49	0.13
Eau Claire	SeD2	Seaton	L	H	W	M		M			16	85	5	0.49	0.257
Eau Claire	SeE2	Seaton	L	H	W	M		M			25	50	5	0.49	0.408
Eau Claire	SfB	Seaton	L	H	W	M		M			4	115	5	0.49	0.041
Eau Claire	SmA	Seaton	L	H	MW	M		M			2	135	5	0.49	0.022
Eau Claire	SmB	Seaton	L	H	MW	M		M			4	115	5	0.49	0.041
Eau Claire	So	Shiffer	L	H	SP	M		M		w	1	135	3	0.32	0.015
Eau Claire	SpB	Sparta	S	S	E	L		M	p		4	115	5	0.17	0.014
Eau Claire	TeA	Tell	L	H	W	M		M			2	135	3	0.49	0.036
Eau Claire	TeB	Tell	L	H	W	M		M			4	115	3	0.49	0.069
Eau Claire	TrB	Trempe	S	S	E	L		M	p		4	115	5	0.2	0.017
Eau Claire	UnD2	Urne	L	M	SE	L	S	M			16	85	3	0.49	0.428
Eau Claire	UnE	Urne	L	M	SE	L	S	M			25	50	3	0.49	0.679
Eau Claire	Vd	Veedum	L	M	VP	M		F	w	w	1	135	3	0.37	0.017
Eau Claire	Ve	Vesper	L	M	P	M		F	w	w	1	135	5	0.32	0.009
Eau Claire	VIB	Vilas	S	S	E	L		F	p		4	115	5	0.05	0.004
Eau Claire	Wh	Whitehall	L	H	W	H		M			1	135	4	0.43	0.015
Florence	AnB	Annalake	L	M	MW	M		F		w	3	200	5	0.28	0.02
Florence	AnC	Annalake	L	M	MW	M		F		w	11	150	5	0.28	0.108
Florence	Au	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Florence	Ca	Capitola	L	M	P	M		F			1	250	3	0.55	0.031
Florence	CoA	Crossett	L	M	SP	H		F			2	250	5	0.43	0.022
Florence	CrA	Croswell	S	S	MW	L		F	p		2	250	5	0.15	0.008

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Florence	CuA	Cublake	S	S	MW	L		F			2	250	5	0.17	0.009
Florence	EdB	Ellwood	L	M	MW	H		F			4	200	5	0.43	0.046
Florence	EdC	Ellwood	L	M	MW	H		F			11	150	5	0.43	0.166
Florence	EIB	Crossett	L	M	SP	H		F			2	250	5	0.43	0.022
Florence	EIB	Ellwood	L	M	MW	H		F			4	200	5	0.43	0.046
Florence	EmB	Ellwood	L	M	MW	H		F			4	200	5	0.43	0.046
Florence	EmB	Iosco	S	S	SP	M		F			2	250	5	0.1	0.005
Florence	EmB	Morganlake	S	S	MW	M		F			3	200	5	0.24	0.017
Florence	EnC	Ellwood	L	M	MW	H		F	p		11	150	5	0.43	0.166
Florence	EnC	Iosco	S	S	SP	M		F	p		2	250	5	0.05	0.003
Florence	EnC	Vilas	S	S	E	L		F	p		11	150	5	0.17	0.066
Florence	EoD	Ellwood	L	M	MW	H		F	p		13	100	5	0.43	0.175
Florence	EoD	Padus	L	M	W	M		F	p		23	80	4	0.24	0.275
Florence	EoD	Vilas	S	S	E	L		F	p		23	80	5	0.17	0.156
Florence	FeB	Fence	L	M	MW	H		F			3	200	5	0.43	0.03
Florence	Fm	Fordum	L	M	P	L		F	w	w	1	250	3	0.32	0.018
Florence	GaA	Gastrow	L	M	SP	H		F			2	250	5	0.37	0.019
Florence	GmC	Goodman	L	M	W	M		F			11	150	5	0.49	0.189
Florence	GmD	Goodman	L	M	W	M		F			20	80	5	0.49	0.358
Florence	GwB	Goodwit	L	M	MW	M		F			4	200	5	0.43	0.046
Florence	IsA	Iosco	S	S	SP	M		F	w	w	2	250	5	0.1	0.005
Florence	Kr	Kinross	S	S	P	L		F	w	w	1	250	5	0.05	0.002
Florence	Lo	Beseman	O	M	VP			F	w	w	1	250	1	0.02	0.003
Florence	Lo	Dawson	O	M	VP			F	w	w	1	250	1	0.02	0.003
Florence	Lo	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Florence	Lu	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Florence	Lu	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Florence	MaA	Manitowish	S	S	MW	L		F			2	250	5	0.24	0.012
Florence	Mn	Minocqua	L	M	P	L		F	w	w	1	250	3	0.49	0.028
Florence	MrB	Morganlake	S	S	MW	M		F			3	200	5	0.24	0.017
Florence	MuB	Mudlake	L	M	SP	H		F			4	200	5	0.37	0.039
Florence	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Florence	PaC	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Florence	PaD	Padus	L	M	W	L		F			25	60	3	0.24	0.365
Florence	PeB	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Florence	PeB	Pence	S	S	SE	L		F	p		3	200	2	0.17	0.03
Florence	PeC	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Florence	PeC	Pence	S	S	SE	L		F	p		11	150	2	0.17	0.164
Florence	PeD	Padus	L	M	W	L		F	p		25	60	5	0.24	0.219
Florence	PeD	Pence	S	S	SE	L		F	p		25	60	2	0.17	0.388
Florence	PnB	Pence	S	S	SE	L		F	p		3	200	2	0.17	0.03
Florence	PnC	Pence	S	S	SE	L		F	p		11	150	2	0.17	0.164
Florence	PnD	Pence	S	S	SE	L		F	p		25	60	2	0.17	0.388
Florence	PsB	Pence	S	S	SE	L		F	p		3	200	2	0.17	0.03
Florence	PsB	Vilas	S	S	E	L		F	p		3	200	5	0.17	0.012
Florence	PsC	Pence	S	S	SE	L		F	p		11	150	2	0.17	0.164
Florence	PsC	Vilas	S	S	E	L		F	p		11	150	5	0.17	0.066
Florence	PsD	Pence	S	S	SE	L		F	p		25	60	2	0.17	0.388

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Florence	PxD	Vilas	S	S	E	L		F	p		25	60	5	0.17	0.155
Florence	Rb	Robago	L	M	SP	M		F	w	w	1	250	5	0.28	0.01
Florence	RkC	Ishpeming	S	S	SE	VL		F	pr	r	8	150	2	0.15	0.091
Florence	RkC	Vilas	S	S	E	L		F	pr	r	11	150	5	0.17	0.066
Florence	RkD	Ishpeming	S	S	SE	VL		F	pr	r	25	60	2	0.15	0.342
Florence	RkD	Vilas	S	S	E	L		F	pr	r	25	60	5	0.17	0.155
Florence	RmC	Metonga	L	M	W	L		F	r	r	8	150	2	0.24	0.145
Florence	RmC	Sarona	L	M	W	M		F	r	r	11	150	5	0.24	0.093
Florence	RmD	Metonga	L	M	W	L		F	r	r	25	60	2	0.24	0.547
Florence	RmD	Sarona	L	M	W	M		F	r	r	25	60	5	0.24	0.219
Florence	RsB	Rousseau	S	S	W	L		F	p		3	200	5	0.15	0.01
Florence	RsC	Rousseau	S	S	W	L		F	p		11	150	5	0.15	0.058
Florence	SaB	Sarona	L	M	W	M		F			4	200	5	0.32	0.034
Florence	SaC	Sarona	L	M	W	M		F			11	150	5	0.32	0.124
Florence	SaD	Sarona	L	M	W	M		F			20	80	5	0.32	0.234
Florence	SdB	Padus	L	M	W	L		F			3	200	5	0.24	0.017
Florence	SdB	Sarona	L	M	W	M		F			4	200	5	0.32	0.034
Florence	SdC	Padus	L	M	W	L		F			11	150	5	0.24	0.093
Florence	SdC	Sarona	L	M	W	M		F			11	150	5	0.32	0.124
Florence	SdD	Padus	L	M	W	L		F			23	80	5	0.24	0.22
Florence	SdD	Sarona	L	M	W	M		F			23	80	5	0.32	0.294
Florence	SlB	Sarona	L	M	W	M		F	p		4	200	5	0.32	0.034
Florence	SlB	Vilas	S	S	E	L		F	p		3	200	5	0.17	0.012
Florence	SIC	Sarona	L	M	W	M		F	p		11	150	5	0.32	0.124
Florence	SIC	Vilas	S	S	E	L		F	p		11	150	5	0.17	0.066
Florence	SID	Sarona	L	M	W	M		F	p		23	80	5	0.32	0.294
Florence	SID	Vilas	S	S	E	L		F	p		23	80	5	0.17	0.156
Florence	SnB	Sayner	S	S	E	VL		F	p		3	200	5	0.24	0.017
Florence	SnC	Sayner	S	S	E	VL		F	p		11	150	5	0.24	0.093
Florence	SnD	Sayner	S	S	E	VL		F	p		23	80	5	0.24	0.22
Florence	SoD	Goodman	L	M	W	M		F			25	60	5	0.49	0.447
Florence	SoD	Soperton	L	M	W	M		F			25	60	4	0.43	0.49
Florence	StC	Stambaugh	L	M	W	L		F			11	150	3	0.55	0.354
Florence	StD	Stambaugh	L	M	W	L		F			20	80	3	0.55	0.669
Florence	SuC	Goodman	L	M	W	M		F			11	150	5	0.49	0.189
Florence	SuC	Stambaugh	L	M	W	L		F			11	150	3	0.55	0.354
Florence	SuD	Goodman	L	M	W	M		F			25	60	5	0.49	0.447
Florence	SuD	Stambaugh	L	M	W	L		F			20	80	3	0.55	0.669
Florence	TpA	Tipler	L	M	MW	L		F			2	250	4	0.24	0.016
Florence	VaB	Vanzile	L	M	MW	M		F			3	200	3	0.49	0.057
Florence	VgB	Goodwit	L	M	MW	M		F			4	200	5	0.43	0.046
Florence	VgB	Vanzile	L	M	MW	M		F			3	200	3	0.49	0.057
Florence	VsB	Vilas	S	S	E	L		F	p		3	200	5	0.17	0.012
Florence	VsC	Vilas	S	S	E	L		F	p		11	150	5	0.17	0.066
Florence	VsD	Vilas	S	S	E	L		F	p		23	80	5	0.17	0.156
Florence	WaC	Goodman	L	M	W	M		F			11	150	5	0.49	0.189
Florence	WaC	Wabeno	L	M	MW	L		F			11	150	4	0.55	0.265
Florence	WbB	Goodwit	L	M	MW	M		F			4	200	5	0.43	0.046

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Florence	WbB	Wabeno	L	M	MW	L		F			4	200	4	0.55	0.073
Florence	WkB	Wakefield	L	M	MW	L		F			4	200	3	0.49	0.087
Florence	WkC	Wakefield	L	M	MW	L		F			11	150	3	0.49	0.315
Florence	WrA	Worcester	L	M	SP	L		F	w	w	2	250	3	0.28	0.024
Fond du Lac	Ak	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Fond du Lac	AtA	Ashkum	L	M	P	H		M	w	w	1.5	250	5	0.24	0.01
Fond du Lac	BcA	Beecher	L	H	SP	H		M			1	250	5	0.37	0.013
Fond du Lac	BcB	Beecher	L	H	SP	H		M			4	200	5	0.37	0.039
Fond du Lac	BeB	eecher variar	L	M	SP	L	S	M			4	200	3	0.43	0.076
Fond du Lac	BsA	Brookston	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Fond du Lac	BtA	Brookston	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Fond du Lac	BuA	Brookston	L	M	P	H		M	w	w	1.5	250	5	0.28	0.012
Fond du Lac	Ca	Carbondale	O	M	VP			F	w	w	1	250	2	0.02	0.002
Fond du Lac	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Fond du Lac	CcC	Casco	L	M	W	L		M			9	150	3	0.24	0.115
Fond du Lac	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Fond du Lac	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Fond du Lac	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Fond du Lac	CfB3	Casco	L	M	W	L		M			4	200	2	0.28	0.074
Fond du Lac	CfC3	Casco	L	M	W	L		M			9	150	2	0.28	0.202
Fond du Lac	CfD3	Casco	L	M	W	L		M			16	100	2	0.28	0.398
Fond du Lac	CgB	Casco variant	L	H	W	M		M			3	200	3	0.32	0.037
Fond du Lac	ChB	Casco variant	L	H	W	M		M			4	200	3	0.37	0.065
Fond du Lac	CmB	Casco	L	M	W	L		M			4	200	3	0.32	0.057
Fond du Lac	CmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Fond du Lac	CmC2	Casco	L	M	W	L		M			9	150	3	0.32	0.154
Fond du Lac	CmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Fond du Lac	CmD2	Casco	L	M	W	L		M			16	100	3	0.32	0.303
Fond du Lac	CmD2	Hochheim	L	H	W	M		M			16	100	2	0.32	0.454
Fond du Lac	CnC3	Casco	L	M	W	L		M			9	150	2	0.28	0.202
Fond du Lac	CnC3	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Fond du Lac	CnD3	Casco	L	M	W	L		M			16	100	2	0.28	0.398
Fond du Lac	CnD3	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Fond du Lac	CpC2	Casco	L	M	W	L		M	p		9	150	3	0.32	0.154
Fond du Lac	CpC2	Rodman	L	M	E	VL		M	p		9	150	5	0.28	0.081
Fond du Lac	CpE	Casco	L	M	W	L		M	p		21	80	3	0.32	0.421
Fond du Lac	CpE	Rodman	L	M	E	VL		M	p		21	80	5	0.28	0.221
Fond du Lac	CpE3	Casco	L	M	W	L		M	p		21	80	2	0.28	0.553
Fond du Lac	CpE3	Rodman	L	M	E	VL		M	p		21	80	5	0.28	0.221
Fond du Lac	CpF	Casco	L	M	W	L		M	p		37.5	60	3	0.32	0.944
Fond du Lac	CpF	Rodman	L	M	E	VL		M	p		37.5	60	5	0.28	0.496
Fond du Lac	DcA	Depere	L	H	MW	M		M	w	w	1.5	250	5	0.24	0.01
Fond du Lac	DdA	Dodge	L	H	W	H		M	w	w	1	250	5	0.43	0.015
Fond du Lac	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Fond du Lac	DdB2	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Fond du Lac	EbA	Elburn	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Fond du Lac	EsA	Elliott	L	H	SP	M		M		w	1	250	5	0.28	0.01
Fond du Lac	EsB	Elliott	L	H	SP	M		M		w	4	200	5	0.28	0.03



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Fond du Lac	FmB	Fox	L	M	W	L		M			4	200	3	0.24	0.042
Fond du Lac	FoB	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Fond du Lac	FoB2	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Fond du Lac	FoC2	Fox	L	H	W	M		M			9	150	3	0.37	0.178
Fond du Lac	FsA	Fox	L	H	W	M		M			1	250	3	0.43	0.024
Fond du Lac	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Fond du Lac	FsB2	Fox	L	H	W	M		M			4	200	3	0.43	0.076
Fond du Lac	FsC2	Fox	L	H	W	M		M			9	150	3	0.43	0.206
Fond du Lac	HhE2	Hixton	L	H	W	M		M			21	80	4	0.37	0.365
Fond du Lac	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Fond du Lac	HmB2	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Fond du Lac	HmC	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Fond du Lac	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Fond du Lac	HmD	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Fond du Lac	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Fond du Lac	HmE	Hochheim	L	H	W	M		M			25	60	2	0.37	0.844
Fond du Lac	HoB3	Hochheim	L	H	W	M		M			4	200	2	0.28	0.074
Fond du Lac	HoC3	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Fond du Lac	HoD3	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Fond du Lac	HoE3	Hochheim	L	H	W	M		M			25	60	2	0.28	0.638
Fond du Lac	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Fond du Lac	InA	Ionia	L	M	MW	L		M			1.5	250	3	0.2	0.014
Fond du Lac	IoA	Ionia	L	M	MW	L		M	w	w	1	250	3	0.43	0.024
Fond du Lac	IoB	Ionia	L	M	MW	L		M			4	200	3	0.43	0.076
Fond du Lac	IrA	Ionia variant	L	H	MW	H		M			1.5	250	5	0.49	0.021
Fond du Lac	IsB	Ionia variant	L	H	MW	M		M			4	200	4	0.43	0.057
Fond du Lac	JuA	Juneau	L	H	MW	H		M	w	w	1	250	5	0.49	0.017
Fond du Lac	JuB	Juneau	L	H	W	H		M	w	w	4	200	5	0.49	0.052
Fond du Lac	Km	Keown's	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Fond du Lac	KnA	Kewaunee	L	H	W	M		M			1	250	5	0.43	0.015
Fond du Lac	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Fond du Lac	KnB2	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Fond du Lac	KnC2	Kewaunee	L	H	W	M		M			9	150	5	0.43	0.124
Fond du Lac	KoA	Kewaunee	L	H	W	M		M			1	250	5	0.37	0.013
Fond du Lac	KoB	Kewaunee	L	H	W	M		M			4	200	5	0.37	0.039
Fond du Lac	KoB2	Kewaunee	L	H	W	M		M			4	200	5	0.37	0.039
Fond du Lac	KoC2	Kewaunee	L	H	W	M		M			9	150	5	0.37	0.107
Fond du Lac	KoD2	Kewaunee	L	H	W	M		M			16	100	5	0.37	0.21
Fond du Lac	KoE2	Kewaunee	L	H	W	M		M			25	60	5	0.37	0.337
Fond du Lac	KsB3	Kewaunee	L	H	W	M		M			4	200	5	0.24	0.025
Fond du Lac	KsC3	Kewaunee	L	H	W	M		M			9	150	2	0.24	0.173
Fond du Lac	KsD3	Kewaunee	L	H	W	M		M			16	100	1	0.24	0.682
Fond du Lac	KtB	waunee varia	L	M	W	L		M			4	200	2	0.43	0.114
Fond du Lac	KuA	Kibbie	L	H	SP	H		M		w	1	250	5	0.37	0.013
Fond du Lac	KwA	Knowles	L	H	W	M		M			1	250	2	0.43	0.037
Fond du Lac	KwB	Knowles	L	H	W	M		M			4	200	2	0.43	0.114
Fond du Lac	KwC2	Knowles	L	H	W	M		M			9	150	2	0.43	0.31
Fond du Lac	KwE2	Knowles	L	H	W	M		M			21	80	2	0.43	0.849

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Fond du Lac	LmA	Lamartine	L	H	SP	M		M			1	250	5	0.32	0.011
Fond du Lac	LmB	Lamartine	L	H	SP	M		M			4	200	5	0.32	0.034
Fond du Lac	LrB2	LeRoy	L	H	W	M		M			4	200	3	0.37	0.065
Fond du Lac	LrC2	LeRoy	L	H	W	M		M			9	150	3	0.37	0.178
Fond du Lac	LrD	LeRoy	L	H	W	M		M			16	100	3	0.37	0.35
Fond du Lac	LrD2	LeRoy	L	H	W	M		M			16	100	3	0.37	0.35
Fond du Lac	LrE	LeRoy	L	H	W	M		M			25	60	3	0.37	0.562
Fond du Lac	LtC3	LeRoy	L	H	W	M		M			9	150	2	0.37	0.266
Fond du Lac	LtD3	LeRoy	L	H	W	M		M			16	100	2	0.37	0.525
Fond du Lac	LvA	Lomira	L	H	W	H		M	w	w	1	250	4	0.49	0.021
Fond du Lac	LvB	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Fond du Lac	LvB2	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Fond du Lac	LvC	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Fond du Lac	LvC2	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Fond du Lac	LvC3	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Fond du Lac	LvD	Lomira	L	H	W	H		M			16	100	4	0.49	0.348
Fond du Lac	LvD2	Lomira	L	H	W	H		M			16	100	4	0.49	0.348
Fond du Lac	LvD3	Lomira	L	H	W	H		M			16	100	4	0.49	0.348
Fond du Lac	LwA	Knowles	L	H	W	M		M	w	w	1	250	2	0.43	0.037
Fond du Lac	LwA	Lomira	L	H	W	H		M	w	w	1	250	4	0.49	0.021
Fond du Lac	LwB	Knowles	L	H	W	M		M			4	200	2	0.43	0.114
Fond du Lac	LwB	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Fond du Lac	LwB2	Knowles	L	H	W	M		M			4	200	2	0.43	0.114
Fond du Lac	LwB2	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Fond du Lac	LwC2	Knowles	L	H	W	M		M			9	150	2	0.43	0.31
Fond du Lac	LwC2	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Fond du Lac	MaA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Fond du Lac	MaB	Manawa	L	H	SP	H		M		w	4	200	3	0.32	0.057
Fond du Lac	McA	Manawa	L	H	SP	M		M			1.5	250	3	0.37	0.026
Fond du Lac	McB	Manawa	L	H	SP	H		M		w	4	200	3	0.28	0.049
Fond du Lac	MdB	Markesan	L	H	W	H		M			4	200	3	0.32	0.057
Fond du Lac	MdB2	Markesan	L	H	W	M		M			4	200	2	0.32	0.085
Fond du Lac	MdC2	Markesan	L	H	W	M		M			9	150	2	0.32	0.23
Fond du Lac	MdC3	Markesan	L	H	W	M		M			9	150	2	0.32	0.23
Fond du Lac	MdD2	Markesan	L	H	W	M		M			16	100	2	0.32	0.454
Fond du Lac	MdD3	Markesan	L	H	W	M		M			16	100	2	0.32	0.454
Fond du Lac	MmA	Martinton	L	H	SP	H		M		w	1	250	5	0.32	0.011
Fond du Lac	MmB	Martinton	L	H	SP	H		M		w	4	200	5	0.32	0.034
Fond du Lac	MoA	Mayville	L	H	MW	H		M			1	250	3	0.43	0.024
Fond du Lac	MoB	Mayville	L	H	MW	H		M			4	200	3	0.43	0.076
Fond du Lac	MsA	Mendota	L	H	W	H		M			1	250	3	0.32	0.018
Fond du Lac	MsB	Mendota	L	H	W	H		M			4	200	3	0.32	0.057
Fond du Lac	MsB2	Mendota	L	H	W	H		M			4	200	3	0.32	0.057
Fond du Lac	MsC2	Mendota	L	H	W	H		M			9	150	3	0.32	0.154
Fond du Lac	MzaA	Milton	L	M	W	L		M			1	250	2	0.43	0.037
Fond du Lac	MzaB2	Milton	L	M	W	L		M			4	200	2	0.43	0.114
Fond du Lac	MzaD2	Milton	L	M	W	L		M			13	100	2	0.43	0.439
Fond du Lac	MzdB	Morley	L	H	MW	M		M			4	200	5	0.32	0.034

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Fond du Lac	MzdB2	Morley	L	H	MW	M		M			4	200	5	0.32	0.034
Fond du Lac	MzdC2	Morley	L	H	MW	M		M			9	150	5	0.32	0.092
Fond du Lac	MzdD2	Morley	L	H	MW	M		M			16	100	5	0.32	0.182
Fond du Lac	MzeC3	Morley	L	H	W	M		M			9	150	5	0.32	0.092
Fond du Lac	MzeD3	Morley	L	H	W	M		M			16	100	5	0.32	0.182
Fond du Lac	Od	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Fond du Lac	OhA	Oshkosh	L	H	W	M		M			1	250	5	0.43	0.015
Fond du Lac	OhB	Oshkosh	L	H	W	M		M			4	200	5	0.43	0.046
Fond du Lac	OkA	Oshkosh	L	H	W	M		M			1	250	5	0.37	0.013
Fond du Lac	OkB	Oshkosh	L	H	W	M		M			4	250	5	0.37	0.043
Fond du Lac	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Fond du Lac	Pc	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Fond du Lac	PfA	Peebles	L	H	MW	M		M			1	250	3	0.37	0.021
Fond du Lac	PfB	Peebles	L	H	MW	M		M			4	200	3	0.37	0.065
Fond du Lac	PhA	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Fond du Lac	PnA	Pella	L	M	P	VH		M	w	w	1	250	5	0.28	0.01
Fond du Lac	PsA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Fond du Lac	PsB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Fond du Lac	PsB2	Plano	L	H	W	H		M			4	200	5	0.32	0.034
Fond du Lac	PuB	Plano variant	L	H	W	H		M			4	200	5	0.24	0.025
Fond du Lac	Py	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Fond du Lac	ReB	Rimer	L	H	SP	M		M		w	4	200	5	0.32	0.034
Fond du Lac	RnD2	Rodman	S	S	E	VL		M	p		13	100	5	0.02	0.008
Fond du Lac	RnE2	Rodman	S	S	E	VL		M	p		25	60	5	0.02	0.018
Fond du Lac	RoD2	Rodman	L	M	E	VL		M	p		16	100	5	0.28	0.159
Fond du Lac	RoF2	Rodman	L	M	E	VL		M	p		32.5	60	5	0.28	0.393
Fond du Lac	Rw	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Fond du Lac	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Fond du Lac	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Fond du Lac	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Fond du Lac	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Fond du Lac	SmA	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Fond du Lac	SmB	Sebewa	L	M	SP	L		M		w	4	200	3	0.37	0.065
Fond du Lac	SnA	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Fond du Lac	SpA	ebewa varian	L	M	P	M		M	w	w	1.5	250	5	0.32	0.013
Fond du Lac	SuB2	Sisson	L	H	W	H		M			4	200	5	0.43	0.046
Fond du Lac	SwB	Sogn	L	M	SE	VL	S	M	r	r	3	200	1	0.32	0.112
Fond du Lac	ThA	Theresa	L	H	W	M		M			1	250	3	0.49	0.028
Fond du Lac	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Fond du Lac	ThB2	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Fond du Lac	ThC	Theresa	L	H	W	M		M			9	150	3	0.37	0.178
Fond du Lac	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Fond du Lac	ThD	Theresa	L	H	W	M		M			16	100	3	0.37	0.35
Fond du Lac	ThD2	Theresa	L	H	W	M		M			16	100	3	0.37	0.35
Fond du Lac	TrC3	Theresa	L	H	W	M		M			9	150	3	0.32	0.154
Fond du Lac	TrD3	Theresa	L	H	W	M		M			16	100	3	0.32	0.303
Fond du Lac	TsB2	Casco	L	M	W	L		M			4	200	3	0.43	0.076
Fond du Lac	TsB	Theresa	L	H	W	M		M			4	200	3	0.37	0.065

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Fond du Lac	TsC2	Casco	L	M	W	L		M			9	150	3	0.43	0.206
Fond du Lac	TsC2	Theresa	L	H	W	M		M			9	150	3	0.37	0.178
Fond du Lac	TsD2	Casco	L	M	W	L		M			16	100	3	0.43	0.407
Fond du Lac	TsD2	Theresa	L	H	W	M		M			16	100	3	0.43	0.407
Fond du Lac	TsE2	Casco	L	M	W	L		M			25	60	3	0.43	0.654
Fond du Lac	TsE2	Theresa	L	H	W	M		M			25	60	3	0.37	0.562
Fond du Lac	VgA	Virgil	L	H	SP	H		M		w	1	250	5	0.37	0.013
Fond du Lac	VgB	Virgil	L	H	SP	H		M		w	4	200	5	0.37	0.039
Fond du Lac	VsA	Virgil	L	H	SP	H		M		w	1	250	4	0.37	0.016
Fond du Lac	VsB	Virgil	L	H	SP	M		M		w	4	200	4	0.37	0.049
Fond du Lac	Wa	Wallkill	L	M	VP	L		M	w	w	1	250	5	0.37	0.013
Fond du Lac	WhB	Warsaw	L	H	W	M		M			4	200	4	0.32	0.042
Fond du Lac	WsA	Washtenaw	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Fond du Lac	WsB	Washtenaw	L	H	SP	H		M		w	3	200	5	0.37	0.026
Fond du Lac	Wt	Wauseon	L	M	P	M		M	w	w	1	250	4	0.28	0.012
Fond du Lac	Wu	Wauseon	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Forest	ArB	Argonne	L	M	MW	L		F			4	200	4	0.32	0.042
Forest	ArB	Sarwet	L	M	MW	M		F			4	200	5	0.2	0.021
Forest	Au	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.02	0.001
Forest	Ca	Capitola	L	M	P	M		F			1	250	3	0.55	0.031
Forest	CrA	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Forest	CuA	Cublake	S	S	MW	L		F			2	250	5	0.17	0.009
Forest	FeB	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Forest	FIA	Flink	S	S	SP	L		F			2	250	5	0.24	0.012
Forest	Fm	Fordum	L	M	P	M		F	w	w	1	250	3	0.32	0.018
Forest	GaA	Gastrow	L	M	SP	H		F			2	250	5	0.37	0.019
Forest	Kr	Kinross	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Forest	LaC	Laona	L	M	W	L		F			11	150	4	0.28	0.135
Forest	LaC	Sarona	L	M	W	M		F			11	150	5	0.24	0.093
Forest	LaD	Laona	L	M	W	L		F			25	60	4	0.28	0.319
Forest	LaD	Sarona	L	M	W	M		F			25	60	5	0.24	0.219
Forest	Lo	Beseman	O	M	VP			F	w	w	1	250	1	0.02	0.003
Forest	Lo	Dawson	O	M	VP			F	w	w	1	250	1	0.02	0.003
Forest	Lo	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Forest	Lu	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Forest	Lu	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Forest	MaA	Manitowish	S	S	MW	L		F			2	250	5	0.2	0.01
Forest	MeD	Metonga	L	M	W	L	S	F	r	r	32	60	2	0.37	1.267
Forest	Mn	Minocqua	L	M	P	L		F	w	w	1	250	3	0.49	0.028
Forest	MuB	Mudlake	L	M	SP	H		F			4	200	5	0.37	0.039
Forest	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Forest	PaC	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Forest	PaD	Padus	L	M	W	L		F			25	60	3	0.24	0.365
Forest	PeB	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Forest	PeB	Pence	S	S	SE	L		F	p		3	200	2	0.24	0.042
Forest	PeC	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Forest	PeC	Pence	S	S	SE	L		F	p		11	150	2	0.24	0.232
Forest	PeD	Padus	L	M	W	L		F	p		25	60	5	0.24	0.219

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Forest	PeD	Pence	S	S	SE	L		F	p		25	60	2	0.24	0.547
Forest	PfD	Padus	L	M	W	L		F			25	60	3	0.37	0.562
Forest	PfD	Soperton	L	M	W	L		F			25	60	4	0.49	0.559
Forest	PgB	Padus	L	M	W	L		F			4	200	3	0.37	0.065
Forest	PgB	Wabeno	L	M	MW	L		F			4	200	4	0.49	0.065
Forest	PgC	Padus	L	M	W	L		F			11	150	3	0.37	0.238
Forest	PgC	Wabeno	L	M	MW	L		F			11	150	4	0.49	0.236
Forest	PhB	Padwood	L	M	MW	L		F			3	200	5	0.28	0.02
Forest	PkE	Pelissier	S	S	E	VL		F	p		33	60	5	0.28	0.403
Forest	PnB	Pence	S	S	SE	L		F	p		3	200	2	0.24	0.042
Forest	PnC	Pence	S	S	SE	L		F	p		11	150	2	0.24	0.232
Forest	PnD	Pence	S	S	SE	L		F	p		25	60	2	0.24	0.547
Forest	PsB	Pence	S	S	SE	L		F	p		3	200	2	0.24	0.042
Forest	PsB	Vilas	S	S	E	L		F	p		3	200	5	0.15	0.01
Forest	PsC	Pence	S	S	SE	L		F	p		11	150	2	0.24	0.232
Forest	PsC	Vilas	S	S	E	L		F	p		11	150	5	0.15	0.058
Forest	PsD	Pence	S	S	SE	L		F	p		25	60	2	0.24	0.547
Forest	PsD	Vilas	S	S	E	L		F	p		25	60	5	0.15	0.137
Forest	RuD	Rubicon	S	S	E	L		F	p		25	60	5	0.15	0.137
Forest	SoD	Goodman	L	M	W	M		F			25	60	5	0.43	0.392
Forest	SoD	Soperton	L	M	W	L		F			25	60	4	0.49	0.559
Forest	SpD	Mudlake	L	M	SP	H		F			4	200	5	0.37	0.039
Forest	SpD	Soperton	L	M	W	L		F			25	60	4	0.49	0.559
Forest	StB	Stambaugh	L	M	W	M		F			3	200	3	0.55	0.064
Forest	StC	Stambaugh	L	M	W	M		F			11	150	3	0.55	0.354
Forest	StD	Stambaugh	L	M	W	M		F			20	80	3	0.55	0.669
Forest	TpA	Tipler	L	M	MW	L		F			2	250	4	0.28	0.018
Forest	VaB	Vanzile	L	M	MW	M		F			3	200	3	0.49	0.057
Forest	VsB	Vilas	S	S	E	L		F	p		3	200	5	0.15	0.01
Forest	VsC	Vilas	S	S	E	L		F	p		11	150	5	0.15	0.058
Forest	WaC	Goodman	L	M	W	M		F			11	150	5	0.43	0.166
Forest	WaC	Wabeno	L	M	MW	L		F			11	150	4	0.49	0.236
Forest	WbB	Goodwit	L	M	MW	M		F			4	200	5	0.43	0.046
Forest	WbB	Wabeno	L	M	MW	L		F			4	200	4	0.49	0.065
Forest	WdB	Mudlake	L	M	SP	H		F			4	200	5	0.37	0.039
Forest	WdB	Wabeno	L	M	MW	L		F			8	150	4	0.49	0.148
Forest	WhA	Whisklake	L	M	SP	M		F	w	w	2	250	3	0.43	0.037
Forest	WrA	Worcester	L	M	SP	L		F	w	w	2	250	3	0.24	0.021
Forest	WtA	Wormet	S	S	SP	L		F	w	w	2	250	3	0.28	0.024
Grant	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Grant	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Grant	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Grant	1130F	Lacrescent	L	H	W	M		M	r		45	60	2	0.28	1.648
Grant	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Grant	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Grant	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Grant	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Grant	1177F	Derinda	L	M	MW	L		M	r	r	45	60	3	0.43	1.687

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Grant	1177F	Elizabeth	L	M	W	VL	S	M	r	r	35	60	1	0.37	2.93
Grant	1195F	Elkmound	L	M	W	VL	S	M	r	r	45	60	1	0.28	3.296
Grant	1195F	Northfield	L	M	W	L	S	M	r	r	45	60	2	0.37	2.177
Grant	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Grant	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Grant	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Grant	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Grant	194B2	Newglarus	L	M	W	L		M			4	300	2	0.43	0.133
Grant	194C2	Newglarus	L	M	W	L		M			9	200	2	0.43	0.357
Grant	194D2	Newglarus	L	M	W	L		M			16	150	2	0.43	0.748
Grant	194E2	Newglarus	L	M	W	L		M			25	100	2	0.43	1.266
Grant	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Grant	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Grant	326F	Medary	L	H	MW	H		M			30	60	3	0.37	0.76
Grant	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Grant	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Grant	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Grant	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Grant	Ar	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017
Grant	AtA	Atterberry	L	H	SP	VH		M			1	250	5	0.43	0.015
Grant	AtB	Atterberry	L	H	SP	VH		M			5	250	5	0.43	0.073
Grant	AwC2	Atterberry	L	H	MW	H		M			10	200	5	0.43	0.167
Grant	AwC2	Downs	L	H	W	H		M			10	200	5	0.43	0.167
Grant	BtA	Bertrand	L	H	W	H		M			1	250	5	0.49	0.017
Grant	BtB	Bertrand	L	H	W	H		M			5	200	5	0.49	0.074
Grant	BtB2	Bertrand	L	H	W	H		M			5	200	5	0.49	0.074
Grant	BtC2	Bertrand	L	H	W	H		M			9	150	5	0.49	0.141
Grant	BtD2	Bertrand	L	H	W	H		M			12	150	5	0.49	0.217
Grant	ChA	Chaseburg	L	H	MW	VH		M			1	200	5	0.43	0.014
Grant	ChB	Chaseburg	L	H	MW	VH		M			4	205	5	0.43	0.046
Grant	ChC	Chaseburg	L	H	W	VH		M			12	100	5	0.49	0.176
Grant	CsB2	Chelsea	S	S	E	L		M	p		3	200	5	0.15	0.01
Grant	CsC2	Chelsea	S	S	E	L		M	p		8	150	5	0.05	0.012
Grant	CsD2	Chelsea	S	S	E	L		M	p		12	150	5	0.15	0.066
Grant	Cu	Curran	L	H	SP	H		M			1	250	5	0.43	0.015
Grant	DaA	Dakota	L	M	SE	L		M	p		1	250	3	0.24	0.014
Grant	DaB	Dakota	L	M	SE	L		M	p		4	200	3	0.24	0.042
Grant	DaC2	Dakota	L	M	SE	L		M	p		8	200	3	0.24	0.112
Grant	DbC2	Dodgeville	L	H	W	M		M			9	200	3	0.37	0.205
Grant	DbD2	Dodgeville	L	H	W	M		M			12	150	3	0.37	0.273
Grant	DbE2	Dodgeville	L	H	W	M		M			18	150	3	0.37	0.519
Grant	DbF2	Dodgeville	L	H	W	M		M			25	125	3	0.37	0.813
Grant	DcB2	Dodgeville	L	H	W	M		M			5	200	3	0.37	0.094
Grant	DcC2	Dodgeville	L	H	W	M		M			9	200	3	0.37	0.205
Grant	DcD2	Dodgeville	L	H	W	M		M			12	150	3	0.37	0.273
Grant	DcE2	Dodgeville	L	H	W	M		M			18	200	3	0.37	0.599
Grant	DdC2	Dodgeville	L	M	W	L		M			9	200	2	0.32	0.266
Grant	DdD2	Dodgeville	L	M	W	L		M			12	150	2	0.32	0.354

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Grant	DeB2	Dodgeville	L	H	W	M		M			5	250	3	0.32	0.091
Grant	DeC2	Dodgeville	L	H	W	M		M			9	200	3	0.32	0.177
Grant	DeD2	Dodgeville	L	H	W	M		M			12	150	3	0.32	0.236
Grant	DoB2	Downs	L	H	W	H		M			4	300	5	0.43	0.053
Grant	DoC2	Downs	L	H	W	H		M			9	140	5	0.43	0.12
Grant	DsG	Dubuque	L	H	W	M		M			35	100	3	0.49	1.669
Grant	DtB	Dubuque	L	H	W	M		M			5	250	4	0.43	0.091
Grant	DtB2	Dubuque	L	H	W	M		M			5	250	4	0.43	0.091
Grant	DtC2	Dubuque	L	H	W	M		M			9	200	4	0.43	0.178
Grant	DtD2	Dubuque	L	H	W	M		M			12	150	4	0.43	0.238
Grant	DtE2	Dubuque	L	H	W	M		M			18	100	4	0.43	0.369
Grant	DuC2	Dubuque	L	H	W	M		M			9	200	3	0.43	0.238
Grant	DuD2	Dubuque	L	H	W	M		M			12	150	3	0.43	0.317
Grant	DuE2	Dubuque	L	H	W	M		M			18	100	3	0.43	0.492
Grant	DuF2	Dubuque	L	H	W	M		M			25	75	3	0.43	0.731
Grant	DvB2	Dubuque	L	H	W	M		M			4	200	4	0.32	0.042
Grant	DvC2	Dubuque	L	H	W	M		M			8	150	4	0.32	0.097
Grant	DvD2	Dubuque	L	H	W	M		M			12	150	4	0.32	0.177
Grant	DvE2	Dubuque	L	H	W	M		M			18	100	4	0.32	0.274
Grant	DvF2	Dubuque	L	H	W	M		M			25	75	4	0.32	0.408
Grant	DyD2	Dubuque	L	M	W	L		M			14	150	3	0.37	0.347
Grant	DyE2	Dubuque	L	M	W	L		M			16	100	3	0.37	0.35
Grant	DyF2	Dubuque	L	M	W	L		M			25	200	3	0.37	1.027
Grant	DyG	Dubuque	L	M	W	L		M			35	195	3	0.37	1.76
Grant	FaB2	Fayette	L	H	W	H		M			5	250	5	0.43	0.073
Grant	FaC2	Fayette	L	H	W	H		M			9	200	5	0.43	0.143
Grant	FaD2	Fayette	L	H	W	H		M			12	150	5	0.43	0.19
Grant	FaE2	Fayette	L	H	W	H		M			18	125	5	0.43	0.33
Grant	FaF2	Fayette	L	H	W	H		M			25	125	5	0.43	0.567
Grant	FvC2	Fayette	L	H	W	H		M			8	200	5	0.43	0.12
Grant	FvD2	Fayette	L	H	W	H		M			12	150	5	0.43	0.19
Grant	FvE2	Fayette	L	H	W	H		M			18	100	5	0.43	0.295
Grant	FvF2	Fayette	L	H	W	H		M			25	125	5	0.43	0.567
Grant	GaC2	Gale	L	H	W	M		M			6	150	3	0.49	0.134
Grant	GaD2	Gale	L	H	W	M		M			12	150	3	0.49	0.361
Grant	GaE2	Gale	L	H	W	M		M			18	100	3	0.49	0.56
Grant	GaF2	Gale	L	H	W	M		M			25	75	3	0.49	0.833
Grant	Gw	Garwin	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Grant	HcC2	Hesch	L	H	W	M		M	p		8	150	4	0.24	0.073
Grant	HcD2	Hesch	L	H	W	M		M	p		12	150	4	0.24	0.133
Grant	HcE2	Hesch	L	H	W	M		M	p		18	100	4	0.24	0.206
Grant	HcF2	Hesch	L	H	W	M		M	p		35	225	4	0.24	0.92
Grant	HeC2	Hesch	L	H	W	M		M			6	150	4	0.32	0.066
Grant	HeD2	Hesch	L	H	W	M		M			12	150	4	0.32	0.177
Grant	HeE2	Hesch	L	H	W	M		M			18	175	4	0.32	0.363
Grant	HfB2	Hixton	L	M	W	L	S	M			4	200	3	0.28	0.049
Grant	HfC2	Hixton	L	M	W	L	S	M			9	150	3	0.28	0.134
Grant	HfD2	Hixton	L	M	W	L	S	M			12	150	3	0.28	0.206

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Grant	HfE2	Hixton	L	M	W	L	S	M			18	175	3	0.28	0.424
Grant	HfF2	Hixton	L	M	W	L	S	M			25	175	3	0.28	0.727
Grant	HfG	Hixton	L	M	W	L	S	M			35	200	3	0.28	1.35
Grant	HxC2	Hixton	L	M	W	L	S	M			6	150	3	0.37	0.101
Grant	HxD2	Hixton	L	M	W	L	S	M			12	175	3	0.37	0.295
Grant	HxE2	Hixton	L	M	W	L	S	M			18	125	3	0.37	0.474
Grant	HxF2	Hixton	L	M	W	L	S	M			25	100	3	0.37	0.726
Grant	JaA	Jackson	L	H	MW	H		M			1	250	5	0.49	0.017
Grant	JaB	Jackson	L	H	MW	H		M			5	150	5	0.49	0.065
Grant	JaB2	Jackson	L	H	MW	H		M			5	150	5	0.49	0.065
Grant	JaC2	Jackson	L	H	MW	H		M			9	150	5	0.49	0.141
Grant	JuA	Judson	L	H	MW	H		M			1.5	250	5	0.37	0.016
Grant	JuB	Judson	L	H	W	VH		M			6.5	150	5	0.43	0.078
Grant	LaB2	Lamont	L	H	W	M		M	p		5	200	4	0.28	0.053
Grant	LaD2	Lamont	L	H	W	M		M	p		12	150	4	0.28	0.155
Grant	LaE	Lamont	L	H	W	M		M	p		18	100	4	0.24	0.206
Grant	LaE2	Lamont	L	H	W	M		M	p		18	100	4	0.28	0.24
Grant	LaF2	Lamont	L	H	W	H		M			35	75	4	0.32	0.708
Grant	LnC2	Lindstrom	L	H	W	VH		M			10	100	5	0.37	0.101
Grant	LnE2	Lindstrom	L	H	W	VH		M			18	100	5	0.37	0.254
Grant	MdA	Medary	L	H	MW	H		M			1	250	5	0.49	0.017
Grant	MdB2	Medary	L	H	MW	H		M			5	150	5	0.49	0.065
Grant	MdC2	Medary	L	H	MW	H		M			9	150	5	0.49	0.141
Grant	MdD2	Medary	L	H	MW	H		M			12.5	100	5	0.49	0.188
Grant	MeC2	Medary	L	H	MW	H		M			8	150	5	0.43	0.104
Grant	MfA	Meridian	L	H	W	M		M	p		1	250	3	0.28	0.016
Grant	MfB	Meridian	L	H	W	M		M	p		4	200	3	0.28	0.049
Grant	MfB2	Meridian	L	H	W	M		M	p		4	200	3	0.28	0.049
Grant	MfC2	Meridian	L	H	W	M		M	p		9	200	3	0.28	0.155
Grant	MfD2	Meridian	L	H	W	M		M	p		12	150	3	0.28	0.206
Grant	MmA	Meridian	L	H	W	M		M			1	250	3	0.37	0.021
Grant	MmB	Meridian	L	H	W	M		M			5	200	3	0.37	0.094
Grant	MmB2	Meridian	L	H	W	M		M			5	200	3	0.37	0.094
Grant	MmC2	Meridian	L	H	W	M		M			9	200	3	0.37	0.205
Grant	MmD2	Meridian	L	H	W	M		M			12	200	3	0.37	0.314
Grant	MuA	Muscatine	L	H	SP	H		M			1	250	5	0.37	0.013
Grant	MuB	Muscatine	L	H	SP	H		M			5	275	5	0.37	0.066
Grant	MuB2	Muscatine	L	H	SP	H		M			5	275	5	0.37	0.066
Grant	Or	Orion	L	H	SP	VH		M			1	250	5	0.49	0.017
Grant	RcA	Richwood	L	H	W	H		M			1	250	4	0.43	0.018
Grant	RcB	Richwood	L	H	W	H		M			5	250	4	0.43	0.091
Grant	RoC2	Rozetta	L	H	MW	VH		M			9	200	5	0.43	0.143
Grant	SeB	Seaton	L	H	W	VH		M			5	200	5	0.49	0.074
Grant	SeB2	Seaton	L	H	W	VH		M			5	200	5	0.49	0.074
Grant	SeC2	Seaton	L	H	W	VH		M			9	200	5	0.49	0.163
Grant	SeD2	Seaton	L	H	W	VH		M			12	150	5	0.49	0.217
Grant	SeE2	Seaton	L	H	W	VH		M			18	100	5	0.49	0.336
Grant	SeF2	Seaton	L	H	W	VH		M			35	200	5	0.49	1.417



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Grant	SnD2	Sogn	L	M	SE	VL	S	M	r	r	12	200	1	0.28	0.714
Grant	SnE2	Sogn	L	M	SE	VL	S	M	r	r	18	100	1	0.28	0.96
Grant	SoB2	Sogn	L	M	SE	VL	S	M	r	r	6	200	1	0.37	0.352
Grant	SoD2	Sogn	L	M	SE	VL	S	M	r	r	12	150	1	0.37	0.818
Grant	SoE2	Sogn	L	M	SE	VL	S	M	r	r	18	75	1	0.37	1.099
Grant	SpC	Sparta	S	S	E	L		M	p		10.5	150	5	0.1	0.036
Grant	SrC	Sparta	S	S	E	L		M	p		10.5	150	5	0.1	0.036
Grant	SsA	Sparta	S	S	E	VL		M	p		1	250	5	0.32	0.011
Grant	SsA2	Sparta	S	S	E	L		M	p		1	250	5	0.32	0.011
Grant	SsB	Sparta	S	S	E	L		M	p		4	200	5	0.32	0.034
Grant	SsB2	Sparta	S	S	E	L		M	p		4	200	5	0.32	0.034
Grant	SsC	Sparta	S	S	E	L		M	p		10.5	150	5	0.32	0.115
Grant	StA	Sparta	S	S	E	VL		M	p		1	250	5	0.32	0.011
Grant	SyB	Stronghurst	L	H	SP	VH		M			5	200	5	0.43	0.065
Grant	SyB2	Stronghurst	L	H	SP	VH		M			5	200	5	0.43	0.065
Grant	TaA	Tama	L	H	W	VH		M			1	250	5	0.37	0.013
Grant	TaB	Tama	L	H	W	VH		M			4	200	5	0.37	0.039
Grant	TaB2	Tama	L	H	W	VH		M			5	300	5	0.43	0.08
Grant	TaC2	Tama	L	H	W	VH		M			7	300	5	0.43	0.123
Grant	TaD2	Tama	L	H	W	VH		M			12	200	5	0.43	0.219
Grant	To	Toddville	L	H	MW	H		M			1	250	5	0.37	0.013
Green	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Green	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Green	1180B2	Dubuque	L	M	W	L		M	r	r	4	300	2	0.43	0.133
Green	1180B2	Dunbarton	L	M	SE	L	S	M	r	r	4	250	1	0.43	0.249
Green	1180C2	Dubuque	L	M	W	L		M	r	r	9	200	2	0.43	0.357
Green	1180C2	Dunbarton	L	M	SE	L	S	M	r	r	9	250	1	0.43	0.796
Green	1180D2	Dubuque	L	M	W	L		M	r	r	16	150	2	0.43	0.748
Green	1180D2	Dunbarton	L	M	SE	L	S	M	r	r	16	150	1	0.43	1.496
Green	1180E	Dubuque	L	M	W	L		M	r	r	25	100	2	0.49	1.443
Green	1180E	Dunbarton	L	M	SE	L	S	M	r	r	25	100	1	0.43	2.533
Green	1180F	Dubuque	L	M	W	L		M	r	r	38	60	2	0.49	2.212
Green	1180F	Dunbarton	L	M	SE	L	S	M	r	r	45	60	1	0.43	5.061
Green	1195F	Elkmound	L	M	W	VL	S	M	r	r	45	60	1	0.28	3.296
Green	1195F	Northfield	L	M	W	L	S	M	r	r	45	60	2	0.37	2.177
Green	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green	An	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017
Green	ArB2	Arland variant	L	M	W	L		M			4	200	3	0.37	0.065
Green	ArC2	Arland variant	L	M	W	L		M			9	195	3	0.37	0.202
Green	ArD2	Arland variant	L	M	W	L		M			13	150	3	0.37	0.308
Green	AsB2	Ashdale	L	H	W	H		M			4	200	3	0.43	0.076
Green	AsC2	Ashdale	L	H	W	H		M			9	200	3	0.43	0.238
Green	AsD2	Ashdale	L	H	W	H		M			13	150	3	0.43	0.358
Green	BIA	Billett	L	H	W	M		M	p		1	250	3	0.24	0.014
Green	BIB2	Billett	L	H	W	M		M	p		4	200	3	0.24	0.042
Green	BIC2	Billett	L	H	W	M		M	p		9	200	3	0.24	0.133
Green	BoD	Boone	S	S	E	VL		M	p		11	150	3	0.1	0.064
Green	Br	Brookston	L	M	VP	H		M	w	w	1	250	5	0.32	0.011

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green	CdB2	Cadiz	L	H	MW	H		M			4	200	5	0.49	0.052
Green	CdC2	Cadiz	L	H	MW	H		M			9	200	5	0.49	0.163
Green	ChB	Chaseburg	L	H	MW	VH		M			4	205	5	0.43	0.046
Green	ChC	Chaseburg	L	H	W	H		M			9	200	5	0.49	0.163
Green	Cn	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017
Green	Cn	Chaseburg	L	H	MW	H		M			1	250	5	0.43	0.015
Green	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Green	DaA	Dakota	L	H	W	M		M			1	250	3	0.28	0.016
Green	DaB2	Dakota	L	H	W	M		M			4	200	3	0.28	0.049
Green	DbA	Dells	L	H	SP	M		M			1.5	250	3	0.49	0.034
Green	Dc	Del Rey	L	H	SP	M		M			1	250	5	0.43	0.015
Green	DdA	Dickinson	L	M	SE	L		M	p		2	250	2	0.2	0.026
Green	DeB2	Dodge	L	H	W	H		M			4	200	5	0.49	0.052
Green	DeC2	Dodge	L	H	W	H		M			9	200	5	0.49	0.163
Green	DgB2	Dodgeville	L	M	W	L		M			4	200	2	0.37	0.098
Green	DgC2	Dodgeville	L	M	W	L		M			9	200	2	0.37	0.307
Green	DgD2	Dodgeville	L	M	W	L		M			13	150	2	0.37	0.462
Green	DoB2	Downs	L	H	W	H		M			4	300	5	0.43	0.053
Green	DoC2	Downs	L	H	W	H		M			9	140	5	0.43	0.12
Green	DsA	Downs	L	H	W	H		M			1	250	5	0.43	0.015
Green	DsB	Downs	L	H	W	H		M			4	200	5	0.43	0.046
Green	DsB2	Downs	L	H	W	H		M			4	200	5	0.43	0.046
Green	DsC2	Downs	L	H	W	H		M			9	200	5	0.43	0.143
Green	DuB2	Dunbarton	L	M	W	VL	S	M	r	r	4	200	1	0.43	0.228
Green	DuC2	Dunbarton	L	M	W	VL	S	M	r	r	9	200	1	0.43	0.714
Green	DuD2	Dunbarton	L	M	W	VL	S	M	r	r	13	150	1	0.43	1.075
Green	DuE2	Dunbarton	L	M	W	VL	S	M	r	r	22	80	1	0.43	1.836
Green	DvD2	Dunbarton	L	M	W	VL	S	M	r	r	13	150	1	0.37	0.925
Green	DwB2	Durand	L	H	W	H		M			4	200	5	0.32	0.034
Green	DwC2	Durand	L	H	W	H		M			9	200	5	0.32	0.106
Green	EdB2	Edmund	L	M	W	VL	S	M	r	r	4	200	1	0.37	0.196
Green	EdC2	Edmund	L	M	W	VL	S	M	r	r	9	200	1	0.37	0.614
Green	EdD2	Edmund	L	M	W	VL	S	M	r	r	13	150	1	0.37	0.925
Green	EeC2	Eleva	L	M	W	L		M			9	200	3	0.24	0.133
Green	EeD2	Eleva	L	M	W	L		M			13	150	3	0.24	0.2
Green	EIB2	Elkmound	L	M	W	VL	S	M	r	r	4	200	2	0.28	0.074
Green	EIC2	Elkmound	L	M	W	VL	S	M	r	r	9	200	2	0.28	0.232
Green	EID2	Elkmound	L	M	W	VL	S	M	r	r	13	150	2	0.28	0.35
Green	EIE2	Elkmound	L	M	W	VL	S	M	r	r	22	80	2	0.28	0.598
Green	EIF	Elkmound	L	M	W	VL	S	M	r	r	37.5	60	2	0.28	1.239
Green	Et	Ettrick	L	M	VP	VH		M	w	w	1	250	5	0.37	0.013
Green	FaB2	Fayette	L	H	W	H		M			4	200	5	0.43	0.046
Green	FaC2	Fayette	L	H	W	H		M			9	200	5	0.43	0.143
Green	FaD2	Fayette	L	H	W	H		M			13	150	5	0.43	0.215
Green	FbA	Fayette	L	H	W	H		M			1	250	4	0.49	0.021
Green	FbB2	Fayette	L	H	W	H		M			4	200	4	0.49	0.065
Green	FbC	Fayette	L	H	W	H		M			9	200	4	0.49	0.203
Green	FcB2	Fayette	L	H	W	H		M			4	200	5	0.43	0.046

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green	FcC2	Fayette	L	H	W	H		M			9	200	5	0.43	0.143
Green	FcD2	Fayette	L	H	W	H		M			13	150	5	0.43	0.215
Green	FeC2	Fayette	L	H	W	H		M			9	200	5	0.43	0.143
Green	FeD2	Fayette	L	H	W	H		M			13	150	5	0.43	0.215
Green	FIA	Flagg	L	H	W	H		M			1	250	5	0.43	0.015
Green	FIB2	Flagg	L	H	W	H		M			4	200	5	0.43	0.046
Green	FIC2	Flagg	L	H	W	H		M			9	200	5	0.43	0.143
Green	FnC2	Fox	L	H	W	M		M			9	200	3	0.28	0.155
Green	FnD2	Fox	L	H	W	M		M			13	150	3	0.28	0.233
Green	FoA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Green	FoB2	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Green	FoC2	Fox	L	H	W	M		M			9	200	3	0.37	0.205
Green	FsA	Fox	L	H	W	M		M			1	250	3	0.49	0.028
Green	FsB2	Fox	L	H	W	M		M			4	200	3	0.49	0.087
Green	GaB2	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Green	GaC2	Gale	L	H	W	M		M			9	200	3	0.49	0.271
Green	GaD2	Gale	L	H	W	M		M			13	150	3	0.49	0.408
Green	GaE2	Gale	L	H	W	M		M			22	80	3	0.49	0.697
Green	GoA	Gotham	S	S	W	L		M	p		1	250	5	0.24	0.008
Green	GoB2	Gotham	S	S	W	L		M	p		4	200	5	0.24	0.025
Green	GoC2	Gotham	S	S	W	L		M	p		9	200	5	0.24	0.08
Green	GrB2	Griswold	L	H	W	M		M			4	200	5	0.37	0.039
Green	GrC2	Griswold	L	H	W	M		M			9	200	5	0.37	0.123
Green	HbA	Hebron	L	H	W	H		M			1	250	5	0.49	0.017
Green	HbB2	Hebron	L	H	W	H		M			4	200	5	0.49	0.052
Green	HeA	Hebron varian	L	H	SP	H		M			1.5	250	5	0.43	0.018
Green	HmB2	Hixton	L	H	W	M		M			4	200	3	0.37	0.065
Green	HmC2	Hixton	L	H	W	M		M			9	200	3	0.37	0.205
Green	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Green	HvA	Huntsville	L	H	MW	H		M			1	250	5	0.37	0.013
Green	HvB	Huntsville	L	H	MW	H		M			4	200	5	0.37	0.039
Green	JuB2	Juda	L	H	MW	H		M			4	200	5	0.43	0.046
Green	JuC2	Juda	L	H	MW	H		M			9	200	5	0.43	0.143
Green	LaB	Lamartine	L	H	SP	H		M			3.5	200	5	0.37	0.034
Green	LeA	Lawler	L	H	SP	M		M			1	250	3	0.28	0.016
Green	LIA	Lawler	L	H	SP	M		M			1.5	250	3	0.32	0.022
Green	LnC2	Lindstrom	L	H	W	VH		M			9	200	5	0.2	0.066
Green	LnD2	Lindstrom	L	H	W	VH		M			13	150	5	0.2	0.1
Green	LsC2	Lindstrom	L	H	W	VH		M			9	200	5	0.37	0.123
Green	LsD2	Lindstrom	L	H	W	VH		M			13	150	5	0.37	0.185
Green	Mb	Marshan	L	M	VP	M		M	w	w	1	250	3	0.28	0.016
Green	Mc	Marshan	L	M	VP	M		M	w	w	1	250	3	0.32	0.018
Green	Md	Matherton	L	H	SP	M		M			1	250	3	0.43	0.024
Green	Me	Maumee	S	S	VP	L		M	w	w	1	250	2	0.17	0.014
Green	MIA	Meridian	L	H	W	M		M			1	250	3	0.37	0.021
Green	MIB2	Meridian	L	H	W	M		M			4	200	3	0.37	0.065
Green	MIC2	Meridian	L	H	W	M		M			9	200	3	0.37	0.205
Green	MmB2	Miami	L	H	W	H		M			4	200	5	0.43	0.046

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green	MmC2	Miami	L	H	W	H		M			9	200	5	0.43	0.143
Green	MmD2	Miami	L	H	W	H		M			13	150	5	0.43	0.215
Green	MnC2	Mifflin	L	H	W	M		M			9	200	3	0.37	0.205
Green	MnD2	Mifflin	L	H	W	M		M			13	150	3	0.37	0.308
Green	MoC2	Mifflin variant	L	M	W	L	S	M	r	r	9	200	1	0.43	0.714
Green	MoD2	Mifflin variant	L	M	W	L	S	M	r	r	13	150	1	0.43	1.075
Green	MrB2	Morley	L	H	W	M		M			4	200	5	0.43	0.046
Green	MrC2	Morley	L	H	W	M		M			9	200	5	0.43	0.143
Green	MrD2	Morley	L	H	W	M		M			13	150	5	0.43	0.215
Green	MsB2	Muscatine	L	H	SP	VH		M			4	200	5	0.37	0.039
Green	MtA	Muscatine	L	H	SP	H		M			1.5	250	4	0.43	0.023
Green	MuA	Muscatine	L	H	SP	H		M			1.5	250	5	0.37	0.016
Green	MyB2	Myrtle	L	H	W	H		M			4	200	5	0.43	0.046
Green	MyC2	Myrtle	L	H	W	H		M			9	200	5	0.43	0.143
Green	Na	Navan	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Green	NgB2	Newglarus	L	M	W	L		M			4	300	2	0.43	0.133
Green	NgC2	Newglarus	L	M	W	L		M			9	200	2	0.43	0.357
Green	NgD2	Newglarus	L	M	W	L		M			16	150	2	0.43	0.748
Green	NgE2	Newglarus	L	M	W	L		M			25	100	2	0.43	1.266
Green	NIC2	NewGlarus	L	M	W	L		M			9	200	2	0.43	0.357
Green	NID2	NewGlarus	L	M	W	L		M			13	150	2	0.43	0.538
Green	NoB2	Northfield	L	M	W	L	S	M	r	r	4	200	2	0.37	0.098
Green	NoC2	Northfield	L	M	W	L	S	M	r	r	9	200	2	0.37	0.307
Green	NoD2	Northfield	L	M	W	L	S	M	r	r	13	150	2	0.37	0.462
Green	NoE2	Northfield	L	M	W	L	S	M	r	r	22	80	2	0.37	0.79
Green	OcA	Ockley	L	H	W	H		M			1.5	250	4	0.28	0.015
Green	OeA	Ockley	L	H	W	H		M			1	250	4	0.37	0.016
Green	OeB	Ockley	L	H	W	H		M			4	200	4	0.37	0.049
Green	OkA	Ockley	L	H	W	H		M			1	250	4	0.43	0.018
Green	OkB2	Ockley	L	H	W	H		M			4	200	4	0.43	0.057
Green	OkC2	Ockley	L	H	W	H		M			9	200	4	0.43	0.178
Green	OIB2	Ogle	L	H	W	H		M			4	200	5	0.37	0.039
Green	OIC2	Ogle	L	H	W	H		M			9	200	5	0.37	0.123
Green	OnA	Orion	L	H	SP	VH		M			1.5	250	5	0.49	0.021
Green	Or	Orion variant	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Green	OsA	Oshtemo	S	S	W	M		M	p		1	250	5	0.24	0.008
Green	OsB2	Oshtemo	S	S	W	M		M	p		4	200	5	0.24	0.025
Green	OsC2	Oshtemo	S	S	W	M		M	p		9	200	5	0.24	0.08
Green	Ot	Ossian	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Green	Ou	Otter	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Green	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green	PgB2	Palsgrove	L	H	W	M		M			4	200	3	0.43	0.076
Green	PgC2	Palsgrove	L	H	W	M		M			9	200	3	0.43	0.238
Green	PgD2	Palsgrove	L	H	W	M		M			13	150	3	0.43	0.358
Green	PID2	Palsgrove	L	H	W	M		M			13	150	3	0.43	0.358
Green	PnB2	Pecatonica	L	H	W	H		M			4	200	5	0.37	0.039
Green	PnC2	Pecatonica	L	H	W	H		M			9	200	5	0.37	0.123
Green	PnD2	Pecatonica	L	H	W	H		M			13	150	5	0.37	0.185

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green	PoA	Pillot	L	H	W	H		M			1	250	3	0.37	0.021
Green	PoB2	Pillot	L	H	W	H		M			4	200	3	0.37	0.065
Green	PoC2	Pillot	L	H	W	H		M			9	200	3	0.37	0.205
Green	PrB2	Plainfield	S	S	E	L		M	p		3	200	5	0.24	0.017
Green	RkC2	Rockton	L	H	W	M		M			9	200	2	0.28	0.232
Green	RkD2	Rockton	L	H	W	M		M			13	150	2	0.28	0.35
Green	RnB2	Rockton	L	H	W	M		M			4	200	2	0.32	0.085
Green	RnC2	Rockton	L	H	W	M		M			9	200	2	0.32	0.266
Green	RoC2	Rodman	L	M	E	VL		M	p		9	200	5	0.32	0.106
Green	RoE2	Rodman	L	M	E	VL		M	p		21	80	5	0.32	0.253
Green	SaB2	Saybrook	L	H	W	H		M			4	200	5	0.37	0.039
Green	SaC2	Saybrook	L	H	W	H		M			9	200	5	0.37	0.123
Green	ScB2	Saylesville	L	H	W	H		M			4	200	5	0.43	0.046
Green	Se	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Green	SfA	Shiffer	L	H	SP	M		M			1.5	250	3	0.32	0.022
Green	SoC2	Sogn	L	M	SE	VL	S	M	r	r	9	200	1	0.28	0.465
Green	SoE2	Sogn	L	M	SE	VL	S	M	r	r	13	150	1	0.37	0.925
Green	SsB	Stronghurst	L	H	SP	VH		M			4	200	5	0.43	0.046
Green	StA	Stronghurst	L	H	SP	M		M			1.5	250	3	0.43	0.03
Green	SuA	Stronghurst	L	H	SP	H		M			1.5	250	5	0.43	0.018
Green	SyB2	Sylvester	L	H	W	M		M			4	200	3	0.37	0.065
Green	SyC2	Sylvester	L	M	W	L		M			9	200	3	0.37	0.205
Green	TaB2	Tama	L	H	W	VH		M			4	200	5	0.43	0.046
Green	TaC2	Tama	L	H	W	VH		M			9	200	5	0.43	0.143
Green	TbA	Tama	L	H	W	H		M			1	250	4	0.43	0.018
Green	TbB	Tama	L	H	W	H		M			4	200	4	0.43	0.057
Green	TcA	Tell	L	H	W	M		M			1	250	3	0.49	0.028
Green	TcB2	Tell	L	H	W	M		M			4	200	3	0.49	0.087
Green	TcC2	Tell	L	H	W	M		M			9	200	3	0.49	0.271
Green	ThA	Thackery	L	H	MW	M		M			1.5	250	4	0.43	0.023
Green	Wa	Wallkill	L	M	VP	L		M	w	w	1	250	5	0.55	0.019
Green	WdC2	Westville	L	H	W	H		M			9	200	5	0.32	0.106
Green	WeB2	Westville	L	H	W	H		M			4	200	5	0.43	0.046
Green	WeC2	Westville	L	H	W	H		M			9	200	5	0.43	0.143
Green	WeD2	Westville	L	H	W	H		M			13	150	5	0.43	0.215
Green	WhB2	Whalan	L	H	W	M		M			4	200	2	0.32	0.085
Green	WhC2	Whalan	L	H	W	M		M			9	200	2	0.32	0.266
Green	WIB2	Whalan	L	H	W	M		M			4	200	2	0.43	0.114
Green	WIC2	Whalan	L	H	W	M		M			9	200	2	0.43	0.357
Green	WID2	Whalan	L	H	W	M		M			13	150	2	0.43	0.538
Green	WnB2	Winnebago	L	H	W	H		M			4	200	5	0.37	0.039
Green	WnC2	Winnebago	L	H	W	H		M			9	200	5	0.37	0.123
Green Lake	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green Lake	Bb	Barry	L	M	P	H		M	w	w	1	250	5	0.28	0.01
Green Lake	BpB	Boyer	S	S	W	L		M	p		3.5	200	4	0.32	0.037
Green Lake	BpC2	Boyer	S	S	W	L		M	p		9	150	4	0.32	0.115
Green Lake	BpD	Boyer	S	S	W	L		M	p		18.5	80	4	0.32	0.257
Green Lake	BrB	Brems	S	S	MW	L		M	w	w	3	200	5	0.24	0.017

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green Lake	BsA	Briggsville	L	H	W	H		M	w	w	1	250	5	0.37	0.013
Green Lake	BsB	Briggsville	L	H	W	H		M			4	200	5	0.37	0.039
Green Lake	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Green Lake	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Green Lake	DdC2	Dodge	L	H	W	H		M			9	150	5	0.43	0.124
Green Lake	Ed	Edwards	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green Lake	FoA	Friesland	L	H	W	H		M	w	w	1	250	5	0.32	0.011
Green Lake	FoB	Friesland	L	H	W	H		M			4	200	5	0.32	0.034
Green Lake	GaB	Gotham	S	S	W	L		M	p		3.5	200	5	0.24	0.022
Green Lake	GaC	Gotham	S	S	W	L		M	p		9	150	5	0.24	0.069
Green Lake	GbC	Gotham	S	S	W	L		M			9	150	3	0.28	0.134
Green Lake	GbD	Gotham	S	S	W	L		M			16	100	3	0.28	0.265
Green Lake	Gf	Granby	S	S	P	L		M	w	w	1	250	5	0.1	0.003
Green Lake	GhA	Granby varian	S	S	P	M		M	w	w	1.5	250	5	0.32	0.013
Green Lake	GkA	Granby varian	S	S	P	L		M	w	w	1.5	250	4	0.24	0.013
Green Lake	GnA	Grellton	L	H	W	H		M			1	250	5	0.24	0.008
Green Lake	GnB	Grellton	L	H	W	H		M			4	200	5	0.24	0.025
Green Lake	GnC2	Grellton	L	H	W	H		M			9	150	5	0.24	0.069
Green Lake	GnD2	Grellton	L	H	W	H		M			16	100	5	0.24	0.136
Green Lake	GrA	Griswold	L	H	W	M		M			1	250	5	0.32	0.011
Green Lake	GrB	Griswold	L	H	W	M		M			4	200	5	0.32	0.034
Green Lake	GrC2	Griswold	L	H	W	M		M			9	150	5	0.32	0.092
Green Lake	Ho	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Green Lake	JoA	Joy	L	H	SP	VH		M			1.5	250	5	0.32	0.013
Green Lake	KbA	Kibbie	L	H	SP	H		M		w	1.5	250	5	0.28	0.012
Green Lake	KdA	Kidder	L	H	W	M		M			1	250	5	0.28	0.01
Green Lake	KdB	Kidder	L	H	W	M		M			4	200	5	0.28	0.03
Green Lake	KdC2	Kidder	L	H	W	M		M			9	150	5	0.28	0.081
Green Lake	KdD2	Kidder	L	H	W	M		M			16	100	5	0.28	0.159
Green Lake	KeA	Kidder	L	H	W	M		M			1	250	5	0.37	0.013
Green Lake	KeB	Kidder	L	H	W	M		M			4	200	5	0.37	0.039
Green Lake	KeC2	Kidder	L	H	W	M		M			9	150	5	0.37	0.107
Green Lake	KeD2	Kidder	L	H	W	M		M			16	100	5	0.37	0.21
Green Lake	KeE	Kidder	L	H	W	M		M			25	60	5	0.37	0.337
Green Lake	KwA	Knowles	L	H	W	M		M			1	250	2	0.43	0.037
Green Lake	KwB	Knowles	L	H	W	M		M			4	200	2	0.43	0.114
Green Lake	KwC2	Knowles	L	H	W	M		M			9	150	2	0.43	0.31
Green Lake	KwD2	Knowles	L	H	W	M		M			16	100	2	0.43	0.611
Green Lake	LaB	Lapeer	S	S	W	M		M			4	200	5	0.32	0.034
Green Lake	LaC2	Lapeer	S	S	W	M		M			9	150	5	0.32	0.092
Green Lake	LaD2	Lapeer	S	S	W	M		M			18.5	80	5	0.32	0.205
Green Lake	Lb	Lapeer	L	H	W	M		M			1	250	5	0.28	0.01
Green Lake	LrC2	LeRoy	L	H	W	M		M			9	150	2	0.37	0.266
Green Lake	LrD2	LeRoy	L	H	W	M		M			16	100	2	0.37	0.525
Green Lake	LvB	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Green Lake	LvC2	Lomira	L	H	W	H		M			9	150	4	0.49	0.176
Green Lake	LvD2	Lomira	L	H	W	H		M			16	100	4	0.49	0.348
Green Lake	MaA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Green Lake	McA	Marcellon	L	H	SP	M		M		w	1.5	250	5	0.32	0.013
Green Lake	MdB2	Markesan	L	H	W	M		M			4	200	2	0.28	0.074
Green Lake	MdC2	Markesan	L	H	W	M		M			9	150	2	0.28	0.202
Green Lake	MdD2	Markesan	L	H	W	M		M			16	100	2	0.28	0.398
Green Lake	Mh	Marshan	L	M	VP	H		M	w	w	1	250	4	0.32	0.014
Green Lake	MnB	Mecan	S	S	SE	M		M	p		4	200	5	0.28	0.03
Green Lake	MnC2	Mecan	S	S	SE	M		M	p		9	150	5	0.28	0.081
Green Lake	MsA	Mendota	L	H	W	H		M			1	250	3	0.37	0.021
Green Lake	MsB	Mendota	L	H	W	H		M			4	200	3	0.37	0.065
Green Lake	MsC2	Mendota	L	H	W	H		M			9	150	3	0.37	0.178
Green Lake	OaB	Oakville	S	S	W	L		M	p		3.5	200	5	0.02	0.002
Green Lake	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.02	0.006
Green Lake	OaD	Oakville	S	S	W	L		M	p		23.5	80	5	0.02	0.019
Green Lake	OkB	Okee	S	S	SE	M		M	p		3.5	200	4	0.2	0.023
Green Lake	OkC	Okee	S	S	SE	M		M	p		10.5	150	4	0.2	0.09
Green Lake	OmB	Oshtemo	S	S	W	M		M	p		3.5	200	5	0.32	0.029
Green Lake	OmC2	Oshtemo	S	S	W	M		M	p		9	150	5	0.32	0.092
Green Lake	Os	Ossian	L	M	P	VH		M	w	w	1	250	5	0.28	0.01
Green Lake	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green Lake	PnA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Green Lake	PnB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Green Lake	Pr	Poy	L	M	P	L		M	w	w	1	250	3	0.28	0.016
Green Lake	Py	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Green Lake	RaB	Richford	S	S	SE	L		M	p		3.5	200	5	0.15	0.014
Green Lake	RaC	Richford	S	S	SE	L		M	p		10.5	150	5	0.15	0.054
Green Lake	ReB	Ripon	L	H	W	M		M			3.5	200	2	0.37	0.085
Green Lake	RhB2	Ritchey	L	M	W	L	S	M	r	r	4	200	1	0.32	0.17
Green Lake	RhC2	Ritchey	L	M	W	L	S	M	r	r	9	150	1	0.32	0.461
Green Lake	RhD2	Ritchey	L	M	W	L	S	M	r	r	16	100	1	0.32	0.909
Green Lake	RkE	Ritchey	L	M	W	L	S	M	r	r	25.5	60	1	0.32	1.507
Green Lake	Rsd	Rodman	L	M	E	VL		M	p		13	100	2	0.15	0.153
Green Lake	RsE	Rodman	L	M	E	VL		M	p		27.5	60	2	0.15	0.4
Green Lake	RtB2	Rotamer	L	H	W	M		M			4	200	5	0.24	0.025
Green Lake	RtC2	Rotamer	L	H	W	M		M			9	150	5	0.24	0.069
Green Lake	RtD2	Rotamer	L	H	W	M		M			16	100	5	0.24	0.136
Green Lake	RtE	Rotamer	L	H	W	M		M			25	60	5	0.24	0.219
Green Lake	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Green Lake	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Green Lake	ScC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Green Lake	SnB	Sisson	L	H	W	H		M			4	200	5	0.32	0.034
Green Lake	SnC2	Sisson	L	H	W	H		M			9	150	5	0.32	0.092
Green Lake	SnD2	Sisson	L	H	W	H		M			16	100	5	0.32	0.182
Green Lake	TuB	Tustin	S	S	W	M		M			3.5	200	4	0.2	0.023
Green Lake	UrB	Urne	S	S	SE	L		M			4	200	3	0.24	0.042
Green Lake	UrC2	Urne	S	S	SE	L		M			9	150	3	0.24	0.115
Green Lake	UrD2	Urne	S	S	SE	L		M			21	80	3	0.24	0.316
Green Lake	We	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Green Lake	ZtA	Zittau	L	H	SP	M		M		w	1.5	250	3	0.32	0.022

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iowa	104C2	Lindstrom	L	H	W	VH		M			9	150	5	0.32	0.092
Iowa	104D2	Lindstrom	L	H	W	VH		M			16	100	5	0.32	0.182
Iowa	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Iowa	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Iowa	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Iowa	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Iowa	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Iowa	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Iowa	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Iowa	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Iowa	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Iowa	1177E	Derinda	L	M	MW	L		M	r	r	25	100	3	0.43	0.844
Iowa	1177E	Elizabeth	L	M	W	VL	S	M	r	r	25	100	1	0.37	2.179
Iowa	1177F	Derinda	L	M	MW	L		M	r	r	45	60	3	0.43	1.687
Iowa	1177F	Elizabeth	L	M	W	VL	S	M	r	r	35	60	1	0.37	2.93
Iowa	1180F	Dubuque	L	M	W	L		M	r	r	38	60	2	0.49	2.212
Iowa	1180F	Dunbarton	L	M	SE	L	S	M	r	r	45	60	1	0.43	5.061
Iowa	1195F	Elkmound	L	M	W	VL	S	M	r	r	45	60	1	0.28	3.296
Iowa	1195F	Northfield	L	M	W	L	S	M	r	r	45	60	2	0.37	2.177
Iowa	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Iowa	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Iowa	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Iowa	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
Iowa	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
Iowa	132C2	Brinkman	L	H	MW	VH		M			9	150	5	0.49	0.141
Iowa	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Iowa	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Iowa	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Iowa	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Iowa	1505C2	Sparta	S	S	E	L		M	p		1	250	5	0.28	0.01
Iowa	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Iowa	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Iowa	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Iowa	163E2	Elbaville	L	H	W	M		M			25	60	4	0.43	0.49
Iowa	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Iowa	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Iowa	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Iowa	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Iowa	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Iowa	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Iowa	214B2	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Iowa	214C2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Iowa	214D2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Iowa	214E2	Gale	L	H	W	M		M			25	60	3	0.49	0.745
Iowa	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Iowa	231D	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Iowa	231E	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Iowa	235F	Keyesville	L	M	SE	VL	S	M			42.5	60	3	0.24	0.862



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iowa	240D2	Hesch	L	M	W	L		M			16	100	4	0.32	0.227
Iowa	245E2	Hesch	L	M	W	L		M	p		25	125	4	0.24	0.395
Iowa	253D2	Greenridge	L	H	W	H		M			16	100	5	0.49	0.278
Iowa	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Iowa	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Iowa	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Iowa	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Iowa	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Iowa	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Iowa	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Iowa	284C2	Gillingham	S	S	W	L		M	p		9	150	4	0.32	0.115
Iowa	284D2	Gillingham	S	S	W	L		M	p		16	100	4	0.32	0.227
Iowa	303A	Boguscreek	L	H	W	VH		M			1	250	4	0.49	0.021
Iowa	305B	Richwood	L	H	W	H		M			3	200	4	0.37	0.032
Iowa	305C2	Richwood	L	H	W	H		M			9	150	4	0.37	0.133
Iowa	312A	Festina	L	H	W	VH		M			1	250	5	0.43	0.015
Iowa	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Iowa	312C2	Festina	L	H	W	VH		M			9	150	5	0.43	0.124
Iowa	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Iowa	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Iowa	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Iowa	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Iowa	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Iowa	386B	Jackson	L	H	MW	H		M			4	200	4	0.43	0.057
Iowa	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Iowa	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Iowa	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Iowa	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Iowa	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Iowa	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Iowa	428A	Shiffer	L	H	SP	M		M		w	1	250	3	0.32	0.018
Iowa	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Iowa	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Iowa	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Iowa	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Iowa	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Iowa	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Iowa	504A	Sparta	S	S	E	L		M	p		1	250	5	0.28	0.01
Iowa	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Iowa	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Iowa	572C2	Windward	S	S	SE	L		M	p		9	150	5	0.32	0.092
Iowa	572D	Windward	S	S	SE	L		M	p		18	100	5	0.32	0.22
Iowa	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Iowa	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
Iowa	608A	Lawson	L	H	SP	VH		M		w	1	250	5	0.37	0.013
Iowa	616B	Chaseburg	L	H	MW	VH		M			4	205	5	0.43	0.046
Iowa	616C	Chaseburg	L	H	W	VH		M			8	150	5	0.49	0.119
Iowa	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iowa	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Iowa	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Iowa	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Iowa	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Iowa	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Iowa	743E2	Council	L	H	W	H		M			25	60	5	0.37	0.337
Iowa	Bm	Boaz	L	H	SP	H		M			1.5	200	5	0.43	0.017
Iowa	BoC2	Boone	S	S	E	VL	S	M	p		8	200	3	0.1	0.047
Iowa	BoD2	Boone	S	S	E	VL	S	M	p		14	150	3	0.1	0.094
Iowa	ChA	Chaseburg	L	H	MW	VH		M			1	200	5	0.43	0.014
Iowa	DeB	Derinda	L	H	MW	M		M			4	300	3	0.43	0.089
Iowa	DeC	Derinda	L	H	MW	M		M			8	200	3	0.43	0.201
Iowa	Df	Dillon	S	S	VP	L		M	w	w	1.5	200	5	0.15	0.006
Iowa	DgB2	Dodgeville	L	M	W	L		M			4	300	2	0.37	0.115
Iowa	DgC2	Dodgeville	L	M	W	L		M			8	200	2	0.37	0.259
Iowa	DgD2	Dodgeville	L	M	W	L		M			14	150	2	0.37	0.52
Iowa	DgE2	Dodgeville	L	M	W	L		M			22	150	2	0.37	1.08
Iowa	DhA	Dodgeville	L	H	W	M		M			1.5	200	3	0.37	0.025
Iowa	DhB2	Dodgeville	L	H	W	M		M			4	300	3	0.37	0.076
Iowa	DhC2	Dodgeville	L	H	W	M		M			8	200	3	0.37	0.173
Iowa	DhD2	Dodgeville	L	H	W	M		M			14	150	3	0.37	0.347
Iowa	DIB2	Dodgeville	L	M	W	L	S	M	r	r	4	300	1	0.43	0.267
Iowa	DIC2	Dodgeville	L	M	W	L	S	M	r	r	8	200	1	0.43	0.602
Iowa	DID2	Dodgeville	L	M	W	L	S	M	r	r	14	150	1	0.43	1.208
Iowa	DmB2	Dodgeville	L	M	W	L		M			4	300	2	0.32	0.099
Iowa	DmC2	Dodgeville	L	M	W	L		M			8	200	2	0.32	0.224
Iowa	DmD2	Dodgeville	L	M	W	L		M			14	150	2	0.32	0.45
Iowa	DoB2	Downs	L	H	W	H		M			4	300	5	0.43	0.053
Iowa	DoC2	Downs	L	H	W	H		M			9	140	5	0.43	0.12
Iowa	DsB2	Newglarus	L	M	W	L		M			4	300	2	0.43	0.133
Iowa	DsC2	Newglarus	L	M	W	L		M			9	200	2	0.43	0.357
Iowa	DsD2	Newglarus	L	M	W	L		M			16	150	2	0.43	0.748
Iowa	DsE2	Newglarus	L	M	W	L		M			25	100	2	0.43	1.266
Iowa	DtB2	Dubuque	L	H	W	M		M			4	300	3	0.49	0.101
Iowa	DtC2	Dubuque	L	H	W	M		M			8	200	3	0.49	0.229
Iowa	DtD2	Dubuque	L	H	W	M		M			14	150	3	0.49	0.459
Iowa	DuC2	Dubuque	L	M	W	L		M			8	200	2	0.37	0.259
Iowa	DuD2	Dubuque	L	M	W	L		M			14	150	2	0.37	0.52
Iowa	DuE2	Dubuque	L	M	W	L		M			22	150	2	0.37	1.08
Iowa	DvC2	Dubuque	L	H	W	M		M			8	200	3	0.37	0.173
Iowa	DvD2	Dubuque	L	H	W	M		M			14	150	3	0.37	0.347
Iowa	DyB2	Dubuque	L	M	W	L	S	M			4	300	2	0.37	0.115
Iowa	DyC2	Dubuque	L	M	W	L	S	M			8	200	2	0.37	0.259
Iowa	DyD2	Dubuque	L	M	W	L	S	M			14	150	2	0.37	0.52
Iowa	DyE2	Dubuque	L	M	W	L	S	M			22	150	2	0.37	1.08
Iowa	FaA	Fayette	L	H	W	H		M			1.5	200	5	0.43	0.017
Iowa	FaB	Fayette	L	H	W	H		M			4	300	5	0.43	0.053
Iowa	FaB2	Fayette	L	H	W	H		M			4	300	5	0.43	0.053

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iowa	FaC2	Fayette	L	H	W	H		M			8	200	5	0.43	0.12
Iowa	FaD2	Fayette	L	H	W	H		M			14	150	5	0.43	0.242
Iowa	FeB2	Fayette	L	H	W	H		M			4	300	5	0.43	0.053
Iowa	FeC2	Fayette	L	H	W	H		M			8	200	5	0.43	0.12
Iowa	FeD2	Fayette	L	H	W	H		M			14	150	5	0.43	0.242
Iowa	FeE2	Fayette	L	H	W	H		M			22	150	5	0.43	0.502
Iowa	FyC	Fayette	L	H	W	VH		M			8	200	5	0.37	0.104
Iowa	FyD2	Fayette	L	H	W	VH		M			14	150	5	0.37	0.208
Iowa	FyE	Fayette	L	H	W	VH		M			22	150	5	0.37	0.432
Iowa	GnC2	Gale	L	M	W	L		M			8	200	3	0.37	0.173
Iowa	GnD2	Gale	L	M	W	L		M			14	150	3	0.37	0.347
Iowa	GnE2	Gale	L	M	W	L		M			22	150	3	0.37	0.72
Iowa	HtB2	Hixton	L	M	W	L		M	p		4	300	4	0.24	0.037
Iowa	HtC2	Hixton	L	M	W	L		M	p		8	200	4	0.24	0.084
Iowa	HtD2	Hixton	L	M	W	L		M	p		14	150	4	0.24	0.169
Iowa	HtE2	Hixton	L	M	W	L		M	p		22	150	4	0.24	0.35
Iowa	Hu	Huntsville	L	H	MW	VH		M			1.5	200	5	0.37	0.015
Iowa	JuA	Judson	L	H	MW	VH		M			1.5	200	5	0.37	0.015
Iowa	JuB	Judson	L	H	MW	VH		M			4	300	5	0.37	0.046
Iowa	JuC	Judson	L	H	W	VH		M			8	200	5	0.43	0.12
Iowa	LsB	Lindstrom	L	H	W	VH		M			4	300	5	0.37	0.046
Iowa	Mm	Millsdale	L	M	P	M		M	w	w	4	300	4	0.37	0.057
Iowa	Mu	Muscatine	L	H	SP	VH		M			1.5	200	5	0.37	0.015
Iowa	NfB2	Northfield	L	M	W	L	S	M		r	4	300	3	0.37	0.076
Iowa	NfC2	Northfield	L	M	W	L	S	M		r	8	200	3	0.37	0.173
Iowa	NfD2	Northfield	L	M	W	L	S	M		r	14	150	3	0.37	0.347
Iowa	NfE2	Northfield	L	M	W	L	S	M		r	22	150	3	0.37	0.72
Iowa	NoC2	Northfield	L	M	W	VL	S	M		r	8	200	3	0.28	0.131
Iowa	NoD2	Northfield	L	M	W	VL	S	M		r	14	150	3	0.28	0.262
Iowa	NoE2	Northfield	L	M	W	VL	S	M		r	22	150	3	0.28	0.545
Iowa	NsD2	Northfield	L	M	W	VL	S	M	r	r	14	150	2	0.37	0.52
Iowa	NsE2	Northfield	L	M	W	VL	S	M	r	r	22	150	2	0.37	1.08
Iowa	NwB2	Norwalk	L	H	SP	M		M			4	300	3	0.49	0.101
Iowa	NwC2	Norwalk	L	H	MW	M		M			8	200	3	0.49	0.229
Iowa	PgB	Plainfield	S	S	E	L		M	p		4	300	5	0.28	0.035
Iowa	Pm	ainfield vari	S	S	MW	L		M	p		1.5	200	5	0.32	0.013
Iowa	RzB2	Rozetta	L	H	MW	VH		M			4	300	5	0.43	0.053
Iowa	SoB2	Dodgeville	L	M	W	L	S	M	r	r	4	300	1	0.37	0.229
Iowa	SoB2	Sogn	L	M	SE	VL	S	M	r	r	5	200	1	0.37	0.281
Iowa	SoC2	Dodgeville	L	M	W	L	S	M	r	r	8	200	1	0.37	0.518
Iowa	SoC2	Sogn	L	M	SE	VL	S	M	r	r	8	200	1	0.37	0.518
Iowa	SoD2	Dodgeville	L	M	W	L	S	M	r	r	14	150	1	0.37	1.04
Iowa	SoD2	Sogn	L	M	SE	VL	S	M	r	r	14	150	1	0.37	1.04
Iowa	SoE2	Dodgeville	L	M	W	L	S	M	r	r	22	150	1	0.37	2.161
Iowa	SoE2	Sogn	L	M	SE	VL	S	M	r	r	22	150	1	0.37	2.161
Iowa	SpB2	Sparta	S	S	E	L		M	p		4	300	5	0.24	0.03
Iowa	Sr	sparta variant	S	S	MW	L		M	p		1.5	250	5	0.24	0.01
Iowa	SuA	Stronghurst	L	H	SP	VH		M			1.5	200	5	0.43	0.017

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iowa	SuB2	Stronghurst	L	H	SP	VH		M			4	300	5	0.43	0.053
Iowa	TaA	Tama	L	H	W	VH		M			1.5	200	5	0.37	0.015
Iowa	TaB	Tama	L	H	W	VH		M			4	300	5	0.37	0.046
Iowa	TaB2	Tama	L	H	W	VH		M			4	300	5	0.43	0.053
Iowa	TaC2	Tama	L	H	W	VH		M			8	200	5	0.43	0.12
Iowa	TeB2	Tell	L	H	W	M		M			4	300	3	0.49	0.101
Iowa	Wa	Walkkill	L	M	VP	L		M	w	w	1.5	200	5	0.55	0.022
Iron	1204B	Denomie	L	M	W	H		F		w	4	200	5	0.37	0.039
Iron	1204B	Gichigami	L	M	MW			F		w	4	200	5	0.32	0.034
Iron	1385B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Iron	1385B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Iron	1633B	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Iron	1633B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Iron	1633B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Iron	1633C	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Iron	1633C	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Iron	1633C	Shanagolden	L	M	MW	L		F			9	150	4	0.28	0.101
Iron	174B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Iron	174C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Iron	174D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Iron	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Iron	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Iron	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Iron	1884B	Markey	O	M	VP			F	p		1	250	1	0.02	0.003
Iron	1884B	Springstead	L	M	MW	L		F	p		3	200	3	0.2	0.023
Iron	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Iron	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Iron	204C	Denomie	L	M	W	H		F			11	150	5	0.37	0.143
Iron	204D	Denomie	L	M	W	H		F			23	80	5	0.37	0.34
Iron	204F	Denomie	L	M	W	H		F			45	60	5	0.37	0.871
Iron	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Iron	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Iron	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Iron	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Iron	217C	Karlin	S	S	SE	L		F	p		9	150	5	0.2	0.058
Iron	226A	Allendale	S	S	SP	L		F			2	250	4	0.2	0.013
Iron	242B	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Iron	242C	Fence	L	M	MW	H		F			11	150	5	0.49	0.189
Iron	317D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257
Iron	319A	Tonkey	L	M	P	M		F			1	250	5	0.15	0.005
Iron	3243A	Spear	L	M	SP	H		F			2	250	5	0.49	0.025
Iron	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Iron	339B	Rousseau	S	S	W	L		F	p		3	200	5	0.17	0.012
Iron	339C	Rousseau	S	S	W	L		F	p		11	150	5	0.17	0.066
Iron	339D	Rousseau	S	S	W	L		F	p		23	80	5	0.17	0.156
Iron	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	3512D	Menominee	S	S	W	M		F			23	80	5	0.1	0.092
Iron	375A	Robago	L	M	SP	M		F	w	w	2	250	5	0.32	0.017
Iron	3826B	Allendale	S	S	SP	L		F			3	200	4	0.2	0.017
Iron	3826B	Kinross	L	M	VP	L		F			1	250	5	0.02	0.001
Iron	3826B	Wakeley	L	M	VP	L		F			1	250	4	0.15	0.006
Iron	388B	Dechamps	S	S	SP	L		F	wp	w	1	250	5	0.17	0.006
Iron	388B	Pelkie	S	S	MW	L		F	wp	w	2	250	5	0.37	0.019
Iron	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Iron	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Iron	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Iron	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	418A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	418A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	444B	Gichigami	L	M	MW	H		F			4	200	5	0.32	0.034
Iron	444B	Oronto	L	M	SP	H		F			2	250	5	0.28	0.015
Iron	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Iron	455A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Iron	455A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Iron	455A	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Iron	475B	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Iron	475B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Iron	475C	Rubicon	S	S	E	L		F	p		11	150	5	0.02	0.008
Iron	475C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Iron	475D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Iron	475D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Iron	500A	Croswell	S	S	MW	L		F	p		2	250	5	0.02	0.001
Iron	5140A	Dawson	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Iron	5140A	Greenwood	O	M	VP			F	w	w	1	425	2	0.02	0.002
Iron	5140A	Loxley	O	M	VP			F	w	w	0.5	425	2	0.02	0.001
Iron	5141A	Cathro	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Iron	5141A	Lupton	O	M	VP			F	w	w	0.5	425	2	0.02	0.001
Iron	5141A	Pleine	L	M	P	M		F	w	w	1	425	1	0.02	0.004
Iron	5146C	Amasa	L	M	W	L		F	p		10	150	3	0.55	0.308
Iron	5146C	Karlin	L	M	SE	L		F	p		10	150	5	0.37	0.124
Iron	5146D	Amasa	L	M	W	L		F	p		26	100	3	0.55	1.151
Iron	5146D	Karlin	L	M	SE	L		F	p		26	100	5	0.37	0.465
Iron	5146E	Amasa	L	M	W	L		F	p		45	100	3	0.55	2.787
Iron	5146E	Karlin	L	M	SE	L		F	p		40	100	5	0.37	0.936
Iron	514B	Iosco	S	S	SP	M		F	w	w	2	250	5	0.05	0.003

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Iron	5170A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	5170A	Minocqua	L	M	P	L		F	w	w	1	250	3	0.49	0.028
Iron	5170A	Pleine	L	M	P	M		F	w	w	1	250	1	0.02	0.003
Iron	5171B	Gogebic	L	M	MW	L		F			4	295	4	0.37	0.057
Iron	5171B	Tula	L	M	SP	L		F			2	250	4	0.37	0.024
Iron	5171B	Wormet	L	M	SP	L		F			2	250	3	0.1	0.009
Iron	5172B	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Iron	5172B	Gogebic	L	M	MW	L		F	p		4	295	4	0.37	0.057
Iron	5172B	Pence	L	M	SE	L		F	p		3	200	2	0.43	0.075
Iron	5172C	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Iron	5172C	Gogebic	L	M	MW	L		F	p		12	150	4	0.37	0.204
Iron	5172C	Pence	L	M	SE	L		F	p		12	100	2	0.43	0.387
Iron	5172D	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Iron	5172D	Gogebic	L	M	MW	L		F	p		27	100	4	0.37	0.619
Iron	5172D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Iron	5173D	Gogebic	L	M	MW	L		F	p		27	60	4	0.37	0.479
Iron	5173D	Pence	L	M	SE	L		F	p		27	60	2	0.43	1.114
Iron	5175C	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Iron	5175C	Gogebic	L	M	MW	L		F	p		12	100	4	0.28	0.126
Iron	5175C	Pence	L	M	SE	L		F	p		12	100	5	0.24	0.086
Iron	5175D	Cathro	O	M	VP			F	p		0.5	250	1	0.02	0.002
Iron	5175D	Gogebic	L	M	MW	L		F	p		27	60	4	0.28	0.363
Iron	5175D	Pence	L	M	SE	L		F	p		27	60	5	0.24	0.249
Iron	517B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Iron	517C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Iron	520A	Annriver	L	M	VP	M		F	w	w	1	150	3	0.37	0.018
Iron	526A	Flink	L	M	SP	L		F			2	250	5	0.05	0.003
Iron	5285F	Arnheim	L	M	P	H		F		w	1	425	5	0.43	0.017
Iron	5285F	Rockland	L	M	W	H		F		w	50	100	5	0.37	1.319
Iron	5317B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Iron	5317C	Gogebic	L	M	MW	L		F			12	150	4	0.49	0.271
Iron	5317D	Gogebic	L	M	MW	L		F			25	100	4	0.49	0.722
Iron	5351B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Iron	5351C	Gogebic	L	M	MW	L		F			12	150	4	0.49	0.271
Iron	5351D	Gogebic	L	M	MW	L		F			26	100	4	0.49	0.769
Iron	5353B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Iron	5353B	Tula	L	M	SP	M		F			1	330	4	0.28	0.013
Iron	5354B	Gogebic	L	M	MW	L		F			4	295	4	0.37	0.057
Iron	5369D	Dishno	L	M	MW	L		F	r	r	27	100	3	0.32	0.714
Iron	5369D	Gogebic	L	M	MW	L		F	r	r	26	100	4	0.49	0.769
Iron	5369D	Peshekee	L	M	W	VL	S	F	r	r	30	100	1	0.37	2.942
Iron	5369E	Michigamme	L	M	W	L		F	r	r	45	100	2	0.28	2.128
Iron	5369E	Peshekee	L	M	W	VL	S	F	r	r	45	100	1	0.37	5.624
Iron	5369E	Schweitzer	L	M	W	L		F	r	r	45	100	3	0.37	1.875
Iron	5369F	Michigamme	L	M	W	L		F	r	r	65	100	2	0.28	3.611
Iron	5369F	Peshekee	L	M	W	VL	S	F	r	r	65	100	1	0.37	9.542
Iron	5369F	Schweitzer	L	M	W	L		F	r	r	65	100	3	0.37	3.181

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	5373A	Cathro	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Iron	5374A	Arnheim	L	M	P	H		F	w	w	1	425	5	0.37	0.015
Iron	5374A	Bowstring	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Iron	538B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Iron	538C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Iron	538D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Iron	5425A	Foxpaw	L	M	P	M		F	w	w	1	425	5	0.43	0.017
Iron	5425A	Gay	L	M	P	M		F	w	w	1	425	5	0.32	0.013
Iron	5427B	Gogebic	L	M	MW	L		F			4	295	4	0.32	0.05
Iron	5427C	Gogebic	L	M	MW	L		F			12	150	4	0.32	0.177
Iron	5427D	Gogebic	L	M	MW	L		F			25	100	4	0.32	0.471
Iron	5429B	Gogebic	L	M	MW	L		F	r	r	3	295	4	0.49	0.049
Iron	5429B	Peshekee	L	M	W	VL	S	F	r	r	3	100	1	0.43	0.125
Iron	5429C	Gogebic	L	M	MW	L		F	r	r	12	150	4	0.49	0.271
Iron	5429C	Peshekee	L	M	W	VL	S	F	r	r	12	100	1	0.43	0.774
Iron	5429D	Gogebic	L	M	MW	L		F	r	r	27	100	4	0.49	0.82
Iron	5429D	Peshekee	L	M	W	VL	S	F	r	r	27	100	1	0.43	2.877
Iron	5432C	Gogebic	L	M	MW	L		F	r	r	12	150	4	0.49	0.271
Iron	5432C	Michigamme	L	M	W	L		F	r	r	12	100	2	0.37	0.333
Iron	5432D	Gogebic	L	M	MW	L		F	r	r	21	100	4	0.49	0.541
Iron	5432D	Michigamme	L	M	W	L		F	r	r	21	100	2	0.37	0.818
Iron	5432E	Michigamme	L	M	W	L		F	r	r	37	100	2	0.37	2.068
Iron	5432E	Schweitzer	L	M	W	L		F	r	r	45	100	3	0.28	1.419
Iron	549A	Oronto	L	M	SP	H		F			2	250	5	0.28	0.015
Iron	549A	Pickford	L	M	P	L		F			1	250	5	0.28	0.01
Iron	5504A	Arnheim	L	M	P	H		F	wp	w	1	425	5	0.37	0.015
Iron	5504A	Moquah	L	M	MW	H		F	wp	w	2	295	5	0.28	0.016
Iron	5509A	Cathro	O	M	VP			F	w	w	0.5	425	1	0.02	0.003
Iron	5509A	Minocqua	L	M	P	L		F	w	w	0.5	150	3	0.49	0.016
Iron	5519B	Gogebic	L	M	MW	L		F	p		4	200	4	0.28	0.037
Iron	5519B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Iron	5519C	Gogebic	L	M	MW	L		F	p		12	100	4	0.28	0.126
Iron	5519C	Pence	S	S	SE	L		F	p		12	100	5	0.24	0.086
Iron	5519D	Gogebic	L	M	MW	L		F	p		27	60	4	0.28	0.363
Iron	5519D	Pence	S	S	SE	L		F	p		27	60	5	0.24	0.249
Iron	5527B	Wakefield	L	M	MW	VH		F	r		3	295	3	0.43	0.057
Iron	5527C	Wakefield	L	M	MW	VH		F	r		12	295	3	0.43	0.444
Iron	5527D	Wakefield	L	M	MW	VH		F	r		27	295	3	0.43	1.647
Iron	5541B	Channing	L	M	SP	L		F		w	2	330	3	0.43	0.042
Iron	5541B	Michigamme	L	M	W	L	S	F		w	4	200	2	0.2	0.053
Iron	5541C	Channing	L	M	SP	L		F		w	2	330	3	0.43	0.042
Iron	5541C	Michigamme	L	M	W	L	S	F		w	12	200	2	0.2	0.255
Iron	5543B	Annalake	L	M	MW	M		F		w	3	295	5	0.43	0.034
Iron	5543B	Chabeneau	L	M	MW	L		F		w	2	295	3	0.43	0.04
Iron	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Iron	5684B	Amasa	L	M	W	L		F			4	245	3	0.24	0.046
Iron	5684C	Amasa	L	M	W	L		F			12	195	3	0.24	0.202
Iron	5684D	Amasa	L	M	W	L		F			26	150	3	0.24	0.616

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	5689B	Chabeneau	L	M	MW	L		F			2	295	3	0.43	0.04
Iron	5689B	Channing	L	M	SP	L		F			2	330	3	0.43	0.042
Iron	5689B	Gogebic	L	M	MW	L		F			4	295	4	0.49	0.076
Iron	571B	Pelissier	L	M	E	VL		F	p		4	100	3	0.28	0.037
Iron	571C	Pelissier	L	M	E	VL		F	p		11	80	3	0.28	0.132
Iron	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Iron	574B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Iron	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Iron	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Iron	582C	Keweenaw	S	S	W	L		F	p		11	150	5	0.15	0.058
Iron	582C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Iron	582C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Iron	582D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Iron	582D	Padus	L	M	W	L		F	p		23	60	5	0.24	0.191
Iron	582D	Pence	S	S	SE	L		F	p		23	60	5	0.24	0.191
Iron	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Iron	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Iron	594B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Iron	594B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Iron	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Iron	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016
Iron	594D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Iron	594D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Iron	5A	Arnheim	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Iron	617C	Sedgwick	L	M	SP	M		F	r	r	11	150	5	0.28	0.108
Iron	638B	Torch	L	M	SP	M		F			2	250	3	0.37	0.032
Iron	639A	Neconish	S	S	MW	L		F	p		2	250	5	0.28	0.015
Iron	644B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Iron	644C	Shanagolden	L	M	MW	L		F			11	150	4	0.28	0.135
Iron	644D	Shanagolden	L	M	MW	L		F			23	80	4	0.28	0.321
Iron	670B	Keweenaw	S	S	W	L		F	p		3	150	5	0.15	0.01
Iron	670B	Pence	S	S	SE	L		F	p		3	150	5	0.24	0.015
Iron	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Iron	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Iron	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Iron	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Iron	672B	Springstead	L	M	MW	L		F	p		3	200	3	0.2	0.023
Iron	674B	Sultz	S	S	W	L		F	p		3	200	5	0.05	0.003
Iron	674C	Sultz	S	S	W	L		F	p		11	150	5	0.05	0.019
Iron	674E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Iron	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Iron	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Iron	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Iron	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Iron	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Iron	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Iron	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Iron	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Iron	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Iron	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Iron	6A	Moquah	L	M	MW	H		F			2	250	5	0.15	0.008
Iron	701A	Whisklake	L	M	SP	L		F	w	w	2	200	3	0.49	0.041
Iron	705B	Ashwabab	S	S	MW	L		F	p		3	200	4	0.05	0.004
Iron	705B	Croswell	S	S	MW	L		F	p		3	200	5	0.02	0.001
Iron	705B	Cublake	S	S	MW	L		F	p		3	200	5	0.02	0.001
Iron	705C	Ashwabab	S	S	MW	L		F	p		11	150	4	0.05	0.024
Iron	705C	Croswell	S	S	MW	L		F	p		9	150	5	0.02	0.006
Iron	705C	Cublake	S	S	MW	L		F	p		11	150	5	0.02	0.008
Iron	712B	Morganlake	S	S	MW	M		F			3	200	5	0.15	0.01
Iron	712C	Morganlake	S	S	MW	M		F			11	150	5	0.15	0.058
Iron	713B	Allendale	S	S	SP	L		F	p		4	200	4	0.2	0.027
Iron	713B	Ashwabab	S	S	MW	L		F	p		4	200	4	0.05	0.007
Iron	713B	Kellogg	S	S	MW	M		F	p		4	200	4	0.02	0.003
Iron	713C	Allendale	S	S	SP	L		F	p		9	150	4	0.2	0.072
Iron	713C	Ashwabab	S	S	MW	L		F	p		11	150	4	0.05	0.024
Iron	713C	Kellogg	S	S	MW	M		F	p		11	150	4	0.02	0.01
Iron	730B	Glidden	L	M	W	M		F			3	200	3	0.43	0.05
Iron	730C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Iron	730D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Iron	738A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Iron	744B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Iron	74B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Iron	74C	Vilas	S	S	E	L		F	p		11	150	5	0.05	0.019
Iron	74D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Iron	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Iron	755A	Moppet	L	M	MW	M		F	w	w	2	150	3	0.2	0.015
Iron	756B	Sedgwick	S	S	SP	M		F			3	200	5	0.2	0.014
Iron	756B	Superior	L	M	MW	M		F			4	200	3	0.28	0.049
Iron	756C	Sedgwick	L	M	SP	M		F			7	150	5	0.2	0.04
Iron	756C	Superior	L	M	MW	M		F			11	150	3	0.28	0.18
Iron	770B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Iron	770B	Shanagolden	L	M	MW	L		F	p		4	200	4	0.28	0.037
Iron	770C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Iron	770C	Shanagolden	L	M	MW	L		F	p		11	150	4	0.28	0.135
Iron	770D	Pence	L	M	SE	L		F	p		20	200	5	0.24	0.277
Iron	770D	Shanagolden	L	M	MW	L		F	p		20	200	4	0.28	0.404
Iron	772B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Iron	805E	Ashwabab	S	S	MW	L		F	p		23	80	4	0.05	0.057
Iron	805E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Iron	805E	Sultz	S	S	W	L		F	p		30	60	5	0.05	0.062
Iron	813E	Ashwabab	S	S	MW	L		F	p		30	60	4	0.05	0.077
Iron	813E	Kellogg	S	S	MW	M		F	p		22	60	4	0.02	0.018
Iron	813E	Manistee	S	S	W	L		F	p		30	60	4	0.02	0.031
Iron	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Iron	830A	Spiderlake	L	M	MW	M		F		w	2	200	3	0.37	0.031

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Iron	834B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Iron	834B	Spiderlake	L	M	MW	M		F			2	250	3	0.37	0.032
Iron	835C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Iron	835C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Iron	835D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Iron	835D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Iron	852C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Iron	852C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Iron	852D	Padus	L	M	W	L		F	p		23	150	5	0.24	0.302
Iron	852D	Pence	S	S	SE	L		F	p		23	150	5	0.24	0.302
Iron	884C	Cathro	O	M	VP			F	p	w	0.5	250	1	0.02	0.002
Iron	884C	Keweenaw	S	S	W	L		F	p	w	10	150	5	0.15	0.05
Iron	884C	Vilas	S	S	E	L		F	p	w	11	150	5	0.05	0.019
Iron	885B	Annalake	L	M	MW	M		F	p		3	200	5	0.28	0.02
Iron	885B	Cathro	O	M	VP			F	p		1	250	1	0.02	0.003
Iron	885B	Springstead	L	M	MW	L		F	p		3	200	3	0.24	0.028
Iron	9013A	Manitowish	S	S	MW	L		F			2	200	3	0.17	0.014
Iron	9013A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Iron	9050A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Iron	9050A	Fordum	L	M	P	M		F	w	w	0.5	250	3	0.37	0.014
Iron	9050A	Totagatic	L	M	P	L		F	w	w	0.5	250	5	0.32	0.007
Iron	9051A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Iron	9051A	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Iron	9051A	Pleine	L	M	P	M		F			1	250	1	0.02	0.003
Iron	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Iron	9155A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Iron	9155A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	9155A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Iron	9155A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Iron	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Iron	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Iron	926A	Flink	S	S	SP	L		F			2	200	5	0.24	0.012
Iron	974B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Iron	974B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Iron	974B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Iron	974C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Iron	974C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Iron	974C	Vilas	S	S	E	L		F	p		11	150	5	0.1	0.039
Iron	974D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Iron	974D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Iron	974D	Vilas	S	S	E	L		F	p		23	80	5	0.1	0.092
Jackson	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Jackson	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Jackson	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Jackson	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Jackson	1218A	Ironrun	S	S	SP	L		F	wp	w	2	250	5	0.05	0.003
Jackson	1218A	Ponycreek	S	S	P	L		F	wp	w	1	250	5	0.05	0.002
Jackson	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Jackson	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Jackson	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Jackson	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Jackson	1234B	Bilson	L	H	W	M		M	p		4	200	3	0.28	0.049
Jackson	1234B	Silverhill	L	M	W	L		M	p		4	200	4	0.24	0.032
Jackson	1234C2	Bilson	L	H	W	M		M			9	150	3	0.28	0.134
Jackson	1234C2	Elevasil	L	M	SE	L		M			9	150	3	0.24	0.115
Jackson	1234D2	Bilson	L	H	W	M		M			16	100	3	0.28	0.265
Jackson	1234D2	Elevasil	L	M	SE	L		M			16	100	3	0.24	0.227
Jackson	1254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Jackson	1254D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Jackson	1266B	Hiles	L	M	MW	L	S	F			4	200	3	0.43	0.076
Jackson	1266B	Kert	L	H	SP	M		F			1	250	3	0.37	0.021
Jackson	1269A	Elm Lake	L	M	P	L		F	w	w	1	250	3	0.05	0.003
Jackson	1269A	Veedum	L	M	P	L	S	F	w	w	1	250	3	0.37	0.021
Jackson	1286B	Humbird	L	M	MW	L		F		w	4	200	3	0.24	0.042
Jackson	1286B	Merrillan	L	M	SP	L		F		w	2	250	3	0.24	0.021
Jackson	1288A	Merrillan	L	M	SP	L		F	w	w	2	250	3	0.24	0.021
Jackson	1288A	Veedum	L	M	P	L	S	F	w	w	1	250	3	0.37	0.021
Jackson	1296B	Fairchild	S	S	SP	VL		F	p	w	2	250	3	0.02	0.002
Jackson	1296B	Ludington	S	S	MW	L		F	p	w	4	200	3	0.05	0.009
Jackson	1298A	Elm Lake	S	S	VP	L		F	w	w	1	250	3	0.05	0.003
Jackson	1298A	Fairchild	S	S	SP	VL		F	w	w	2	250	3	0.02	0.002
Jackson	1358A	Fordum	L	M	P	M		F	w	w	1	250	3	0.37	0.021
Jackson	1358A	Moppet	L	H	MW	M		F	w	w	2	250	3	0.24	0.021
Jackson	1388B	Arbutus	S	S	E	VL	S	F	p		4	200	2	0.1	0.027
Jackson	1388B	Ironrun	S	S	SP	L		F	p		1	250	5	0.05	0.002
Jackson	1388B	Ponycreek	S	S	VP	L		F	p		1	250	5	0.05	0.002
Jackson	1424B	Gardenvale	L	H	W	M		M			4	200	4	0.37	0.049
Jackson	1424B	Merit	L	H	W	M		M			4	200	3	0.43	0.076
Jackson	1519A	Dawsil	O	M	VP	L		F	w	w	1	250	1	0.02	0.003
Jackson	1519A	Ponycreek	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Jackson	1548A	Majik	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Jackson	1548A	Ponycreek	S	S	P	L		F	w	w	1	250	5	0.05	0.002
Jackson	1599A	Dawsil	O	M	VP	L		F	w	w	1	250	1	0.02	0.003
Jackson	1599A	Ponycreek	L	M	P	L		F	w	w	1	250	5	0.05	0.002
Jackson	15A	Loxley	O	M	VP	L		F	w	w	1	250	2	0.02	0.002
Jackson	1658A	Algansee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Jackson	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Jackson	1715D2	Council	L	H	W	H		M			16	100	5	0.43	0.244
Jackson	1715D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Jackson	1715E2	Council	L	H	W	H		M			22	80	5	0.43	0.367
Jackson	1715E2	Seaton	L	H	W	VH		M			22	80	5	0.49	0.418
Jackson	1740C2	Bilson	L	M	W	L		M			10	150	3	0.28	0.157
Jackson	1740C2	Council	L	H	W	H		M			10	150	5	0.32	0.108
Jackson	1740D2	Bilson	L	M	W	L		M			16	100	3	0.28	0.265
Jackson	1740D2	Council	L	H	W	H		M			16	100	5	0.32	0.182
Jackson	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Jackson	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Jackson	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Jackson	17A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Jackson	213B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Jackson	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Jackson	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Jackson	218A	Ironrun	S	S	SP	L		F	p		1	250	5	0.05	0.002
Jackson	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Jackson	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Jackson	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Jackson	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
Jackson	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Jackson	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Jackson	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Jackson	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Jackson	25A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Jackson	268A	Kert	L	H	SP	M		F			1	250	3	0.37	0.021
Jackson	286B	Humbird	L	M	MW	L		F			4	200	3	0.24	0.042
Jackson	288A	Merrillan	L	M	SP	L		F		w	2	250	3	0.24	0.021
Jackson	296B	Ludington	S	S	MW	L		F	p		4	200	3	0.05	0.009
Jackson	298A	Fairchild	S	S	SP	VL		F		w	1	250	3	0.02	0.001
Jackson	299A	Elm Lake	L	M	P	L		F	w	w	1	250	3	0.05	0.003
Jackson	306A	Whitehall	L	H	MW	M		M			2	250	3	0.37	0.032
Jackson	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jackson	328A	Rowley	L	H	SP	H		M		w	2	200	4	0.37	0.023
Jackson	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Jackson	37A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Jackson	382B	Bertrand	L	H	W	H		M			4	200	4	0.49	0.065
Jackson	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Jackson	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Jackson	386B	Jackson	L	H	MW	H		M			4	200	4	0.43	0.057
Jackson	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Jackson	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Jackson	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Jackson	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Jackson	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
Jackson	448A	Sooner	L	H	SP	M		M		w	1	250	5	0.43	0.015
Jackson	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Jackson	458A	Hoop	L	M	SP	L		M		w	1	250	3	0.24	0.014
Jackson	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Jackson	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Jackson	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Jackson	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Jackson	518A	Rockdam	S	S	MW	L		F	p		2	250	5	0.05	0.003
Jackson	519A	Ponycreek	L	M	VP	L		F	wp	w	1	250	5	0.05	0.002
Jackson	551A	Impact	S	S	E	L		M	p		1	250	5	0.05	0.002
Jackson	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Jackson	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Jackson	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Jackson	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
Jackson	562C	Gosil	S	S	SE	L		M	p		9	150	5	0.24	0.069
Jackson	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Jackson	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
Jackson	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
Jackson	576B	Tintson	S	S	MW	L		M	p		3	200	5	0.05	0.003
Jackson	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Jackson	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Jackson	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Jackson	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Jackson	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Jackson	666A	Absco	S	S	MW	L		M	p		1	250	5	0.15	0.005
Jackson	679A	Ettrick	L	M	P	H		M	w	w	1	250	4	0.37	0.016
Jackson	688A	Sechler	L	M	SP	L		M		w	2	250	3	0.28	0.024
Jackson	741B	Sebbo	L	H	MW	H		M			4	200	5	0.32	0.034
Jackson	751C2	Council	L	H	W	H		M			10	150	5	0.43	0.144
Jackson	99A	Citypoint	O	M	VP			F	w	w	1	250	1	0.02	0.003
Jackson	9A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Jackson	9A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jefferson	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jefferson	AzA	Aztalan	L	H	SP	H		M			1.5	250	5	0.1	0.004
Jefferson	BaA	Barry	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Jefferson	BoC	Boyer	S	S	W	L		M	p		9	150	4	0.17	0.061
Jefferson	BpB	Boyer	L	M	W	L		M	p		3.5	200	3	0.17	0.026
Jefferson	CaB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Jefferson	CaC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Jefferson	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Jefferson	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Jefferson	CrE	Casco	L	M	SE	L		M	p		37.5	60	2	0.32	1.416
Jefferson	CrE	Rodman	L	M	E	VL		M	p		37.5	60	2	0.2	0.885
Jefferson	CtB	Chelsea	S	S	E	L		M	p		3.5	200	5	0.1	0.009
Jefferson	CtC	Chelsea	S	S	E	L		M	p		13	100	5	0.1	0.041
Jefferson	DcA	Del Rey	L	H	SP	M		M			1.5	250	5	0.32	0.013
Jefferson	DdB	Dodge	L	H	W	H		M			4	200	5	0.49	0.052
Jefferson	Ed	Edwards	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jefferson	Ev	Elvers	L	M	VP	L		M	w	w	1	250	5	0.55	0.019
Jefferson	FoC2	Fox	L	H	W	M		M			9	150	3	0.32	0.154
Jefferson	FsA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Jefferson	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Jefferson	Gd	Gilford	L	M	VP	M		M	w	w	1	250	3	0.1	0.006
Jefferson	GsB	Grays	L	H	MW	H		M			4	200	5	0.32	0.034
Jefferson	GtB	Grellton	L	H	W	H		M			4	200	5	0.2	0.021
Jefferson	GwB	Griswold	L	H	W	M		M			4	200	5	0.1	0.011
Jefferson	GwC2	Griswold	L	H	W	M		M			9	150	5	0.1	0.029
Jefferson	HeB	Hebron	L	H	W	H		M			3.5	200	5	0.37	0.034
Jefferson	Ht	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Jefferson	JuB	Juneau	L	H	W	H		M			3.5	200	5	0.49	0.045

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Jefferson	Kb	Keowns	L	M	P	M		M	w	w	1	250	5	0.28	0.01
Jefferson	KdA	Kibbie	L	H	SP	H		M		w	1.5	250	5	0.2	0.008
Jefferson	KeB	Kidder	L	H	W	M		M			4	200	5	0.17	0.018
Jefferson	KeC2	Kidder	L	H	W	M		M			9	150	5	0.2	0.058
Jefferson	KfB	Kidder	L	H	W	M		M			4	200	5	0.32	0.034
Jefferson	KfC2	Kidder	L	H	W	M		M			9	150	5	0.32	0.092
Jefferson	KfD2	Kidder	L	H	W	M		M			16	100	5	0.32	0.182
Jefferson	KgB	Kidder	L	H	MW	M		M			4	200	5	0.32	0.034
Jefferson	LaB	Lamartine	L	H	SP	M		M			4	200	5	0.32	0.034
Jefferson	LyB	Lorenzo	L	M	W	L		M	p		4	200	2	0.17	0.045
Jefferson	MgA	Martinton	L	H	SP	H		M			1	250	5	0.28	0.01
Jefferson	MgB	Martinton	L	H	SP	H		M			4	200	5	0.28	0.03
Jefferson	MmA	Matherton	L	M	SP	L		M		w	1.5	250	3	0.43	0.03
Jefferson	MnA	Matherton	L	H	SP	M		M			1.5	250	5	0.37	0.016
Jefferson	MoB	Mayville	L	H	MW	H		M			4	200	5	0.49	0.052
Jefferson	MpB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Jefferson	MpC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Jefferson	Mr	Milford	L	M	VP	VH		M	w	w	1	250	5	0.24	0.008
Jefferson	MvB	Moundville	S	S	MW	L		M	p		3.5	200	5	0.24	0.022
Jefferson	Ot	Otter	L	M	P	VH		M	w	w	1	250	5	0.28	0.01
Jefferson	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jefferson	Pb	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Jefferson	RaA	Radford	L	H	SP	H		M			1.5	250	5	0.43	0.018
Jefferson	RnB	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Jefferson	RtB	Rotamer	L	H	W	M		M			4	200	5	0.37	0.039
Jefferson	RtC2	Rotamer	L	H	W	M		M			9	150	5	0.37	0.107
Jefferson	RtD2	Rotamer	L	H	W	M		M			16	100	5	0.37	0.21
Jefferson	RtE2	Rotamer	L	H	W	M		M			25	60	5	0.37	0.337
Jefferson	SbA	St. Charles	L	H	W	H		M			1	250	5	0.37	0.013
Jefferson	SbB	St. Charles	L	H	W	H		M			4	200	5	0.32	0.034
Jefferson	SfB	St. Charles	L	H	MW	H		M			4	200	4	0.32	0.042
Jefferson	ShB	Salter	S	S	W	M		M			4	200	5	0.28	0.03
Jefferson	SkB	Saylesville	L	H	MW	H		M			4	200	5	0.43	0.046
Jefferson	SIC2	Saylesville	L	H	MW	H		M			9	150	5	0.37	0.107
Jefferson	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.28	0.016
Jefferson	Sn	Sebewa	L	M	P	M		M	w	w	1	250	4	0.32	0.014
Jefferson	SoB	Sisson	L	H	W	H		M			3.5	200	5	0.24	0.022
Jefferson	SoC2	Sisson	L	H	W	H		M			9	150	5	0.24	0.069
Jefferson	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Jefferson	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Jefferson	TuA	Tuscola	L	H	MW	H		M			1	250	5	0.37	0.013
Jefferson	TuB	Tuscola	L	H	MW	H		M			4	200	5	0.37	0.039
Jefferson	VrB	Virgil	L	H	SP	H		M			4	200	5	0.43	0.046
Jefferson	VvA	Virgil	L	H	SP	H		M			1.5	250	4	0.43	0.023
Jefferson	Wa	Wacousta	L	M	VP	VH		M	w	w	1	250	5	0.24	0.008
Jefferson	WmA	Wasepi	L	H	SP	M		M		w	1.5	250	3	0.15	0.01
Jefferson	WtA	Watskesa variat	S	S	SP	L		M	p		1.5	250	5	0.05	0.002
Jefferson	WvA	Wauconda	L	H	SP	H		M			1	250	5	0.37	0.013

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Jefferson	WvB	Wauconda	L	H	SP	H		M			3.5	200	5	0.37	0.034
Jefferson	WxB	Whalan	L	H	W	M		M			4	200	3	0.32	0.057
Jefferson	WxC2	Whalan	L	H	W	M		M			9	150	3	0.32	0.154
Jefferson	WyA	Whalan varian	L	M	SP	L	S	M			1.5	250	3	0.43	0.03
Jefferson	YaA	Yahara	L	H	SP	H		M			1.5	250	5	0.2	0.008
Juneau	1009A	Meehan	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Juneau	1009A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Juneau	103B2	Wildale	L	H	W	M		M			4	200	3	0.49	0.087
Juneau	103C2	Wildale	L	H	W	M		M			9	150	3	0.49	0.235
Juneau	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Juneau	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Juneau	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Juneau	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Juneau	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Juneau	1218A	Ironrun	S	S	SP	L		F	wp	w	2	250	5	0.05	0.003
Juneau	1218A	Ponycreek	S	S	P	L		F	wp	w	1	250	5	0.05	0.002
Juneau	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Juneau	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Juneau	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Juneau	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Juneau	143B	Reedsburg	L	H	SP	M		M			4	200	4	0.49	0.065
Juneau	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Juneau	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Juneau	1519A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Juneau	1519A	Ponycreek	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Juneau	1548A	Majik	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Juneau	1548A	Ponycreek	S	S	P	L		F	w	w	1	250	5	0.05	0.002
Juneau	1599A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Juneau	1599A	Ponycreek	L	M	P	L		F	w	w	1	250	5	0.05	0.002
Juneau	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Juneau	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Juneau	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
Juneau	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Juneau	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Juneau	17A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Juneau	202B2	Lambeau	L	H	W	VH		M			4	200	4	0.49	0.065
Juneau	202C2	Lambeau	L	H	W	VH		M			9	150	4	0.49	0.176
Juneau	202D2	Lambeau	L	H	W	H		M			16	100	4	0.49	0.348
Juneau	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Juneau	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Juneau	213B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Juneau	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Juneau	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Juneau	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Juneau	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Juneau	228A	Partridge	L	M	SP	L	S	M			1.5	250	3	0.37	0.026
Juneau	233B	Boone	S	S	E	VL		M	p		3	200	3	0.05	0.006
Juneau	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Juneau	238A	Korobago	L	H	SP	M		M		w	1.5	250	4	0.28	0.015
Juneau	244B	Elkmound	L	M	W	VL	S	M	r	r	2	250	2	0.43	0.056
Juneau	248A	Partridge	S	S	SP	VL	S	M		w	1.5	250	3	0.24	0.017
Juneau	253B2	Greenridge	L	H	W	H		M			3	200	5	0.49	0.034
Juneau	253C2	Greenridge	L	H	W	H		M			8	150	5	0.49	0.119
Juneau	253D2	Greenridge	L	H	W	H		M			16	100	5	0.49	0.278
Juneau	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Juneau	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Juneau	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Juneau	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Juneau	255B2	Urne	L	M	W	L		M			4	200	3	0.24	0.042
Juneau	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Juneau	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Juneau	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Juneau	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Juneau	260C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Juneau	261B2	Port Byron	L	H	W	VH		M			4	200	5	0.43	0.046
Juneau	264D2	Rockbridge	L	H	W	M		M			16	100	4	0.43	0.305
Juneau	2A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Juneau	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
Juneau	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Juneau	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Juneau	359A	Menasha	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Juneau	377A	Curran	L	H	SP	H		M			1	250	4	0.43	0.018
Juneau	37A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Juneau	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Juneau	386B	Jackson	L	H	MW	H		M			4	200	4	0.43	0.057
Juneau	398A	Neenah	L	H	SP	M		M			1.5	250	3	0.37	0.026
Juneau	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Juneau	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Juneau	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Juneau	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Juneau	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Juneau	448A	Sooner	L	H	SP	M		M		w	1	250	5	0.43	0.015
Juneau	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Juneau	458A	Hoop	L	M	SP	L		M		w	1	250	3	0.24	0.014
Juneau	466A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Juneau	498A	Hoop	L	H	SP	M		M		w	1.5	250	5	0.28	0.012
Juneau	499A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Juneau	4A	Dawson	O	M	VP			F	w	w	1	250	1	0.02	0.003
Juneau	4A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Juneau	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Juneau	511A	Plainfield	S	S	E	L		M	p		1	250	5	0.02	0.001
Juneau	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.02	0.002
Juneau	511C	Plainfield	S	S	E	L		M	p		8	150	5	0.02	0.005
Juneau	511F	Plainfield	S	S	E	L		M	p		24	80	5	0.02	0.02
Juneau	516A	Aldo	S	S	MW	L		M	p		1	250	5	0.05	0.002
Juneau	518A	Rockdam	S	S	MW	L		F	p		2	250	5	0.05	0.003



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Juneau	519A	Ponycreek	L	M	VP	L		F	wp	w	1	250	5	0.05	0.002
Juneau	528A	Majik	S	S	SP	L		F		w	1	250	5	0.1	0.003
Juneau	536B	Delton	S	S	MW	M		M			3.5	200	4	0.28	0.032
Juneau	539A	Ponycreek	L	M	P	L		F	w	w	1	250	5	0.05	0.002
Juneau	541A	Plainfield	S	S	E	L		M	p		1	200	5	0.05	0.002
Juneau	547A	Aldo	S	S	MW	L		F	p		1	200	5	0.05	0.002
Juneau	558A	Wyeville	S	S	SP	M		M			1.5	250	5	0.17	0.007
Juneau	559A	Wautoma	S	S	P	M		M	w	w	1	250	4	0.05	0.002
Juneau	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Juneau	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019
Juneau	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Juneau	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
Juneau	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
Juneau	572C2	Windward	S	S	SE	L		M	p		9	150	5	0.32	0.092
Juneau	572D	Windward	S	S	SE	L		M	p		18	100	5	0.32	0.22
Juneau	587B	Tintson	S	S	MW	L		M	p		3	200	5	0.05	0.003
Juneau	596A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Juneau	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Juneau	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Juneau	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Juneau	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Juneau	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Juneau	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Juneau	699A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Juneau	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Juneau	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Juneau	888A	Meehan	S	S	SP	L		F		w	1	250	5	0.05	0.002
Kenosha	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Kenosha	AtA	Ashkum	L	M	P	M		M	w	w	0.5	150	5	0.2	0.004
Kenosha	AuA	Aztalan	L	H	SP	H		M		w	2	250	5	0.15	0.008
Kenosha	AzA	Aztalan	L	H	SP	H		M		w	1	250	5	0.24	0.008
Kenosha	AzB	Aztalan	L	H	SP	H		M		w	4	200	5	0.24	0.025
Kenosha	BcA	Beecher	L	H	SP	H		M			2	250	5	0.37	0.019
Kenosha	BIA	Blount	L	H	SP	M		M			2	250	5	0.37	0.019
Kenosha	BmB	Boyer	S	S	W	L		M	p		3.5	200	4	0.2	0.023
Kenosha	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.2	0.072
Kenosha	BnB	Boyer	L	M	W	L		M	p		4	200	3	0.2	0.035
Kenosha	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Kenosha	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Kenosha	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Kenosha	CeB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Kenosha	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Kenosha	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Kenosha	CoC	Casco	L	M	W	L		M			9	150	2	0.32	0.23
Kenosha	CoC	Miami	L	H	W	H		M			9	150	5	0.28	0.081
Kenosha	CoD	Casco	L	M	W	L		M			16	100	2	0.32	0.454
Kenosha	CoD	Miami	L	H	W	H		M			16	100	5	0.28	0.159
Kenosha	CrC	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Kenosha	CrC	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Kenosha	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Kenosha	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Kenosha	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Kenosha	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Kenosha	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Kenosha	CyA	Conover	L	H	SP	M		M		w	2	250	5	0.37	0.019
Kenosha	DaA	Barroch varian	L	H	SP	H		M		w	1.5	250	5	0.17	0.007
Kenosha	Dh	Dorchester	L	H	MW	VH		M	w	w	1	250	5	0.43	0.015
Kenosha	DrA	Dresden	L	H	W	M		M			2	250	3	0.28	0.024
Kenosha	Dt	Drummer	L	M	P	H		M	w	w	1	250	4	0.32	0.014
Kenosha	EtA	Elliott	L	H	SP	M		M			0.9	150	4	0.32	0.01
Kenosha	EtB	Elliott	L	H	SP	M		M		w	4	200	5	0.24	0.025
Kenosha	FaA	Fabius	L	M	SP	L		M			2	250	3	0.32	0.028
Kenosha	FmB	Fox	L	H	W	M		M			3.5	200	3	0.24	0.037
Kenosha	FmC2	Fox	L	H	W	M		M			9	150	3	0.24	0.115
Kenosha	FoA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Kenosha	FoB	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Kenosha	FoC2	Fox	L	H	W	M		M			9	150	3	0.37	0.178
Kenosha	FrA	Fox	L	H	MW	M		M			1	250	5	0.37	0.013
Kenosha	FrB	Fox	L	H	MW	M		M			4	200	5	0.37	0.039
Kenosha	FsA	Fox	L	H	W	M		M			1	250	3	0.43	0.024
Kenosha	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Kenosha	Gf	Granby	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Kenosha	Gm	Granby	S	S	P	L		M	w	w	1	250	5	0.2	0.007
Kenosha	GnA	Granby varian	L	M	SP	L		M		w	1.5	250	5	0.24	0.01
Kenosha	GsB	Griswold	L	H	W	M		M			4	200	5	0.28	0.03
Kenosha	GsC2	Griswold	L	H	W	M		M			9	150	5	0.28	0.081
Kenosha	HbB	Hebron	L	H	W	H		M			4	200	5	0.24	0.025
Kenosha	HeA	Hebron	L	H	W	H		M			1	250	5	0.37	0.013
Kenosha	HeB2	Hebron	L	H	W	H		M			4	200	5	0.37	0.039
Kenosha	HeC2	Hebron	L	H	W	H		M			9	150	5	0.37	0.107
Kenosha	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Kenosha	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Kenosha	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Kenosha	Ht	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Kenosha	KaA	Kane	L	H	SP	M		M		w	2	250	3	0.24	0.021
Kenosha	KhA	Kane	L	H	SP	M		M		w	2	250	5	0.37	0.019
Kenosha	KmB	Knowles	L	M	W	L	S	M			4	200	2	0.43	0.114
Kenosha	Lp	Lawsen varian	L	H	SP	H		M			1	250	5	0.37	0.013
Kenosha	LyB	Lorenzo	L	M	W	L		M			4	200	3	0.28	0.049
Kenosha	MeB	Markham	L	H	MW	H		M			4	200	5	0.32	0.034
Kenosha	MeB2	Markham	L	H	MW	H		M			4	200	5	0.32	0.034
Kenosha	MeC2	Markham	L	H	MW	H		M			9	150	5	0.32	0.092
Kenosha	MgA	Martinton	L	H	SP	H		M		w	2	250	5	0.28	0.015
Kenosha	MkA	Matherton	L	M	SP	L		M		w	2	250	3	0.28	0.024
Kenosha	MIA	Matherton	L	H	SP	M		M		w	2	250	5	0.24	0.012
Kenosha	MpB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Kenosha	MpC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Kenosha	MwB	Miami	L	H	W	H		M			4	200	5	0.28	0.03
Kenosha	MwC2	Miami	L	H	W	H		M			9	150	5	0.28	0.081
Kenosha	MwD2	Miami	L	H	W	H		M			16	100	5	0.28	0.159
Kenosha	MxB	Miami	L	H	W	M		M			4	200	5	0.37	0.039
Kenosha	MxC2	Miami	L	H	W	M		M			9	150	5	0.37	0.107
Kenosha	MxD2	Miami	L	H	W	M		M			16	100	5	0.37	0.21
Kenosha	MyB	Miami	L	H	W	H		M			4	200	5	0.37	0.039
Kenosha	MyC2	Miami	L	H	W	H		M			9	150	5	0.37	0.107
Kenosha	Mzc	Montgomery	L	M	VP	H		M	w	w	1	250	5	0.24	0.008
Kenosha	MzdB	Morley	L	H	MW	M		M			4	200	5	0.37	0.039
Kenosha	MzdB2	Morley	L	H	MW	M		M			4	200	5	0.37	0.039
Kenosha	MzdC	Morley	L	H	MW	M		M			9	150	5	0.37	0.107
Kenosha	MzdC2	Morley	L	H	MW	M		M			9	150	5	0.37	0.107
Kenosha	MzdD	Morley	L	H	MW	M		M			16	100	5	0.37	0.21
Kenosha	MzdD2	Morley	L	H	MW	M		M			16	100	5	0.37	0.21
Kenosha	MzdE	Morley	L	H	MW	M		M			25	60	5	0.37	0.337
Kenosha	MzeC3	Morley	L	H	MW	M		M			9	150	5	0.28	0.081
Kenosha	MzeD3	Morley	L	H	MW	M		M			16	100	5	0.28	0.159
Kenosha	MzfA	Mundelein	L	H	SP	H		M	w	w	2	250	5	0.32	0.017
Kenosha	Mzg	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Kenosha	Mzk	Mussey	L	M	P	L		M	w	w	1	250	2	0.24	0.02
Kenosha	Na	Navan	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Kenosha	Oc	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Kenosha	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Kenosha	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Kenosha	Pt	Plano	L	H	W	H		M			1	250	4	0.37	0.016
Kenosha	RaA	Radford	L	H	SP	VH		M		w	1.5	250	5	0.37	0.016
Kenosha	RgB	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Kenosha	RgC	Ringwood	L	H	W	H		M			9	150	5	0.32	0.092
Kenosha	Rt	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Kenosha	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Kenosha	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Kenosha	Sg	awmill varian	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Kenosha	ShA	Saylesville	L	H	W	H		M			1	250	5	0.37	0.013
Kenosha	ShB	Saylesville	L	H	W	H		M			4	200	5	0.37	0.039
Kenosha	ShC2	Saylesville	L	H	W	H		M			9	150	5	0.37	0.107
Kenosha	SkA	ylesville varia	L	H	MW	H		M			1	250	5	0.37	0.013
Kenosha	SkB	ylesville varia	L	H	MW	H		M			4	200	5	0.37	0.039
Kenosha	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Kenosha	So	Sebewa	L	M	P	M		M			1	250	4	0.32	0.014
Kenosha	SrB	Sisson	L	H	W	H		M			3.5	200	5	0.17	0.016
Kenosha	SsB	Sisson	L	H	W	H		M			3.5	200	5	0.24	0.022
Kenosha	SzA	Symerton	L	H	W	M		M			1	250	5	0.24	0.008
Kenosha	SzB	Symerton	L	H	W	M		M			4	200	5	0.24	0.025
Kenosha	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Kenosha	VaB	Varna	L	H	W	H		M			4	200	5	0.32	0.034
Kenosha	VaB2	Varna	L	H	W	H		M			4	200	5	0.32	0.034

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Kenosha	VaC2	Varna	L	H	W	H		M			9	150	5	0.32	0.092
Kenosha	Wa	Wallkill	L	M	VP	VH		M	w	w	1	250	5	0.32	0.011
Kenosha	WeA	Warsaw	L	H	W	M		M			1	250	3	0.24	0.014
Kenosha	WeB	Warsaw	L	H	W	M		M			4	200	3	0.24	0.042
Kenosha	WgA	Warsaw	L	H	W	M		M			1	250	5	0.24	0.008
Kenosha	WgB	Warsaw	L	H	W	M		M			4	200	5	0.24	0.025
Kenosha	WhA	Warsaw	L	H	W	M		M			1	250	3	0.28	0.016
Kenosha	WhB	Warsaw	L	H	W	M		M			4	200	3	0.28	0.049
Kenosha	WmA	Wasepi	L	M	SP	L		M		w	2	250	3	0.15	0.013
Kenosha	WnA	Wasepi	L	H	SP	M		M		w	2	250	5	0.17	0.009
Kenosha	WyA	Worthen	L	H	MW	VH		M	w	w	1.5	250	5	0.37	0.016
Kenosha	YaA	Yahara	L	H	SP	H		M		w	2	250	5	0.24	0.012
Kenosha	ZuA	Zurich	L	H	W	H		M			1	250	5	0.37	0.013
Kenosha	ZuB	Zurich	L	H	W	H		M			4	200	5	0.37	0.039
Kenosha	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.37	0.107
Kewaunee	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Kewaunee	7203	Onaway	L	H	W	M		F			27	60	3	0.32	0.553
Kewaunee	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Kewaunee	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Kewaunee	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Kewaunee	7501	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Kewaunee	AdA	Allendale	S	S	SP	L		F	w	w	1.5	250	4	0.24	0.013
Kewaunee	Ax	Angelica	L	M	P	H		F	w	w	1	250	5	0.37	0.013
Kewaunee	Ba	Bach	L	M	VP	H		M	w	w	1	250	5	0.37	0.013
Kewaunee	Bn	Bonduel	L	M	SP	L	S	F	w	w	1	250	2	0.37	0.031
Kewaunee	BrB	Boyer	S	S	W	L		M	p		3.5	200	4	0.24	0.028
Kewaunee	BrC	Boyer	S	S	W	L		M	p		9	150	4	0.24	0.086
Kewaunee	BrE	Boyer	S	S	W	L		M	p		27.5	60	4	0.24	0.32
Kewaunee	Ca	Carbondale	O	M	VP			F	w	w	1	250	2	0.02	0.002
Kewaunee	CbA	Casco	L	M	W	L		M			1	250	2	0.28	0.024
Kewaunee	CbB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Kewaunee	CbC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Kewaunee	CdB	Casco	L	M	W	L		M	p		4	200	2	0.28	0.074
Kewaunee	CdB	Rodman	L	M	E	VL		M	p		4	200	5	0.2	0.021
Kewaunee	CdC2	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Kewaunee	CdC2	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Kewaunee	CdD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Kewaunee	CdD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Kewaunee	Cm	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Kewaunee	DrA	Dresden	L	H	W	M		M			1	250	3	0.37	0.021
Kewaunee	DrB	Dresden	L	H	W	M		M			4	200	3	0.37	0.065
Kewaunee	FaA	Fabius	L	M	SP	L		M	w	w	1.5	250	2	0.28	0.029
Kewaunee	HrB	Hortonville	L	H	W	H		M			4	200	5	0.43	0.046
Kewaunee	HrC2	Hortonville	L	H	W	H		M			9	140	5	0.43	0.12
Kewaunee	HrD2	Hortonville	L	H	W	H		M			16	115	5	0.43	0.261
Kewaunee	HsB	Hortonville	L	H	W	H		M	w	w	4	200	5	0.43	0.046
Kewaunee	HsB	Symco	L	H	SP	H		M	w	w	2	250	5	0.37	0.019
Kewaunee	HzB	Boyer	S	S	W	L		M	p		4	200	4	0.24	0.032

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Kewaunee	HzB	Hortonville	L	H	W	H		M	p		4	200	5	0.49	0.052
Kewaunee	HzB	Zurich	L	H	W	H		M	p		4	200	5	0.43	0.046
Kewaunee	HzC2	Boyer	S	S	W	L		M	p		9	150	4	0.24	0.086
Kewaunee	HzC2	Hortonville	L	H	W	H		M	p		9	150	5	0.49	0.141
Kewaunee	HzC2	Zurich	L	H	W	H		M	p		9	150	5	0.43	0.124
Kewaunee	HzD2	Boyer	S	S	W	L		M	p		16	100	4	0.24	0.17
Kewaunee	HzD2	Hortonville	L	H	W	H		M	p		16	100	5	0.49	0.278
Kewaunee	HzD2	Zurich	L	H	W	H		M	p		16	100	5	0.43	0.244
Kewaunee	HzE	Boyer	S	S	W	L		M	p		27.5	60	4	0.24	0.32
Kewaunee	HzE	Hortonville	L	H	W	H		M	p		27.5	60	5	0.49	0.523
Kewaunee	HzE	Zurich	L	H	W	H		M	p		27.5	60	5	0.43	0.459
Kewaunee	KhB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Kewaunee	KpB2	Kewaunee	L	H	W	M		M			4	200	3	0.37	0.065
Kewaunee	KpC2	Kewaunee	L	H	W	M		M			9	150	3	0.37	0.178
Kewaunee	KpD2	Kewaunee	L	H	W	M		M			16	100	3	0.37	0.35
Kewaunee	KsC3	Kewaunee	L	H	W	M		M			9	150	2	0.28	0.202
Kewaunee	KsD3	Kewaunee	L	H	W	M		M			16	100	1	0.28	0.795
Kewaunee	KsE3	Kewaunee	L	H	W	M		M			27.5	60	5	0.28	0.299
Kewaunee	KtB	Kewaunee	L	H	W	M		M			4	200	5	0.49	0.052
Kewaunee	KtB	Manawa	L	H	SP	H		M			2	250	5	0.37	0.019
Kewaunee	KuA	Kibbie	L	H	SP	H		M	w	w	1.5	250	5	0.43	0.018
Kewaunee	KvA	Kibbie variant	L	H	SP	H		M		w	1.5	250	5	0.49	0.021
Kewaunee	KwB	Kolberg	L	M	W	L		F			3.5	200	2	0.37	0.085
Kewaunee	KwC2	Kolberg	L	M	W	L		F			9	150	2	0.37	0.266
Kewaunee	KxB	olberg varian	L	M	W	VL	S	F	r	r	3.5	200	1	0.37	0.17
Kewaunee	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Kewaunee	LoB	Longrie	L	M	W	L	S	F			4	200	2	0.37	0.098
Kewaunee	McA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Kewaunee	MeB	Manistee	S	S	W	M		F			4	200	4	0.2	0.027
Kewaunee	Mk	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Kewaunee	MmA	Matherton	L	M	SP	L		M		w	1.5	250	3	0.43	0.03
Kewaunee	MrB	Menominee	S	S	W	M		F			3.5	200	5	0.32	0.029
Kewaunee	MsB	nominee vari	S	S	W	L		F			3.5	200	5	0.2	0.018
Kewaunee	MtA	Mosel	L	H	SP	M		M			1.5	250	5	0.32	0.013
Kewaunee	My	Mussey	L	M	P	L		M	w	w	1	250	2	0.28	0.024
Kewaunee	NaB	Namur	L	M	W	VL	S	F	r	r	3.5	200	1	0.32	0.147
Kewaunee	NrD	Namur	L	M	W	VL	S	F	r	r	13	100	1	0.32	0.653
Kewaunee	NxB	Nichols	L	H	W	H		M			3.5	200	3	0.24	0.037
Kewaunee	OaB	Oakville	S	S	W	L		M	p		3.5	200	5	0.1	0.009
Kewaunee	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.1	0.029
Kewaunee	OdB	Omro	L	H	W	M		M			3.5	200	4	0.37	0.043
Kewaunee	OeC2	Omro	L	H	W	M		M			9	150	4	0.28	0.101
Kewaunee	Pe	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Kewaunee	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Kewaunee	RcE	Casco	L	M	W	L		M	p		27.5	60	2	0.28	0.748
Kewaunee	RcE	Rodman	S	S	E	VL		M	p		27.5	60	5	0.2	0.214
Kewaunee	Rs	Roscommon	S	S	P	L		F	w	w	1	250	5	0.17	0.006
Kewaunee	Ru	Ruse	L	M	VP	VL	S	F	wr	wr	1	250	1	0.32	0.054

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Kewaunee	ShA	Shiocton	L	H	SP	M		F	w	w	1.5	250	5	0.49	0.021
Kewaunee	SoA	Solona	L	H	SP	M		F	w	w	1.5	250	5	0.43	0.018
Kewaunee	SyA	Symco	L	H	SP	H		M	w	w	1.5	250	5	0.37	0.016
Kewaunee	WaA	Wainola	S	S	SP	L		F		w	1.5	250	5	0.2	0.008
Kewaunee	We	Wauseon	L	M	VP	L		M			1	250	4	0.15	0.006
Kewaunee	WoB	Waymor	L	H	W	M		M			3.5	200	5	0.49	0.045
Kewaunee	WoC2	Waymor	L	H	W	M		M			9	150	5	0.49	0.141
Kewaunee	WoD2	Waymor	L	H	W	M		M			16	100	5	0.49	0.278
Kewaunee	WzB	Casco	L	M	W	L		M			3.5	200	2	0.28	0.064
Kewaunee	WzB	Waymor	L	H	W	M		M			3.5	200	5	0.49	0.045
Kewaunee	WzB	Zurich	L	H	W	H		M			3.5	200	5	0.43	0.04
Kewaunee	WzC2	Casco	L	M	W	L		M			9	150	2	0.28	0.202
Kewaunee	WzC2	Waymor	L	H	W	M		M			9	150	5	0.49	0.141
Kewaunee	WzC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
Kewaunee	WzD	Casco	L	M	W	L		M			16	100	2	0.28	0.398
Kewaunee	WzD	Waymor	L	H	W	M		M			16	100	5	0.49	0.278
Kewaunee	WzD	Zurich	L	H	W	H		M			16	100	5	0.43	0.244
Kewaunee	WzE	Casco	L	M	W	L		M			27.5	60	2	0.28	0.748
Kewaunee	WzE	Waymor	L	H	W	M		M			27.5	60	5	0.49	0.523
Kewaunee	WzE	Zurich	L	H	W	H		M			27.5	60	5	0.43	0.459
Kewaunee	ZuA	Zurich	L	H	W	H		M			1	250	5	0.43	0.015
Kewaunee	ZuB	Zurich	L	H	W	H		M			4	200	5	0.43	0.046
Kewaunee	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
La Crosse	110D3	Timula	L	H	W	H		M			16	100	4	0.55	0.39
La Crosse	110E2	Timula	L	H	W	H		M			25	60	5	0.49	0.447
La Crosse	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
La Crosse	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
La Crosse	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
La Crosse	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
La Crosse	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
La Crosse	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
La Crosse	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
La Crosse	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
La Crosse	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
La Crosse	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
La Crosse	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
La Crosse	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
La Crosse	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
La Crosse	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
La Crosse	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
La Crosse	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
La Crosse	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
La Crosse	132C2	Brinkman	L	H	MW	VH		M			9	150	5	0.49	0.141
La Crosse	133B2	Valton	L	H	W	M		M			4	200	4	0.49	0.065
La Crosse	133C2	Valton	L	H	W	M		M			9	150	4	0.49	0.176
La Crosse	133D2	Valton	L	H	W	M		M			16	100	4	0.49	0.348
La Crosse	134C2	Lamoille	L	H	W	M		M			9	150	3	0.49	0.235
La Crosse	134D2	Lamoille	L	H	W	M		M			16	100	3	0.49	0.464

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
La Crosse	163E2	Elbaville	L	H	W	M		M			25	60	3	0.43	0.654
La Crosse	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
La Crosse	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
La Crosse	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
La Crosse	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
La Crosse	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
La Crosse	202C2	Lambeau	L	H	W	VH		M			9	150	4	0.49	0.176
La Crosse	202D2	Lambeau	L	H	W	H		M			16	100	4	0.49	0.348
La Crosse	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
La Crosse	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
La Crosse	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
La Crosse	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
La Crosse	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
La Crosse	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
La Crosse	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
La Crosse	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
La Crosse	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
La Crosse	253C2	Greenridge	L	H	W	H		M			8	150	5	0.49	0.119
La Crosse	253D2	Greenridge	L	H	W	H		M			16	100	5	0.49	0.278
La Crosse	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
La Crosse	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
La Crosse	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
La Crosse	296B	Ludington	S	S	MW	L		F	p		4	200	3	0.05	0.009
La Crosse	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
La Crosse	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
La Crosse	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
La Crosse	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
La Crosse	326F	Medary	L	H	MW	H		M			30	60	3	0.37	0.76
La Crosse	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
La Crosse	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
La Crosse	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
La Crosse	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
La Crosse	424D2	Merit	L	H	W	M		M			16	100	5	0.43	0.244
La Crosse	424F	Merit	L	H	W	M		M			33	60	5	0.37	0.533
La Crosse	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
La Crosse	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
La Crosse	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
La Crosse	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
La Crosse	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
La Crosse	458A	Hoop	L	M	SP	L		M		w	1	250	3	0.24	0.014
La Crosse	483B2	Brice	S	S	E	M		M	p		4	200	5	0.32	0.034
La Crosse	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
La Crosse	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
La Crosse	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
La Crosse	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
La Crosse	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
La Crosse	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
La Crosse	551A	Impact	S	S	E	L		M	p		1	250	5	0.05	0.002

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
La Crosse	556A	Mindoro	S	S	MW	L		M	p		1	250	5	0.05	0.002
La Crosse	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
La Crosse	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019
La Crosse	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
La Crosse	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
La Crosse	562C	Gosil	S	S	SE	L		M	p		9	150	5	0.24	0.069
La Crosse	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
La Crosse	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
La Crosse	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
La Crosse	576B	Tintson	S	S	MW	L		M	p		3	200	5	0.05	0.003
La Crosse	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
La Crosse	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
La Crosse	608A	Lawson	L	H	SP	VH		M		w	1	250	5	0.37	0.013
La Crosse	609A	Otter	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
La Crosse	625A	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017
La Crosse	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
La Crosse	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
La Crosse	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
La Crosse	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
La Crosse	666A	Absco	S	S	MW	L		M	p		1	250	5	0.15	0.005
La Crosse	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
La Crosse	739A	Root	L	M	P	M		M	w	w	1	250	5	0.32	0.011
La Crosse	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
La Crosse	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
La Crosse	743E2	Council	L	H	W	H		M			25	60	5	0.37	0.337
Lafayette	1130E	Dunbarton	L	M	W	L	S	M	r	r	25	60	1	0.43	1.961
Lafayette	1130E	Lacrescent	L	H	W	M		M	r	r	25	60	2	0.28	0.638
Lafayette	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Lafayette	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Lafayette	1177E	Derinda	L	M	MW	L		M	r	r	25	100	3	0.43	0.844
Lafayette	1177E	Elizabeth	L	M	W	VL	S	M	r	r	25	100	1	0.37	2.179
Lafayette	1177F	Derinda	L	M	MW	L		M	r	r	45	60	3	0.43	1.687
Lafayette	1177F	Elizabeth	L	M	W	VL	S	M	r	r	35	60	1	0.37	2.93
Lafayette	1180B2	Dubuque	L	M	W	L		M	r	r	4	300	2	0.43	0.133
Lafayette	1180B2	Dunbarton	L	M	SE	L	S	M	r	r	4	250	1	0.43	0.249
Lafayette	1180C2	Dubuque	L	M	W	L		M	r	r	9	200	2	0.43	0.357
Lafayette	1180C2	Dunbarton	L	M	SE	L	S	M	r	r	9	250	1	0.43	0.796
Lafayette	1180D2	Dubuque	L	M	W	L		M	r	r	16	150	2	0.43	0.748
Lafayette	1180D2	Dunbarton	L	M	SE	L	S	M	r	r	16	150	1	0.43	1.496
Lafayette	1180E	Dubuque	L	M	W	L		M	r	r	25	100	2	0.49	1.443
Lafayette	1180E	Dunbarton	L	M	SE	L	S	M	r	r	25	100	1	0.43	2.533
Lafayette	1180F	Dubuque	L	M	W	L		M	r	r	38	60	2	0.49	2.212
Lafayette	1180F	Dunbarton	L	M	SE	L	S	M	r	r	45	60	1	0.43	5.061
Lafayette	1195E	Elkmound	L	M	W	VL	S	M	r	r	25	100	1	0.28	1.649
Lafayette	1195E	Northfield	L	M	W	L	S	M	r	r	25	100	2	0.37	1.09
Lafayette	1195F	Elkmound	L	M	W	VL	S	M	r	r	45	60	1	0.28	3.296
Lafayette	1195F	Northfield	L	M	W	L	S	M	r	r	45	60	2	0.37	2.177
Lafayette	An	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Lafayette	AsB	Ashdale	L	H	W	H		M			4	250	3	0.43	0.083
Lafayette	AsB2	Ashdale	L	H	W	H		M			4	250	3	0.43	0.083
Lafayette	AsC2	Ashdale	L	H	W	H		M			9	175	3	0.43	0.222
Lafayette	AsD2	Ashdale	L	H	W	H		M			16	150	3	0.43	0.499
Lafayette	Ba	Boaz	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Lafayette	BoD2	Boone	S	S	E	L		M	p		13	150	3	0.1	0.083
Lafayette	CaA	Calamine	L	M	P	M		M	w	w	1	250	4	0.32	0.014
Lafayette	CaB	Calamine	L	M	P	M		M	w	w	4	250	4	0.32	0.046
Lafayette	CaC2	Calamine	L	M	P	M		M	w	w	9	175	4	0.32	0.124
Lafayette	ChA	Chaseburg	L	H	MW	VH		M			1	200	5	0.43	0.014
Lafayette	ChB	Chaseburg	L	H	MW	VH		M			4	205	5	0.43	0.046
Lafayette	DaA	Dakota	L	H	W	M		M			1	250	3	0.28	0.016
Lafayette	DaB	Dakota	L	H	W	M		M			4	250	3	0.28	0.054
Lafayette	DbB	Dakota varian	L	H	SP	M		M			2	250	3	0.28	0.024
Lafayette	DdB2	Derinda	L	M	MW	L	S	M			4	250	3	0.43	0.083
Lafayette	DdC2	Derinda	L	M	MW	L	S	M			9	175	3	0.43	0.222
Lafayette	DdD2	Derinda	L	M	MW	L	S	M			16	150	3	0.43	0.499
Lafayette	DeB	Derinda varian	L	H	SP	M		M			4	250	3	0.43	0.083
Lafayette	DeC2	Derinda varian	L	H	SP	M		M			9	175	3	0.43	0.222
Lafayette	DfD2	Derinda	L	M	MW	L	S	M			16	150	3	0.37	0.429
Lafayette	DgB2	Dodgeville	L	M	W	L		M			4	250	2	0.37	0.107
Lafayette	DgC2	Dodgeville	L	M	W	L		M			9	175	2	0.37	0.287
Lafayette	DgD2	Dodgeville	L	M	W	L		M			16	150	2	0.37	0.644
Lafayette	DhC2	Dodgeville	L	M	W	L		M			9	175	2	0.32	0.248
Lafayette	DhD2	Dodgeville	L	M	W	L		M			16	150	2	0.32	0.557
Lafayette	DoB2	Downs	L	H	W	H		M			4	300	5	0.43	0.053
Lafayette	DoC2	Downs	L	H	W	H		M			9	140	5	0.43	0.12
Lafayette	DsB2	Newglarus	L	M	W	L		M			4	300	2	0.43	0.133
Lafayette	DsC2	Newglarus	L	M	W	L		M			9	200	2	0.43	0.357
Lafayette	DsD2	Newglarus	L	M	W	L		M			16	150	2	0.43	0.748
Lafayette	DsE2	Newglarus	L	M	W	L		M			25	100	2	0.43	1.266
Lafayette	DsF	Dubuque	L	M	W	L		M			38	60	2	0.49	2.212
Lafayette	DtC2	Dubuque	L	M	W	L		M			9	175	2	0.43	0.333
Lafayette	DtD2	Dubuque	L	M	W	L		M			16	150	2	0.43	0.748
Lafayette	DuF	Dunbarton	L	M	W	L	S	M	r	r	38	60	1	0.43	3.883
Lafayette	EdB2	Edmund	L	M	W	VL	S	M	r	r	4	250	1	0.37	0.215
Lafayette	EdC2	Edmund	L	M	W	VL	S	M	r	r	9	175	1	0.37	0.574
Lafayette	EdD2	Edmund	L	M	W	VL	S	M	r	r	16	150	1	0.37	1.288
Lafayette	ErB	Eleroy	L	H	MW	M		M			4	250	4	0.43	0.062
Lafayette	ErB2	Eleroy	L	H	MW	M		M			4	250	4	0.43	0.062
Lafayette	ErC2	Eleroy	L	H	MW	M		M			9	175	4	0.43	0.167
Lafayette	ErD2	Eleroy	L	H	MW	M		M			16	150	4	0.43	0.374
Lafayette	FaB	Fayette	L	H	W	H		M			4	250	4	0.49	0.071
Lafayette	FaB2	Fayette	L	H	W	H		M			4	250	4	0.49	0.071
Lafayette	FaC2	Fayette	L	H	W	H		M			9	175	4	0.49	0.19
Lafayette	FdB	Fayette	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	FdB2	Fayette	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	FdC2	Fayette	L	H	W	H		M			9	175	5	0.43	0.133

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Lafayette	FdD2	Fayette	L	H	W	H		M			16	150	5	0.43	0.299
Lafayette	FdE2	Fayette	L	H	W	H		M			25	100	5	0.43	0.507
Lafayette	FeB	Fayette	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	FeB2	Fayette	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	FeC2	Fayette	L	H	W	H		M			9	175	5	0.43	0.133
Lafayette	FeD2	Fayette	L	H	W	H		M			16	150	5	0.43	0.299
Lafayette	FpB2	Dubuque	L	M	W	L		M			4	250	2	0.49	0.142
Lafayette	FpB2	Fayette	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	FpC2	Dubuque	L	M	W	L		M			9	175	2	0.49	0.38
Lafayette	FpC2	Fayette	L	H	W	H		M			9	175	5	0.43	0.133
Lafayette	FpD2	Dubuque	L	M	W	L		M			16	150	2	0.49	0.853
Lafayette	FpD2	Fayette	L	H	W	H		M			16	150	5	0.43	0.299
Lafayette	GaC2	Gale	L	H	W	M		M			9	175	3	0.49	0.253
Lafayette	GaD2	Gale	L	H	W	M		M			16	150	3	0.49	0.568
Lafayette	GaE2	Gale	L	H	W	M		M			25	100	3	0.49	0.962
Lafayette	GoB2	Gotham	S	S	W	L		M	p		4	250	5	0.32	0.037
Lafayette	GoC2	Gotham	S	S	W	L		M	p		13	175	5	0.32	0.173
Lafayette	HmB2	Hixton	L	M	W	L		M			4	250	3	0.37	0.072
Lafayette	HmC2	Hixton	L	M	W	L		M			9	175	3	0.37	0.191
Lafayette	HmD2	Hixton	L	M	W	L		M			16	150	3	0.37	0.429
Lafayette	HmE2	Hixton	L	M	W	L		M			25	100	3	0.37	0.726
Lafayette	HtB2	Hixton	L	M	W	L		M			4	250	3	0.24	0.046
Lafayette	HtC2	Hixton	L	M	W	L		M			9	175	3	0.24	0.124
Lafayette	HtD2	Hixton	L	M	W	L		M			16	150	3	0.24	0.278
Lafayette	HtE2	Hixton	L	M	W	L		M			25	100	3	0.24	0.471
Lafayette	Hu	Houghton	O	H	VP			M	w	w	1	250	1	0.02	0.003
Lafayette	HvA	Huntsville	L	H	MW	H		M			1	250	5	0.37	0.013
Lafayette	HvB	Huntsville	L	H	MW	H		M			4	250	5	0.37	0.043
Lafayette	KeB	Keltner	L	H	MW	M		M			4	250	3	0.37	0.072
Lafayette	KeB2	Keltner	L	H	MW	M		M			9	250	3	0.37	0.228
Lafayette	La	Lawson	L	H	SP	VH		M			1	250	5	0.37	0.013
Lafayette	LsB	Lindstrom	L	H	W	VH		M			4	250	5	0.37	0.043
Lafayette	LsC2	Lindstrom	L	H	W	VH		M			9	175	5	0.37	0.115
Lafayette	LsD2	Lindstrom	L	H	W	VH		M			16	150	5	0.37	0.258
Lafayette	Mb	Marshan	L	M	VP	M		M	w	w	1	250	3	0.32	0.018
Lafayette	MdA	Meridian	L	H	W	M		M			1	250	3	0.37	0.021
Lafayette	MdB	Meridian	L	H	W	M		M			4	250	3	0.37	0.072
Lafayette	MeA	Meridian	L	H	W	M		M	p		1	250	3	0.24	0.014
Lafayette	MeB	Meridian	L	H	W	M		M	p		4	250	3	0.24	0.046
Lafayette	MfB2	Mifflin	L	H	W	M		M			4	250	2	0.37	0.107
Lafayette	MfC2	Mifflin	L	H	W	M		M			9	175	2	0.37	0.287
Lafayette	MfD2	Mifflin	L	H	W	M		M			16	150	2	0.37	0.644
Lafayette	MfE2	Mifflin	L	H	W	M		M			25	100	2	0.37	1.09
Lafayette	MsA	Muscatine	L	H	SP	H		M			1	250	5	0.37	0.013
Lafayette	MsB	Muscatine	L	H	SP	H		M			4	250	5	0.37	0.043
Lafayette	MsB2	Muscatine	L	H	SP	H		M			4	250	5	0.37	0.043
Lafayette	MuA	Muscatine	L	H	SP	H		M			1	250	5	0.43	0.015
Lafayette	MuB	Muscatine	L	H	SP	H		M			4	250	5	0.43	0.05

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Lafayette	NfC2	Northfield	L	M	W	L	S	M	r	r	9	175	2	0.37	0.287
Lafayette	NfD2	Northfield	L	M	W	L	S	M	r	r	16	150	2	0.37	0.644
Lafayette	NfE2	Northfield	L	M	W	L	S	M	r	r	25	100	2	0.37	1.09
Lafayette	NoB2	Northfield	L	M	W	VL	S	M	r	r	4	250	2	0.28	0.081
Lafayette	NoC2	Northfield	L	M	W	VL	S	M	r	r	9	175	2	0.28	0.217
Lafayette	NoD2	Northfield	L	M	W	VL	S	M	r	r	16	150	2	0.28	0.487
Lafayette	NoE2	Northfield	L	M	W	VL	S	M	r	r	25	100	2	0.28	0.825
Lafayette	NoF	Northfield	L	M	W	VL	S	M	r	r	38	60	2	0.28	1.264
Lafayette	On	Orion	L	H	SP	VH		M			1	250	5	0.49	0.017
Lafayette	Ow	Orion variant	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Lafayette	PaB	Palsgrove	L	H	W	H		M			4	250	3	0.43	0.083
Lafayette	PaB2	Palsgrove	L	H	W	H		M			4	250	3	0.43	0.083
Lafayette	PaC2	Palsgrove	L	H	W	H		M			9	175	3	0.43	0.222
Lafayette	PaD2	Palsgrove	L	H	W	H		M			16	150	3	0.43	0.499
Lafayette	RzA	Rozetta	L	H	MW	VH		M			1	250	5	0.43	0.015
Lafayette	RzB	Rozetta	L	H	MW	H		M			4	250	5	0.49	0.057
Lafayette	RzB2	Rozetta	L	H	MW	H		M			4	250	5	0.49	0.057
Lafayette	RzC2	Rozetta	L	H	MW	H		M			9	175	5	0.49	0.152
Lafayette	Sa	Sable	L	M	P	VH		M	w	w	1	250	5	0.43	0.015
Lafayette	Sb	Sable	L	M	VP	VH		M	w	w	1	250	5	0.37	0.013
Lafayette	ScC2	Schapville	L	M	MW	L	S	M			9	175	3	0.32	0.165
Lafayette	ShC2	Schapville	L	M	MW	L	S	M			9	175	3	0.32	0.165
Lafayette	SmB	hapville varia	L	H	SP	M		M			4	250	4	0.37	0.054
Lafayette	SoC2	Sogn	L	M	SE	VL	S	M	r	r	7	175	1	0.37	0.403
Lafayette	SoD2	Sogn	L	M	SE	VL	S	M	r	r	16	150	1	0.37	1.288
Lafayette	SoE2	Sogn	L	M	SE	VL	S	M	r	r	25	100	1	0.37	2.179
Lafayette	SoF	Sogn	L	M	SE	VL	S	M	r	r	38	60	1	0.37	3.341
Lafayette	SsA	Stronghurst	L	H	SP	VH		M			1	250	5	0.43	0.015
Lafayette	SsB	Stronghurst	L	H	SP	VH		M			4	250	5	0.43	0.05
Lafayette	SsB2	Stronghurst	L	H	SP	VH		M			4	250	5	0.43	0.05
Lafayette	StA	Stronghurst	L	H	SP	M		M			1	250	3	0.43	0.024
Lafayette	StB	Stronghurst	L	H	SP	M		M			4	250	3	0.43	0.083
Lafayette	TaA	Tama	L	H	W	H		M			1	250	5	0.43	0.015
Lafayette	TaB	Tama	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	TaB2	Tama	L	H	W	VH		M			4	250	5	0.43	0.05
Lafayette	TaC2	Tama	L	H	W	VH		M			9	175	5	0.43	0.133
Lafayette	TbA	Tama	L	H	W	H		M			1	250	5	0.43	0.015
Lafayette	TbB	Tama	L	H	W	H		M			4	250	5	0.43	0.05
Lafayette	WoA	Worthen	L	H	MW	VH		M			1	250	5	0.43	0.015
Lafayette	WoB	Worthen	L	H	W	VH		M			4	200	5	0.43	0.046
Langlade	AmC	Amery	L	M	W	M		F			10.5	150	3	0.37	0.222
Langlade	AoA	Antigo	L	M	W	M		F			1	250	3	0.49	0.028
Langlade	AoB	Antigo	L	M	W	M		F			4	200	3	0.49	0.087
Langlade	AoC	Antigo	L	M	W	M		F			10.5	150	3	0.49	0.294
Langlade	As	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.02	0.001
Langlade	Co	Comstock	L	M	SP	H		F			1	250	5	0.37	0.013
Langlade	Cs	Crowell	S	S	MW	L		F	p		1	250	5	0.05	0.002
Langlade	CyB	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Langlade	Fm	Fordum	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Langlade	FoB	Freeon	L	M	MW	M		F			4	200	5	0.43	0.046
Langlade	HyB	Hatley	L	M	SP	M		F	w	w	4	200	5	0.32	0.034
Langlade	Ig	Ingalls	S	S	SP	M		F	w	w	1	250	5	0.2	0.007
Langlade	KnC	Kennan	L	M	W	M		F			10.5	150	5	0.28	0.101
Langlade	KoB	Kennan	L	M	W	M		F			4	200	5	0.32	0.034
Langlade	KwD	Keweenaw	S	S	W	L		F			40	60	5	0.24	0.47
Langlade	LgA	Langlade	L	M	W	H		F			1	250	4	0.43	0.018
Langlade	LgB	Langlade	L	M	W	H		F			4	200	4	0.43	0.057
Langlade	Lx	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Langlade	MgB	Magnor	L	M	SP	L		F			1	250	4	0.43	0.018
Langlade	MhB	Marathon	L	M	MW	M		F			4	200	3	0.32	0.057
Langlade	MnB	Menominee	S	S	MW	M		F	p		4	200	5	0.1	0.011
Langlade	MoB	Milladore	L	M	SP	M		F	w	w	1	250	5	0.49	0.017
Langlade	Ms	Cable	L	M	VP	L		F	w	w	1	250	4	0.49	0.021
Langlade	Ms	Minocqua	L	M	P	L		F	w	w	1	250	3	0.49	0.028
Langlade	Ms	Sherry	L	M	P	M		F	w	w	1	250	5	0.43	0.015
Langlade	MyB	Mylrea	L	M	SP	M		F	w	w	1	250	3	0.37	0.021
Langlade	Os	Oesterle	L	M	SP	M		F	w	w	1	250	3	0.37	0.021
Langlade	Psb	Pence	S	S	W	L		F	p		4	200	5	0.2	0.021
Langlade	Psc	Pence	S	S	W	L		F	p		10.5	150	5	0.2	0.072
Langlade	Psd	Pence	S	S	W	L		F	p		37.5	60	5	0.2	0.354
Langlade	Sc	Scott Lake	L	M	MW	M		F			1	250	3	0.37	0.021
Langlade	Sy	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Langlade	Sy	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Langlade	VsB	Vilas	S	S	E	L		F	p		3	200	5	0.24	0.017
Langlade	VsC	Vilas	S	S	E	L		F	p		10.5	150	5	0.24	0.086
Lincoln	AoB	Antigo	L	M	W	M		F			3.5	200	3	0.43	0.066
Lincoln	AoC	Antigo	L	M	W	M		F			10.5	150	3	0.43	0.258
Lincoln	AuA	Au Gres	S	S	SP	L		F	w	w	1.5	250	5	0.02	0.001
Lincoln	AxA	Augwood	S	S	SP	L		F			1.5	250	5	0.17	0.007
Lincoln	CoA	Comstock	L	M	SP	H		F			1.5	250	5	0.37	0.016
Lincoln	CpA	Comstock	L	M	SP	H		F			1.5	250	5	0.37	0.016
Lincoln	CpA	Magnor	L	M	SP	M		F			1.5	250	4	0.43	0.023
Lincoln	CrB	Croswell	S	S	MW	L		F	p		3.5	200	5	0.1	0.009
Lincoln	CsB	Croswood	S	S	MW	L		F	p		3.5	200	5	0.17	0.016
Lincoln	CyB	Crystal Lake	L	M	MW	VH		F			3.5	200	5	0.37	0.034
Lincoln	CyC	Crystal Lake	L	M	MW	VH		F			10.5	150	5	0.37	0.133
Lincoln	Fh	Fordum	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Lincoln	FoB	Freeon	L	M	MW	M		F			4	200	5	0.43	0.046
Lincoln	FoC	Freeon	L	M	MW	M		F			10.5	150	5	0.43	0.155
Lincoln	FsB	Freeon	L	M	MW	M		F			4	200	5	0.43	0.046
Lincoln	FsB	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Lincoln	GoC	Goodman	L	M	W	H		F			10.5	150	5	0.43	0.155
Lincoln	GwB	Goodwit	L	M	MW	M		F			4	200	5	0.43	0.046
Lincoln	HyB	Hatley	L	M	SP	M		F	w	w	2	250	5	0.37	0.019
Lincoln	KwC	Keweenaw	S	S	W	L		F			10.5	150	5	0.24	0.086
Lincoln	KwD	Keweenaw	S	S	W	L		F			25	60	5	0.24	0.219

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Lincoln	Lo	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Lincoln	Lo	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Lincoln	Lu	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Lincoln	Lu	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Lincoln	MaB	Magnor	L	M	SP	M		F			2	250	4	0.43	0.028
Lincoln	MgB	Magnor	L	M	SP	M		F			2	250	4	0.43	0.028
Lincoln	MgB	Ossmer	L	M	SP	M		F			2	250	3	0.37	0.032
Lincoln	MkB	Magroc	L	M	SP	M		F			2	250	3	0.43	0.037
Lincoln	MoB	Mequithy	L	M	W	M		F			4	200	2	0.37	0.098
Lincoln	MoC	Mequithy	L	M	W	M		F			10.5	150	2	0.37	0.333
Lincoln	Ms	Capitola	L	M	P	M		F			1	250	3	0.37	0.021
Lincoln	Ms	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Lincoln	MxB	Moodig	L	M	SP	M		F	w	w	2	250	5	0.2	0.01
Lincoln	NeC	Newood	L	M	MW	M		F			10.5	150	4	0.2	0.09
Lincoln	NoB	Newood	L	M	MW	M		F			4	200	4	0.24	0.032
Lincoln	NpC	Newood	L	M	MW	M		F	p		10.5	150	4	0.2	0.09
Lincoln	NpC	Pence	S	S	W	L		F	p		10.5	150	5	0.2	0.072
Lincoln	NwD	Newot	L	M	W	M		F			25	60	4	0.2	0.228
Lincoln	OsA	Ossmer	L	M	SP	M		F	w	w	1.5	250	3	0.37	0.026
Lincoln	PaB	Padwet	L	M	MW	M		F			3.5	200	5	0.24	0.022
Lincoln	PbB	Padwood	L	M	MW	M		F			3.5	200	5	0.2	0.018
Lincoln	PbC	Padwood	L	M	MW	M		F			11	150	5	0.2	0.077
Lincoln	PcC	Antigo	L	M	W	M		F	p		10.5	150	3	0.43	0.258
Lincoln	PcC	Pence	L	M	W	L		F	p		10.5	150	2	0.32	0.288
Lincoln	PeB	Padus	L	M	W	L		F	p		3.5	200	5	0.2	0.018
Lincoln	PeB	Pence	S	S	W	L		F	p		3.5	200	5	0.2	0.018
Lincoln	PeC	Padus	L	M	W	L		F	p		10.5	150	5	0.2	0.072
Lincoln	PeC	Pence	S	S	W	L		F	p		10.5	150	5	0.2	0.072
Lincoln	PeD	Padus	L	M	W	L		F	p		25	60	5	0.2	0.182
Lincoln	PeD	Pence	S	S	W	L		F	p		25	60	5	0.2	0.182
Lincoln	PsB	Pesabic	L	M	SP	M		F			2	250	4	0.2	0.013
Lincoln	SaC	Pence	S	S	W	L		F	p		10.5	150	5	0.2	0.072
Lincoln	SaC	Sarona	L	M	W	M		F	p		10.5	150	5	0.2	0.072
Lincoln	SaD	Pence	S	S	W	L		F	p		25	60	5	0.2	0.182
Lincoln	SaD	Sarona	L	M	W	M		F	p		25	60	5	0.2	0.182
Lincoln	SbB	Sarwet	L	M	MW	M		F			4	200	5	0.24	0.025
Lincoln	ScB	Sconsin	L	M	MW	M		F			3.5	200	3	0.37	0.057
Lincoln	VsB	Sayner	S	S	E	VL		F	p		3.5	200	5	0.17	0.016
Lincoln	VsB	Vilas	S	S	E	L		F	p		3.5	200	5	0.2	0.018
Lincoln	VsC	Sayner	S	S	E	VL		F	p		10.5	150	5	0.17	0.061
Lincoln	VsC	Vilas	S	S	E	L		F	p		10.5	150	5	0.2	0.072
Lincoln	VsD	Sayner	S	S	E	VL		F	p		25	60	5	0.17	0.155
Lincoln	VsD	Vilas	S	S	E	L		F	p		25	60	5	0.2	0.182
Lincoln	WoA	Worcester	L	M	SP	L		F	w	w	1.5	250	3	0.24	0.017
Lincoln	WsA	Worwood	L	M	SP	M		F			1.5	250	5	0.37	0.016
Manitowoc	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Manitowoc	BcA	Bellevue	L	H	MW	H		M	w	w	1.5	250	5	0.37	0.016
Manitowoc	BrB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Manitowoc	BrC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Manitowoc	BsB	Boyer	L	H	W	M		M	p		4	200	5	0.17	0.018
Manitowoc	BtB	Briggsville	L	H	MW	H		M			4	200	5	0.43	0.046
Manitowoc	BtC2	Briggsville	L	H	W	H		M			9	150	5	0.43	0.124
Manitowoc	Bu	Brookston	L	M	VP	M		M	w	w	1	250	5	0.28	0.01
Manitowoc	CnB	Channahon	L	M	MW	L	S	M	r	r	4	200	1	0.24	0.127
Manitowoc	CnC	Channahon	L	M	MW	L	S	M	r	r	9	150	1	0.24	0.346
Manitowoc	CoA	Cosad	S	S	SP	M		M			1.5	250	4	0.28	0.015
Manitowoc	DoB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Manitowoc	Gb	Granby	S	S	VP	L		M	w	w	1	250	2	0.15	0.013
Manitowoc	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Manitowoc	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Manitowoc	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Manitowoc	HnB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03
Manitowoc	HnB	Hochheim	L	H	W	M		M	p		4	200	5	0.28	0.03
Manitowoc	HnB	Nichols	L	H	W	H		M	p		4	200	5	0.43	0.046
Manitowoc	HnC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Manitowoc	HnC2	Hochheim	L	H	W	M		M	p		9	150	5	0.28	0.081
Manitowoc	HnC2	Nichols	L	H	W	H		M	p		9	150	5	0.43	0.124
Manitowoc	HnD	Boyer	L	M	W	L		M	p		18.5	80	3	0.17	0.182
Manitowoc	HnD	Hochheim	L	H	W	M		M	p		18.5	80	5	0.28	0.18
Manitowoc	HnD	Nichols	L	H	W	H		M	p		18.5	80	5	0.43	0.276
Manitowoc	HrB	Hortonville	L	H	W	H		M			4	200	5	0.43	0.046
Manitowoc	HrC2	Hortonville	L	H	W	H		M			9	140	5	0.43	0.12
Manitowoc	HrD2	Hortonville	L	H	W	H		M			16	115	5	0.43	0.261
Manitowoc	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Manitowoc	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Manitowoc	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.37	0.065
Manitowoc	KnC2	Kewaunee	L	H	W	M		M			9	150	5	0.32	0.092
Manitowoc	KnD2	Kewaunee	L	H	W	M		M			16	100	5	0.32	0.182
Manitowoc	KnE	Kewaunee	L	H	W	M		M			25	60	5	0.32	0.292
Manitowoc	KpB	Boyer	L	M	W	L		M	p		4	200	3	0.17	0.03
Manitowoc	KpB	Kewaunee	L	H	W	M		M	p		4	200	5	0.32	0.034
Manitowoc	KpB	Nichols	L	H	W	H		M	p		4	200	5	0.43	0.046
Manitowoc	KpC2	Boyer	L	M	W	L		M	p		9	150	3	0.17	0.082
Manitowoc	KpC2	Kewaunee	L	H	W	M		M	p		9	150	5	0.32	0.092
Manitowoc	KpC2	Nichols	L	H	W	H		M	p		9	150	5	0.43	0.124
Manitowoc	KpD	Boyer	L	M	W	L		M	p		16	100	3	0.17	0.161
Manitowoc	KpD	Kewaunee	L	H	W	M		M	p		16	100	5	0.32	0.182
Manitowoc	KpD	Nichols	L	H	W	H		M	p		16	100	5	0.43	0.244
Manitowoc	KrB	Kolberg	L	M	W	L	S	F			4	200	2	0.37	0.098
Manitowoc	KrC2	Kolberg	L	M	W	L	S	F			9	150	2	0.37	0.266
Manitowoc	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Manitowoc	LuB	Lutzke	L	M	W	VL		M			4	200	3	0.28	0.049
Manitowoc	LuC2	Lutzke	L	M	W	VL		M			9	150	3	0.28	0.134
Manitowoc	LuD	Lutzke	L	M	W	VL		M			16	100	3	0.28	0.265
Manitowoc	MbA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Manitowoc	McB	Kewaunee	L	H	W	M		M			2	250	5	0.32	0.017

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Manitowoc	McB	Manawa	L	H	SP	H		M			2	250	3	0.32	0.028
Manitowoc	McB	Poygan	L	M	P	M		M			2	250	5	0.32	0.017
Manitowoc	MIA	Mayville	L	H	MW	H		M			2	250	5	0.43	0.022
Manitowoc	MsA	Mosel	L	H	SP	M		M			1.5	250	5	0.32	0.013
Manitowoc	MuA	Mundelein	L	H	SP	H		M	w	w	1.5	250	5	0.32	0.013
Manitowoc	NsB	Nichols	L	H	W	H		M			4	200	5	0.43	0.046
Manitowoc	NsC2	Nichols	L	H	W	H		M			9	150	5	0.43	0.124
Manitowoc	OaB	Oakville	S	S	W	L		M	p		4	200	5	0.24	0.025
Manitowoc	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.24	0.069
Manitowoc	OgB	Granby	S	S	VP	L		M	wp	w	1	250	2	0.15	0.013
Manitowoc	OgB	Oakville	S	S	MW	L		M	wp	w	2	250	5	0.24	0.012
Manitowoc	OzC2	Omro	L	H	W	M		M			8	150	4	0.32	0.097
Manitowoc	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Manitowoc	Pe	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Manitowoc	PIBT	Plainfield	S	S	E	L		M	p		4	200	5	0.1	0.011
Manitowoc	PICT	Plainfield	S	S	E	L		M	p		9	150	5	0.1	0.029
Manitowoc	PIDT	Plainfield	S	S	E	L		M	p		18	80	5	0.1	0.061
Manitowoc	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Manitowoc	ShA	Shiocton	L	H	SP	M		F	w	w	1.5	250	5	0.43	0.018
Manitowoc	SyA	Symco	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Manitowoc	TeA	Tedrow	S	S	SP	L		M		w	1.5	250	5	0.28	0.012
Manitowoc	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Manitowoc	TuB	Tustin	S	S	W	M		M			4	200	4	0.2	0.027
Manitowoc	WaA	Wasepi	L	M	SP	L		M		w	1.5	250	4	0.24	0.013
Manitowoc	We	Wauseon	L	M	VP	M		M			1	250	4	0.15	0.006
Manitowoc	WoB	Waymor	L	H	W	M		M			4	200	5	0.49	0.052
Manitowoc	WoC2	Waymor	L	H	W	M		M			9	150	5	0.49	0.141
Manitowoc	WoD2	Waymor	L	H	W	M		M			16	100	5	0.49	0.278
Manitowoc	WpB	Whalan	L	H	W	M		M			4	200	2	0.37	0.098
Manitowoc	Wt	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Manitowoc	WvB	'yocena varia	L	H	W	M		M	p		4	200	5	0.2	0.021
Manitowoc	WvC2	'yocena varia	L	H	W	M		M	p		9	150	5	0.2	0.058
Manitowoc	ZuB	Zurich	L	H	W	H		M			4	200	5	0.43	0.046
Manitowoc	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
Marathon	AbB	Alban	L	H	MW	M		F			4	200	5	0.37	0.039
Marathon	Ad	Altdorf	L	M	P	H		F	w	w	1	250	3	0.43	0.024
Marathon	AmC	Amery	L	M	W	L		F			10	150	3	0.43	0.241
Marathon	CbA	Cable	L	M	VP	L		F	w	w	2	250	4	0.32	0.021
Marathon	Ch	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Marathon	CkA	Chetek	L	M	SE	L		F			1	250	3	0.2	0.011
Marathon	CkB	Chetek	L	M	SE	L		F			4	200	3	0.2	0.035
Marathon	CkC	Chetek	L	M	SE	L		F			11	150	3	0.2	0.129
Marathon	CkE	Chetek	L	M	SE	L		F			23	80	3	0.2	0.306
Marathon	Da	Dancy	L	M	P	M		F	w	w	1	250	5	0.24	0.008
Marathon	DoA	Dolph	L	H	SP	H		F	w	w	2	250	3	0.37	0.032
Marathon	DuB	Dunnville	L	H	MW	M		F	p		3	200	3	0.24	0.028
Marathon	FeC	Fenwood	L	H	W	M		F			9	150	3	0.43	0.206
Marathon	FeD	Fenwood	L	H	W	M		F			16	100	3	0.43	0.407

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marathon	FfC	Fenwood	L	M	W	L		F			9	150	3	0.37	0.178
Marathon	FfE	Fenwood	L	M	W	L		F			23	80	3	0.37	0.566
Marathon	FgB	Fenwood	L	H	W	M		F			4	200	3	0.43	0.076
Marathon	FgB	Rozellville	L	H	W	M		F			4	200	5	0.43	0.046
Marathon	Fh	Fordum	L	M	P	M		F	w	w	1	250	3	0.37	0.021
Marathon	FnB	Freeon	L	H	MW	M		F			4	200	5	0.49	0.052
Marathon	FnC	Freeon	L	M	MW	L		F			9	150	5	0.49	0.141
Marathon	GcB	Graycalm	S	S	SE	L		F	p		4	200	5	0.15	0.016
Marathon	Gm	Graycalm	S	S	MW	L		F	p		1	250	5	0.15	0.005
Marathon	Gr	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Marathon	GuB	Guenther	S	S	MW	M		F			4	200	5	0.24	0.025
Marathon	HtB	Hatley	L	H	SP	M		F	w	w	4	200	5	0.43	0.046
Marathon	HyB	Hatley	L	H	SP	M		F	w	w	4	200	5	0.43	0.046
Marathon	KaB	Kennan	L	H	W	M		F			5	200	5	0.2	0.03
Marathon	KaC	Kennan	L	H	W	M		F			12	100	5	0.2	0.072
Marathon	KaD2	Kennan	L	H	W	M		F			23	80	5	0.2	0.184
Marathon	KeB	Kennan	L	H	W	M		F			5	200	5	0.17	0.026
Marathon	KeC	Kennan	L	H	W	M		F			12	100	5	0.17	0.061
Marathon	KeE	Kennan	L	H	W	M		F			23	80	5	0.17	0.156
Marathon	LoB	Loyal	L	H	MW	M		F			4	300	4	0.49	0.076
Marathon	LoC	Loyal	L	H	MW	M		F			9	150	4	0.49	0.176
Marathon	MaB	Magnor	L	H	SP	M		F			4	200	4	0.49	0.065
Marathon	MbB	Mahtomedi	S	S	E	L		F	p		3	200	5	0.15	0.01
Marathon	MbC	Mahtomedi	S	S	E	L		F	p		11	150	5	0.15	0.058
Marathon	MbE	Mahtomedi	S	S	E	L		F	p		30	60	5	0.15	0.185
Marathon	McA	Mahtomedi	S	S	MW	L		F	p		2	250	5	0.15	0.008
Marathon	MdB	Marathon	L	H	W	M		F			4	200	4	0.43	0.057
Marathon	MdC	Marathon	L	H	W	M		F			9	150	4	0.43	0.155
Marathon	MeC	Marathon	L	M	W	L		F			9	150	4	0.37	0.133
Marathon	MfA	Marshfield	L	M	P	M		F			1	250	5	0.43	0.015
Marathon	MgA	Meadland	L	H	SP	H		F	w	w	2	250	5	0.28	0.015
Marathon	MhA	Meadland	L	H	SP	M		F	w	w	2	250	5	0.24	0.012
Marathon	Mm	Meehan	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Marathon	Mn	Minocqua	L	M	P	L		F	w	w	1	250	3	0.17	0.01
Marathon	MoB	Moberg	L	M	SE	L		F	p		4	200	3	0.28	0.049
Marathon	MoC	Moberg	L	M	SE	L		F	p		11	150	3	0.28	0.18
Marathon	MsB	Mosinee	L	M	W	L		F			4	200	3	0.28	0.049
Marathon	MsC	Mosinee	L	M	W	L		F			9	150	3	0.28	0.134
Marathon	MsD	Mosinee	L	M	W	L		F			16	100	3	0.28	0.265
Marathon	MtC	Mosinee	L	M	W	L		F			9	150	3	0.24	0.115
Marathon	MyB	Mylrea	L	H	SP	M		F	w	w	4	200	3	0.43	0.076
Marathon	MzB	Mylrea	L	H	SP	M		F	w	w	4	200	3	0.37	0.065
Marathon	Ne	Newson	S	S	VP	L		F	w	w	1	250	5	0.17	0.006
Marathon	Oe	Oesterle	L	M	SP	L		F	w	w	1	250	3	0.37	0.021
Marathon	Po	Plover	L	H	SP	H		F			1	250	5	0.24	0.008
Marathon	RbC	Ribhill	L	M	W	L		F			11	150	2	0.32	0.309
Marathon	RbE	Ribhill	L	M	W	L	S	F			23	80	2	0.32	0.734
Marathon	RcB	Rietbrock	L	H	SP	M		F	w	w	5	200	3	0.43	0.109



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marathon	ReB	Rietbrock	L	M	SP	L		F	w	w	5	200	3	0.37	0.094
Marathon	RhA	Rockers	S	S	SP	M		F	w	w	2	250	5	0.15	0.008
Marathon	RoA	Rosholt	L	M	W	L		F	p		1	250	4	0.24	0.01
Marathon	RoB	Rosholt	L	M	W	L		F	p		4	200	4	0.24	0.032
Marathon	RsA	Rosholt	L	M	W	L		F			1	250	3	0.49	0.028
Marathon	RsB	Rosholt	L	M	W	L		F			4	200	3	0.49	0.087
Marathon	ScA	Scott Lake	L	M	MW	L		F			2	250	3	0.2	0.017
Marathon	SdA	Scott Lake	L	H	MW	M		F			2	250	3	0.37	0.032
Marathon	Se	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Marathon	ShA	Sherry	L	M	P	H		F	w	w	2	250	5	0.37	0.019
Marathon	St	Sturgeon	L	H	SP	M		F	w	w	1	250	3	0.49	0.028
Marathon	WtA	Withee	L	H	SP	M		F			2	250	4	0.43	0.028
Marinette	3901B	Emmet	L	M	W	M		F			4	245	4	0.28	0.04
Marinette	3901D	Emmet	L	M	W	M		F			9	195	4	0.28	0.115
Marinette	3901F	Emmet	L	M	W	M		F			25	100	4	0.28	0.412
Marinette	3902B	Emmet	L	M	W	M		F	w	w	4	245	4	0.28	0.04
Marinette	3902B	Solona	L	M	SP	H		F	w	w	2	245	5	0.28	0.015
Marinette	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Marinette	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Marinette	7101	Onaway	L	M	W	M		F			12	100	3	0.37	0.222
Marinette	7102	Onaway	L	M	W	M		F			25	60	3	0.32	0.486
Marinette	7201	Onaway	L	M	W	M		F			9	150	3	0.37	0.178
Marinette	7203	Onaway	L	M	W	M		F			27	60	3	0.32	0.553
Marinette	7204	Onaway	L	M	W	M		F			16	100	3	0.37	0.35
Marinette	7206	Onaway	L	M	W	M		F			4	200	3	0.32	0.057
Marinette	7207	Onaway	L	M	W	M		F			9	150	3	0.32	0.154
Marinette	7208	Onaway	L	M	W	M		F			4	200	3	0.32	0.057
Marinette	7208	Ossineke	L	M	MW	M		F			2	200	4	0.28	0.018
Marinette	7209	Onaway	L	M	W	M		F			4	200	3	0.32	0.057
Marinette	7209	Ossineke	L	M	MW	M		F			2	200	4	0.28	0.018
Marinette	7502	Ossineke	L	M	MW	M		F			2	250	4	0.28	0.018
Marinette	7601	Ossineke	L	M	MW	M		F			2	250	4	0.28	0.018
Marinette	7601	Solona	L	M	SP	H		F			2	250	5	0.32	0.017
Marinette	AdA	Allendale	S	S	SP	L		F			1.5	250	4	0.1	0.005
Marinette	AkC	Alpena	S	S	E	VL		F	p		9	150	5	0.15	0.043
Marinette	AkE	Alpena	S	S	E	VL		F	p		23.5	80	5	0.15	0.143
Marinette	Ar	Arnheim	L	M	P	M		F	w	w	0.5	250	5	0.37	0.008
Marinette	AuA	Au Gres	S	S	SP	L		F	w	w	1.5	250	5	0.1	0.004
Marinette	BaA	Banat	L	M	SP	L		F	w	w	1.5	250	3	0.28	0.02
Marinette	BnA	Bonduel	L	M	SP	L	S	F	w	w	1.5	250	2	0.37	0.039
Marinette	Bs	Brevort	L	M	P	L		F	w	w	1	250	5	0.2	0.007
Marinette	Bv	Bruce	L	M	VP	H		F	w	w	1	250	5	0.2	0.007
Marinette	ChA	Charlevoix	L	M	SP	M		F	w	w	1.5	250	5	0.2	0.008
Marinette	CtB	Croswell	S	S	MW	L		F	p		3.5	200	5	0.15	0.014
Marinette	CuB	Cunard	L	M	W	L	S	F			3.5	200	2	0.43	0.099
Marinette	De	Deford	S	S	P	L		F	w	w	1	250	5	0.1	0.003
Marinette	EaC	Emmert	S	S	E	VL		F	p		10.5	150	5	0.2	0.072
Marinette	EaC	Pence	S	S	W	L		F	p		10.5	150	5	0.24	0.086

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marinette	EaC	Sarona	L	M	W	M		F	p		10.5	150	5	0.24	0.086
Marinette	EaD	Emmert	S	S	E	VL		F	p		25	60	5	0.2	0.182
Marinette	EaD	Pence	S	S	W	L		F	p		25	60	5	0.24	0.219
Marinette	EaD	Sarona	L	M	W	M		F	p		25	60	5	0.24	0.219
Marinette	EmC	Emmet	L	M	W	M		F			9	150	5	0.32	0.092
Marinette	EmD	Emmet	L	M	W	M		F			16	100	5	0.32	0.182
Marinette	Ey	Ensley	L	M	VP	M		F	w	w	1	250	5	0.24	0.008
Marinette	FsB	Fence	L	M	W	H		F			4	200	5	0.49	0.052
Marinette	FsC	Fence	L	M	W	H		F			10.5	150	5	0.49	0.176
Marinette	Fw	Forada	L	M	VP	L		F	w	w	0.5	250	3	0.32	0.012
Marinette	GaA	Gaastra	L	M	SP	H		F	w	w	1.5	250	5	0.43	0.018
Marinette	GmB	Goodman	L	M	W	H		F			4	200	5	0.49	0.052
Marinette	GmC	Goodman	L	M	W	H		F			10.5	150	5	0.49	0.176
Marinette	HbB	Hibbing	L	M	MW	M		F		w	3.5	200	5	0.43	0.04
Marinette	IsA	Iosco	S	S	SP	M		F	w	w	1.5	250	5	0.17	0.007
Marinette	IxC	Ishpeming	S	S	SE	L		F	pr	r	9.5	150	2	0.2	0.155
Marinette	KaB	Karlin	S	S	SE	L		F	p		4	200	2	0.24	0.064
Marinette	KaC	Karlin	S	S	SE	L		F	p		10.5	150	2	0.24	0.216
Marinette	KeB	Keweenaw	S	S	W	L		F	p		3.5	200	5	0.17	0.016
Marinette	KeC	Keweenaw	S	S	W	L		F	p		10.5	150	5	0.17	0.061
Marinette	KeD	Keweenaw	S	S	W	L		F	p		20	80	5	0.17	0.124
Marinette	Ls	Dawson	O	M	VP			F			0.5	250	1	0.02	0.002
Marinette	Ls	Loxley	O	M	VP			F			0.5	250	2	0.02	0.001
Marinette	McB	Mancelona	S	S	SE	L		F	p		3	200	5	0.17	0.012
Marinette	McC	Mancelona	S	S	SE	L		F	p		9	150	5	0.17	0.049
Marinette	McD	Mancelona	S	S	SE	L		F	p		16	100	5	0.17	0.097
Marinette	MeB	Manistee	S	S	W	L		F	p		4	200	4	0.1	0.013
Marinette	MhB	Menahga	S	S	E	L		F	p		3	200	5	0.05	0.003
Marinette	MhC	Menahga	S	S	E	L		F	p		10.5	150	5	0.05	0.018
Marinette	MhD	Menahga	S	S	E	L		F	p		20	80	5	0.05	0.036
Marinette	MmB	Mancelona	S	S	SE	L		F	p		4	200	5	0.17	0.018
Marinette	MmB	Menahga	S	S	E	L		F	p		4	200	5	0.05	0.005
Marinette	MmB	Menominee	S	S	W	M		F	p		4	200	5	0.24	0.025
Marinette	MmC	Mancelona	S	S	SE	L		F	p		10.5	150	5	0.17	0.061
Marinette	MmC	Menahga	S	S	E	L		F	p		10.5	150	5	0.05	0.018
Marinette	MmC	Menominee	S	S	W	M		F	p		10.5	150	5	0.24	0.086
Marinette	MmD	Mancelona	S	S	SE	L		F	p		20	80	5	0.17	0.124
Marinette	MmD	Menahga	S	S	E	L		F	p		20	80	5	0.05	0.036
Marinette	MmD	Menominee	S	S	W	M		F	p		20	80	5	0.24	0.175
Marinette	MoB	Menominee	S	S	W	M		F			4	200	5	0.24	0.025
Marinette	MoC	Menominee	S	S	W	M		F			9	150	5	0.24	0.069
Marinette	MoD	Menominee	S	S	W	M		F			16	100	5	0.24	0.136
Marinette	MrC	Michigamme	L	M	W	L	S	F	r	r	9.5	150	2	0.32	0.248
Marinette	MsA	Monico	L	M	SP	M		F	w	w	1.5	250	5	0.28	0.012
Marinette	Mt	Moquah	L	M	MW	M		F			1	250	5	0.17	0.006
Marinette	NaB	Nadeau	L	M	W	L		F			4	200	3	0.24	0.042
Marinette	NaC	Nadeau	L	M	W	L		F			9	150	3	0.24	0.115
Marinette	Nh	Nahma	L	M	P	L		F	w	w	1	250	1	0.02	0.003

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marinette	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Marinette	PaC	Padus	L	M	W	L		F			10.5	150	3	0.32	0.192
Marinette	PaD	Padus	L	M	W	L		F			20	80	3	0.32	0.389
Marinette	PkB	Pence	S	S	W	L		F	p		3.5	200	5	0.24	0.022
Marinette	PkC	Pence	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Marinette	Pm	Pickford	L	M	P	M		F			1	250	5	0.37	0.013
Marinette	Pn	Pinconning	S	S	P	L		F	w	w	1	250	4	0.05	0.002
Marinette	Rc	Roscommon	S	S	P	L		F	w	w	1	250	5	0.17	0.006
Marinette	Rm	Roscommon	S	S	P	L		F	wr	wr	1	250	5	0.17	0.006
Marinette	RsB	Rousseau	S	S	MW	L		F	p		3.5	200	5	0.17	0.016
Marinette	SbB	Sarona	L	M	W	M		F			4	200	5	0.24	0.025
Marinette	SbC	Sarona	L	M	W	M		F			10.5	150	5	0.24	0.086
Marinette	SbD	Sarona	L	M	W	M		F			20	80	5	0.24	0.175
Marinette	ScB	Sayner	S	S	E	VL		F	p		3.5	200	5	0.24	0.022
Marinette	ScC	Sayner	S	S	E	VL		F	p		10.5	150	5	0.24	0.086
Marinette	Sdi	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Marinette	Sdi	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Marinette	SeA	Selkirk	L	M	SP	M		F	w	w	1.5	250	3	0.37	0.026
Marinette	SfB	Shawano	S	S	E	L		F	p		4	200	5	0.32	0.034
Marinette	SfC	Shawano	S	S	E	L		F	p		9	150	5	0.32	0.092
Marinette	SfD	Shawano	S	S	E	L		F	p		21	80	5	0.32	0.253
Marinette	SuB	Summerville	L	M	W	VL	S	F	r	r	3.5	200	1	0.24	0.11
Marinette	SuC	Summerville	L	M	W	VL	S	F	r	r	9	150	1	0.24	0.346
Marinette	WaA	Wainola	S	S	SP	L		F	w	w	1.5	250	5	0.2	0.008
Marinette	WrA	Worcester	L	M	SP	L		F	w	w	1.5	250	3	0.28	0.02
Marquette	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	Ae	Adrian variant	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	Ak	Adrian variant	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	Ao	Ankeny	L	H	W	H		M	w	w	1	250	4	0.17	0.007
Marquette	BmB	Boyer	S	S	W	L		M	p		4	200	4	0.32	0.042
Marquette	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.32	0.115
Marquette	BmD2	Boyer	S	S	W	L		M	p		16	100	4	0.32	0.227
Marquette	BmE2	Boyer	S	S	W	L		M	p		25	60	4	0.32	0.365
Marquette	BnB	Boyer	L	M	W	L		M	p		4	200	4	0.28	0.037
Marquette	BnC2	Boyer	L	M	W	L		M	p		9	150	4	0.28	0.101
Marquette	BnD2	Boyer	L	M	W	L		M	p		16	100	4	0.28	0.199
Marquette	BoA	Boyer variant	L	M	W	L		M	w	w	1	250	3	0.32	0.018
Marquette	BoB	Boyer variant	L	M	W	L		M			4	200	3	0.32	0.057
Marquette	BoC2	Boyer variant	L	M	W	L		M			9	150	3	0.32	0.154
Marquette	BrB	Boyer	S	S	W	L		M	p		4	200	4	0.24	0.032
Marquette	BrB	Oshtemo	S	S	W	M		M	p		4	200	4	0.17	0.023
Marquette	BrC2	Boyer	S	S	W	L		M	p		9	150	4	0.24	0.086
Marquette	BrC2	Oshtemo	S	S	W	M		M	p		9	150	4	0.17	0.061
Marquette	BsA	Briggsville	L	H	W	H		M	w	w	1	250	5	0.28	0.01
Marquette	BsB	Briggsville	L	H	W	H		M			4	200	5	0.28	0.03
Marquette	BsC2	Briggsville	L	H	W	H		M			9	150	5	0.28	0.081
Marquette	BsD2	Briggsville	L	H	W	H		M			16	100	5	0.28	0.159

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marquette	BvA	Briggsville	L	H	W	H		M	w	w	1	250	5	0.37	0.013
Marquette	BvB	Briggsville	L	H	W	H		M			4	200	5	0.37	0.039
Marquette	CaB	Casco	L	M	W	L		M			4	200	2	0.28	0.074
Marquette	CaC2	Casco	L	M	W	L		M			9	150	2	0.28	0.202
Marquette	CaD2	Casco	L	M	W	L		M			16	100	2	0.28	0.398
Marquette	CaE2	Casco	L	M	W	L		M			25	60	2	0.28	0.638
Marquette	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.2	0.007
Marquette	DeB	Delton	S	S	W	M		M			3.5	200	4	0.24	0.028
Marquette	DeC2	Delton	S	S	W	M		M			9	150	4	0.24	0.086
Marquette	DfA	Delton	L	H	W	M		M			1	250	4	0.28	0.012
Marquette	DfB	Delton	L	H	W	M		M			4	200	4	0.28	0.037
Marquette	DfC2	Delton	L	H	W	M		M			9	150	4	0.28	0.101
Marquette	FmB	Fox	L	H	W	M		M			4	200	4	0.2	0.027
Marquette	FmC2	Fox	L	H	W	M		M			9	150	4	0.2	0.072
Marquette	FoB	Fox	L	H	W	M		M			4	200	4	0.32	0.042
Marquette	FoC2	Fox	L	H	W	M		M			9	150	4	0.32	0.115
Marquette	GIA	Gotham	S	S	W	L		M	p		1	250	5	0.28	0.01
Marquette	GIB	Gotham	S	S	W	L		M	p		4	200	5	0.28	0.03
Marquette	GIC	Gotham	S	S	W	L		M	p		9	150	5	0.28	0.081
Marquette	GID	Gotham	S	S	W	L		M	p		16	100	5	0.28	0.159
Marquette	GmA	Gotham	S	S	W	M		M	p		1	250	5	0.32	0.011
Marquette	GmB	Gotham	S	S	W	M		M	p		4	200	5	0.32	0.034
Marquette	GmC2	Gotham	S	S	W	M		M	p		9	150	5	0.32	0.092
Marquette	GmD2	Gotham	S	S	W	M		M	p		16	100	5	0.32	0.182
Marquette	GnA	Gotham	S	S	W	L		M	p		1	250	5	0.28	0.01
Marquette	GnB	Gotham	S	S	W	L		M	p		4	200	5	0.28	0.03
Marquette	GoA	Gotham	S	S	W	M		M	p		2	250	5	0.28	0.015
Marquette	Gr	Granby	S	S	P	L		M	w	w	1	250	5	0.17	0.006
Marquette	Gs	Granby	S	S	P	L		M	w	w	1	250	5	0.2	0.007
Marquette	Gt	Granby	S	S	P	M		M	w	w	1	250	5	0.24	0.008
Marquette	Hm	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Marquette	Hp	Houghton varia	O	M	VP			F	w	w	1	250	2	0.02	0.002
Marquette	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.2	0.007
Marquette	LpB	Lapeer	L	H	W	M		M			4	200	5	0.24	0.025
Marquette	LpB	Pardeeville	L	H	W	M		M			4	200	5	0.32	0.034
Marquette	LpC2	Lapeer	L	H	W	M		M			9	150	5	0.24	0.069
Marquette	LpC2	Pardeeville	L	H	W	M		M			9	150	5	0.32	0.092
Marquette	LpD2	Lapeer	L	H	W	M		M			16	100	5	0.24	0.136
Marquette	LpD2	Pardeeville	L	H	W	M		M			16	100	5	0.32	0.182
Marquette	LpE2	Lapeer	L	H	W	M		M			25	60	5	0.24	0.219
Marquette	LpE2	Pardeeville	L	H	W	M		M			25	60	5	0.32	0.292
Marquette	LrA	Lorenzo	L	M	W	L		M			1	250	3	0.28	0.016
Marquette	LrB	Lorenzo	L	M	W	L		M			4	200	3	0.28	0.049
Marquette	McD2	Mecan	S	S	SE	M		M	p		16	100	5	0.24	0.136
Marquette	McE2	Mecan	S	S	SE	M		M	p		25	60	5	0.24	0.219
Marquette	MeB	Mecan	L	M	SE	M		M	p		4	200	5	0.24	0.025
Marquette	MeC2	Mecan	L	M	SE	M		M	p		9	150	5	0.24	0.069
Marquette	MfB	Metea	S	S	SE	M		M	p		4	200	4	0.2	0.027

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marquette	MfC2	Metea	S	S	SE	M		M	p		9	150	4	0.2	0.072
Marquette	MfD	Metea	S	S	SE	M		M	p		16	100	4	0.2	0.142
Marquette	MIB	Metea	S	S	W	M		M			4	200	5	0.24	0.025
Marquette	MIC2	Metea	S	S	W	M		M			9	150	5	0.24	0.069
Marquette	MmB	Metea	L	M	SE	M		M			4	200	4	0.24	0.032
Marquette	MmC	Metea	L	M	SE	M		M			9	150	4	0.24	0.086
Marquette	MmD2	Metea	L	M	SE	M		M			16	100	4	0.24	0.17
Marquette	MnB	Metea	L	H	W	M		M			4	200	5	0.24	0.025
Marquette	MnC2	Metea	L	H	W	M		M			9	150	5	0.24	0.069
Marquette	MoA	Metea	L	H	W	M		M			1	250	5	0.24	0.008
Marquette	MoB	Metea	L	H	W	M		M			4	200	5	0.24	0.025
Marquette	MoC	Metea	L	H	W	M		M			9	150	5	0.24	0.069
Marquette	MrA	Montello	L	H	MW	H		M			1	250	3	0.32	0.018
Marquette	MrB	Montello	L	H	MW	H		M			4	200	3	0.32	0.057
Marquette	MsA	Montello	L	H	MW	H		M			1	250	3	0.37	0.021
Marquette	MsB	Montello	L	H	MW	H		M			4	200	3	0.37	0.065
Marquette	MtA	Mosel	L	H	SP	M		M		w	1.5	250	5	0.15	0.006
Marquette	MuA	Mosel	L	H	SP	M		M		w	1.5	250	5	0.28	0.012
Marquette	MvA	Moundville	S	S	MW	L		M	p		1.5	250	5	0.24	0.01
Marquette	MwA	Moundville	S	S	MW	M		M	p		1.5	250	5	0.24	0.01
Marquette	MxA	Mundelein	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Marquette	MyA	Mundelein	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Marquette	OsA	Oshtemo	S	S	W	M		M	p		1	250	4	0.24	0.01
Marquette	OsB	Oshtemo	S	S	W	M		M	p		4	200	4	0.24	0.032
Marquette	OsC2	Oshtemo	S	S	W	M		M	p		9	150	4	0.24	0.086
Marquette	OsD2	Oshtemo	S	S	W	M		M	p		16	100	4	0.24	0.17
Marquette	OtA	Oshtemo	L	H	W	M		M	p		1	250	4	0.24	0.01
Marquette	OtB	Oshtemo	L	H	W	M		M	p		4	200	4	0.24	0.032
Marquette	OtC2	Oshtemo	L	H	W	M		M	p		9	150	4	0.24	0.086
Marquette	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	Pc	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	PfC2	Plainfield	S	S	E	L		M	p		6	150	5	0.02	0.003
Marquette	PfD2	Plainfield	S	S	E	L		M	p		16	100	5	0.02	0.011
Marquette	PIA	Plainfield	S	S	E	L		M	p		1	250	5	0.2	0.007
Marquette	PIB	Plainfield	S	S	E	L		M	p		4	200	5	0.2	0.021
Marquette	PIC	Plainfield	S	S	E	L		M	p		9	150	5	0.2	0.058
Marquette	PID2	Plainfield	S	S	E	L		M	p		16	100	5	0.2	0.114
Marquette	PnB	Plainfield	S	S	E	L		M	p		4	200	5	0.2	0.021
Marquette	PnB	Wyocena	S	S	W	L		M	p		4	200	3	0.32	0.057
Marquette	PnC	Plainfield	S	S	E	L		M	p		9	150	5	0.2	0.058
Marquette	PnC	Wyocena	S	S	W	L		M	p		9	150	3	0.32	0.154
Marquette	PnE	Plainfield	S	S	E	L		M	p		21	80	5	0.2	0.158
Marquette	PnE	Wyocena	S	S	W	L		M	p		21	80	3	0.32	0.421
Marquette	Po	Poygan	L	M	P	M		M	w	w	1	250	5	0.24	0.008
Marquette	Ps	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Marquette	Ro	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Marquette	SeA	Seward	S	S	MW	L		M			1	250	5	0.24	0.008
Marquette	SeB	Seward	S	S	MW	L		M			4	200	5	0.24	0.025

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Marquette	SoA	Sisson	L	H	W	H		M			1	250	5	0.17	0.006
Marquette	SoB2	Sisson	L	H	W	H		M			4	200	5	0.17	0.018
Marquette	SsA	Sisson	L	H	W	H		M			1	250	5	0.32	0.011
Marquette	SsB	Sisson	L	H	W	H		M			4	200	5	0.32	0.034
Marquette	TdA	Tedrow	S	S	SP	L		M		w	1.5	250	5	0.24	0.01
Marquette	TeA	Tedrow	S	S	SP	M		M		w	1.5	250	5	0.24	0.01
Marquette	TfA	Tedrow	S	S	SP	L		M		w	1.5	250	5	0.28	0.012
Marquette	TIA	Tedrow	S	S	SP	M		M		w	1.5	250	5	0.24	0.01
Marquette	WoB	Wyocena	S	S	W	L		M	p		4	200	3	0.32	0.057
Marquette	WoC	Wyocena	S	S	W	L		M	p		9	150	3	0.32	0.154
Marquette	WoD	Wyocena	S	S	W	L		M	p		16	100	3	0.32	0.303
Marquette	WoE	Wyocena	S	S	W	L		M	p		25	60	3	0.32	0.486
Marquette	WyB	Wyocena	L	H	W	M		M	p		4	200	3	0.28	0.049
Marquette	WyC2	Wyocena	L	H	W	M		M	p		9	150	3	0.28	0.134
Marquette	YaA	Yahara	L	H	SP	H		M			1.5	250	5	0.2	0.008
Menominee	AfB	Aftad	L	H	MW	M		F			3	200	5	0.37	0.026
Menominee	AnB	Annalake	L	H	MW	M		F			3	200	5	0.32	0.022
Menominee	AtB	Antigo	L	H	W	M		F			3	200	3	0.43	0.05
Menominee	AuA	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.1	0.005
Menominee	CeB	Cress	S	S	SE	L		F			3	200	2	0.2	0.035
Menominee	CeC	Cress	S	S	SE	L		F			11	150	2	0.2	0.193
Menominee	CeD	Cress	S	S	SE	L		F			25	60	2	0.2	0.456
Menominee	CmA	Crex	S	S	MW	L		F	p		2	250	5	0.1	0.005
Menominee	CrB	Cromwell	S	S	SE	L		F	p		3	200	3	0.24	0.028
Menominee	CrC	Cromwell	S	S	SE	L		F	p		11	150	3	0.24	0.154
Menominee	CrD	Cromwell	S	S	SE	L		F	p		25	60	3	0.24	0.365
Menominee	CsA	Croswell	S	S	MW	L		F	p		2	250	5	0.1	0.005
Menominee	FeB	Frechette	L	H	W	H		F			4	200	5	0.28	0.03
Menominee	FeC	Frechette	L	H	W	H		F			11	150	5	0.28	0.108
Menominee	FeD	Frechette	L	H	W	H		F			25	60	5	0.28	0.255
Menominee	FrB	Frechette	L	H	W	H		F			4	200	5	0.24	0.025
Menominee	FrC	Frechette	L	H	W	H		F			11	150	5	0.24	0.093
Menominee	FrD	Frechette	L	H	W	H		F			25	60	5	0.24	0.219
Menominee	GaB	Grayling	S	S	E	L		F	p		3	200	5	0.17	0.012
Menominee	GaC	Grayling	S	S	E	L		F	p		11	150	5	0.17	0.066
Menominee	GaD	Grayling	S	S	E	L		F	p		25	60	5	0.17	0.155
Menominee	GyB	Grayling	S	S	E	L		F	p		3	200	5	0.05	0.003
Menominee	GyC	Grayling	S	S	E	L		F	p		11	150	5	0.05	0.019
Menominee	GyD	Grayling	S	S	E	L		F	p		25	60	5	0.05	0.046
Menominee	IgA	Ingalls	S	S	SP	M		F	w	w	2	250	5	0.15	0.008
Menominee	IsB	Iosco	L	H	SP	M		F	w	w	2	250	5	0.1	0.005
Menominee	IxB	Ishpeming	S	S	SE	VL	S	F	pr	r	4	200	2	0.02	0.005
Menominee	IxC	Ishpeming	S	S	SE	VL	S	F	pr	r	11	150	2	0.02	0.019
Menominee	KaB	Karlin	L	M	SE	L		F	p		3	200	2	0.24	0.042
Menominee	KaC	Karlin	L	M	SE	L		F	p		11	150	2	0.24	0.232
Menominee	KaD	Karlin	L	M	SE	L		F	p		25	60	2	0.24	0.547
Menominee	KeC	Kennan	L	H	W	M		F			11	150	5	0.55	0.212
Menominee	KeD	Kennan	L	H	W	M		F			25	60	5	0.55	0.502

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Menominee	KoC	Kennan	L	H	W	M		F			11	150	5	0.55	0.212
Menominee	KoD	Kennan	L	H	W	M		F			25	60	5	0.55	0.502
Menominee	KxB	Keshena	L	H	MW	H		F			4	200	5	0.28	0.03
Menominee	LaB	Lablatz	L	H	SP	M		F			2	250	5	0.24	0.012
Menominee	LoA	Loxley	O	M	VP			F	w	w	1	250	3	0.02	0.001
Menominee	LuA	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Menominee	LuA	Lupton	O	M	VP			F	w	w	1	250	2	0.02	0.002
Menominee	LuA	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Menominee	MaB	Mahtomedi	S	S	E	L		F	p		3	200	5	0.1	0.007
Menominee	MaC	Mahtomedi	S	S	E	L		F	p		11	150	5	0.1	0.039
Menominee	MaD	Mahtomedi	S	S	E	L		F	p		25	60	5	0.1	0.091
Menominee	MoC	Menominee	L	H	W	M		F			11	150	5	0.32	0.124
Menominee	MoD	Menominee	L	H	W	M		F			25	60	5	0.32	0.292
Menominee	MqB	Mequithy	L	M	W	L	S	F	r	r	4	200	2	0.24	0.064
Menominee	MqC	Mequithy	L	M	W	L	S	F	r	r	11	150	2	0.24	0.232
Menominee	MuA	Minocqua	L	M	VP	L		F	w	w	1	250	3	0.49	0.028
Menominee	MwB	Moodig	L	H	SP	M		F			2	250	3	0.32	0.028
Menominee	MxB	Morganlake	S	S	MW	M		F	p		3	200	5	0.24	0.017
Menominee	MzB	Moshawquit	S	S	W	L		F			4	200	5	0.24	0.025
Menominee	MzC	Moshawquit	S	S	W	L		F			11	150	5	0.24	0.093
Menominee	NeA	Neconish	S	S	MW	L		F	p		2	250	5	0.1	0.005
Menominee	NoB	Neopit	L	H	MW	M		F			4	200	5	0.37	0.039
Menominee	NpB	Neopit	L	H	MW	M		F			4	200	5	0.55	0.058
Menominee	NsA	Noseum	L	M	MW	L		F			2	250	2	0.28	0.036
Menominee	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Menominee	PaC	Padus	L	M	W	L		F			11	150	3	0.43	0.277
Menominee	PaD	Padus	L	M	W	L		F			25	60	3	0.43	0.654
Menominee	PbB	Padwet	L	M	MW	L		F			3	200	3	0.32	0.037
Menominee	PeB	Pecore	L	H	W	M		F			4	200	4	0.37	0.049
Menominee	PeC	Pecore	L	H	W	M		F			11	150	4	0.37	0.179
Menominee	PeD	Pecore	L	H	W	M		F			25	60	4	0.37	0.422
Menominee	PnB	Pence	L	M	SE	L		F	p		3	200	2	0.28	0.049
Menominee	PnC	Pence	L	M	SE	L		F	p		11	150	2	0.28	0.27
Menominee	PnD	Pence	L	M	SE	L		F	p		25	60	2	0.28	0.638
Menominee	PrB	Perote	L	H	W	M		F			4	200	4	0.37	0.049
Menominee	PrC	Perote	L	H	W	M		F			10	150	4	0.37	0.155
Menominee	PrD	Perote	L	H	W	M		F			25	60	4	0.37	0.422
Menominee	PsB	Peshtigo	L	H	SP	H		F			2	250	5	0.37	0.019
Menominee	RaB	Rabe	S	S	W	M		F			4	200	5	0.24	0.025
Menominee	RaC	Rabe	S	S	W	M		F			10	150	5	0.24	0.081
Menominee	RaD	Rabe	S	S	W	M		F			25	60	5	0.24	0.219
Menominee	RbA	Robago	L	H	SP	M		F	w	w	2	250	5	0.32	0.017
Menominee	RcA	Roscommon	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Menominee	RoB	Rosholt	L	M	W	L		F	p		3	200	3	0.28	0.033
Menominee	RoC	Rosholt	L	M	W	L		F	p		11	150	3	0.28	0.18
Menominee	RoD	Rosholt	L	M	W	L		F	p		25	60	3	0.28	0.426
Menominee	RsB	Rousseau	S	S	W	L		F	p		3	200	5	0.1	0.007
Menominee	RsC	Rousseau	S	S	W	L		F	p		11	150	5	0.1	0.039

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Menominee	RsD	Rousseau	S	S	W	L		F	p		25	60	5	0.1	0.091
Menominee	ScA	Scott Lake	L	M	MW	L		F			2	250	3	0.24	0.021
Menominee	SfB	Shawano	S	S	E	L		F	p		3	200	5	0.1	0.007
Menominee	SfC	Shawano	S	S	E	L		F	p		11	150	5	0.1	0.039
Menominee	SfD	Shawano	S	S	E	L		F	p		25	60	5	0.1	0.091
Menominee	SuA	Sunia	S	S	MW	L		F			2	250	5	0.24	0.012
Menominee	TIC	Tilleda	L	H	W	H		F			11	150	5	0.28	0.108
Menominee	TID	Tilleda	L	H	W	H		F			25	60	5	0.28	0.255
Menominee	TmA	Tipler	L	M	MW	L		F			2	250	4	0.37	0.024
Menominee	ToB	Tourtillotte	S	S	MW	L		F	p		3	200	5	0.24	0.017
Menominee	ToC	Tourtillotte	S	S	MW	L		F	p		11	150	5	0.24	0.093
Menominee	VsB	Vilas	S	S	E	L		F	p		3	200	5	0.24	0.017
Menominee	VsC	Vilas	S	S	E	L		F	p		11	150	5	0.24	0.093
Menominee	VsD	Vilas	S	S	E	L		F	p		25	60	5	0.24	0.219
Menominee	WaA	Wainola	S	S	SP	M		F	w	w	2	250	5	0.24	0.012
Menominee	WkB	Wayka	L	M	SP	L	S	F	r	r	2	250	2	0.28	0.036
Menominee	WrA	Worcester	L	M	SP	L		F	w	w	2	250	3	0.32	0.028
Menominee	WtA	Wormet	L	M	SP	L		F		w	2	250	3	0.28	0.024
Menominee	WuA	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.05	0.003
Milwaukee	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	AsA	Ashkum	L	M	P	M		M	w	w	0.5	150	5	0.2	0.004
Milwaukee	AzA	Aztalan	L	H	SP	H		M			1	250	3	0.24	0.014
Milwaukee	AzB	Aztalan	L	H	SP	H		M			4	200	3	0.24	0.042
Milwaukee	BIA	Blount	L	H	SP	M		M			2	250	5	0.37	0.019
Milwaukee	BmB	Boyer	S	S	W	L		M	p		3.5	200	4	0.15	0.017
Milwaukee	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.15	0.054
Milwaukee	BnB	Boyer	L	M	W	L		M	p		3.5	200	3	0.15	0.023
Milwaukee	BsA	Brookston	L	M	VP	H		M	w	w	1.5	250	5	0.32	0.013
Milwaukee	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Milwaukee	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Milwaukee	CcD2	Casco	L	M	W	L		M			16	100	2	0.24	0.341
Milwaukee	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Milwaukee	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Milwaukee	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Milwaukee	CfC2	Casco	L	M	W	VL		M			9	150	2	0.28	0.202
Milwaukee	CrC2	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Milwaukee	CrC2	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Milwaukee	CrD	Casco	L	M	W	L		M	p		16	100	2	0.32	0.454
Milwaukee	CrD	Rodman	L	M	E	VL		M	p		16	100	5	0.24	0.136
Milwaukee	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Milwaukee	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Milwaukee	CrF	Casco	L	M	SE	L		M	p		37.5	60	2	0.32	1.416
Milwaukee	CrF	Rodman	L	M	E	VL		M	p		37.5	60	2	0.2	0.885
Milwaukee	CtB	Chelsea	S	S	E	L		M	p		3.5	200	5	0.05	0.005
Milwaukee	CtD	Chelsea	S	S	E	L		M	p		13	100	5	0.05	0.02
Milwaukee	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Milwaukee	DdA	Dodge	L	H	W	H		M			1	250	5	0.43	0.015
Milwaukee	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Milwaukee	Dt	Drummer	L	M	P	H		M	w	w	1	250	4	0.32	0.014
Milwaukee	EsA	Elliott	L	H	SP	M		M			2	250	5	0.28	0.015
Milwaukee	FaA	Fabius	L	M	SP	L		M		w	2	250	3	0.32	0.028
Milwaukee	FmA	Fox	L	H	W	M		M			1	250	4	0.24	0.01
Milwaukee	FmB	Fox	L	H	W	M		M			4	200	4	0.24	0.032
Milwaukee	FmC2	Fox	L	H	W	M		M			9	150	4	0.24	0.086
Milwaukee	FnB	Fox	L	H	W	M		M			4	200	5	0.24	0.025
Milwaukee	FoA	Fox	L	H	W	M		M			1	250	4	0.37	0.016
Milwaukee	FoB	Fox	L	H	W	M		M			4	200	4	0.37	0.049
Milwaukee	FoC2	Fox	L	H	W	M		M			9	150	4	0.37	0.133
Milwaukee	FsA	Fox	L	H	W	M		M			1	250	4	0.43	0.018
Milwaukee	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Milwaukee	FsC2	Fox	L	H	W	M		M			9	150	4	0.43	0.155
Milwaukee	FtB	Fox	L	H	W	M		M			4	200	5	0.43	0.046
Milwaukee	Gd	Gilford	L	M	VP	M		M	w	w	1	250	3	0.24	0.014
Milwaukee	Gf	Granby	S	S	VP	L		M	w	w	1	250	2	0.15	0.013
Milwaukee	GrA	Grays	L	H	W	H		M			1	250	5	0.43	0.015
Milwaukee	GrB	Grays	L	H	W	H		M			4	200	5	0.43	0.046
Milwaukee	GtB	Griswold	L	H	W	M		M			4	200	5	0.37	0.039
Milwaukee	GtC2	Griswold	L	H	W	M		M			9	150	5	0.37	0.107
Milwaukee	GwB	riswold varia	L	H	SP	M		M			4	200	5	0.32	0.034
Milwaukee	HeA	Hebron	L	H	W	H		M			1	250	5	0.43	0.015
Milwaukee	HeB	Hebron	L	H	W	H		M			4	200	5	0.43	0.046
Milwaukee	HeC2	Hebron	L	H	W	H		M			9	150	5	0.43	0.124
Milwaukee	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Milwaukee	HmB2	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Milwaukee	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Milwaukee	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Milwaukee	HmE2	Hochheim	L	H	W	M		M			25	60	2	0.37	0.844
Milwaukee	HoC3	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Milwaukee	HoD3	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Milwaukee	HoE3	Hochheim	L	H	W	M		M			25	60	2	0.28	0.638
Milwaukee	HtA	Houghton	O	H	VP			M	w	w	0.5	250	2	0.02	0.001
Milwaukee	HtB	Houghton	O	H	VP			M	w	w	1.5	250	2	0.02	0.002
Milwaukee	JuA	Juneau	L	H	W	H		M			2	250	5	0.49	0.025
Milwaukee	KeA	Kane	L	H	SP	M		M			2	250	3	0.28	0.024
Milwaukee	KIA	Kendall	L	H	SP	H		M			2	250	5	0.43	0.022
Milwaukee	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Milwaukee	KnC2	Kewaunee	L	H	W	M		M			9	150	3	0.43	0.206
Milwaukee	KwA	Knowles	L	M	W	L	S	M			1	250	2	0.43	0.037
Milwaukee	KwB	Knowles	L	M	W	L	S	M			4	200	2	0.43	0.114
Milwaukee	LmB	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Milwaukee	Lo	Lawson	L	H	SP	H		M			1	250	5	0.37	0.013
Milwaukee	LyB2	Lorenzo	L	M	W	L		M			4	200	3	0.24	0.042
Milwaukee	LyC2	Lorenzo	L	M	W	L		M			9	150	3	0.24	0.115
Milwaukee	LyD2	Lorenzo	L	M	W	L		M			16	100	3	0.24	0.227
Milwaukee	MaA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Milwaukee	MeB	Markham	L	H	MW	H		M			4	200	5	0.37	0.039

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Milwaukee	MgA	Martinton	L	H	SP	H		M			2	250	5	0.28	0.015
Milwaukee	MhA	Matherton	L	M	SP	L		M		w	2	250	3	0.15	0.013
Milwaukee	MmA	Matherton	L	H	SP	M		M		w	2	250	3	0.32	0.028
Milwaukee	MoA	Mayville	L	H	MW	H		M			1	250	3	0.49	0.028
Milwaukee	MoB	Mayville	L	H	MW	H		M			4	200	3	0.49	0.087
Milwaukee	MtA	Mequon	L	H	SP	H		M			2	250	5	0.37	0.019
Milwaukee	MvB	Miami	L	H	W	M		M			4	200	5	0.24	0.025
Milwaukee	MvC2	Miami	L	H	W	M		M			9	150	5	0.24	0.069
Milwaukee	MxB	Miami	L	H	W	M		M			4	200	5	0.37	0.039
Milwaukee	MxC2	Miami	L	H	W	M		M			9	150	5	0.37	0.107
Milwaukee	MxD2	Miami	L	H	W	M		M			16	100	5	0.37	0.21
Milwaukee	MxE	Miami	L	H	W	M		M			25	60	5	0.37	0.337
Milwaukee	Mzb	Montgomery	L	M	VP	H		M	w	w	1	250	5	0.2	0.007
Milwaukee	MzdB	Morley	L	H	W	M		M			4	200	5	0.37	0.039
Milwaukee	MzdB2	Morley	L	H	W	M		M			4	200	5	0.37	0.039
Milwaukee	MzdC2	Morley	L	H	W	M		M			9	150	5	0.37	0.107
Milwaukee	MzdD2	Morley	L	H	W	M		M			16	100	5	0.37	0.21
Milwaukee	MzfA	Mundelein	L	H	SP	H		M			2	250	5	0.32	0.017
Milwaukee	Mzg	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	Mzk	Mussey	L	M	P	L		M	w	w	1	250	5	0.24	0.008
Milwaukee	Na	Navan	L	M	P	M		M	w	w	1	250	5	0.37	0.013
Milwaukee	Oc	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	OmB	Oshtemo	S	S	W	L		M	p		3.5	200	4	0.2	0.023
Milwaukee	OnB	Oshtemo	L	H	W	M		M	p		3.5	200	4	0.28	0.032
Milwaukee	OuB	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Milwaukee	OuB2	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Milwaukee	OuC2	Ozaukee	L	H	W	H		M			9	150	3	0.43	0.206
Milwaukee	OuD2	Ozaukee	L	H	W	H		M			16	100	3	0.43	0.407
Milwaukee	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Milwaukee	Pm	Pella variant	L	M	P	L	S	M	w	w	1	250	2	0.37	0.031
Milwaukee	PrA	Pistakee	L	H	SP	VH		M			2	250	5	0.49	0.025
Milwaukee	RkB	Ritchey	L	M	W	L	S	M	r	r	3.5	200	1	0.32	0.147
Milwaukee	RkC2	Ritchey	L	M	W	L	S	M	r	r	9	150	1	0.32	0.461
Milwaukee	RkE	Ritchey	L	M	W	L	S	M	r	r	21	80	1	0.32	1.264
Milwaukee	RIA	Ritchey varian	L	M	SP	L	S	M			2	250	2	0.37	0.048
Milwaukee	Ru	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	Rv	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Milwaukee	SaA	St. Charles	L	H	W	H		M			2	250	4	0.17	0.011
Milwaukee	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Milwaukee	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Milwaukee	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Milwaukee	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Milwaukee	Sg	sawmill varian	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Milwaukee	ShA	Saylesville	L	H	W	H		M			1	250	3	0.43	0.024
Milwaukee	ShB	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Milwaukee	ShB2	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Milwaukee	ShC2	Saylesville	L	H	W	H		M			9	150	3	0.43	0.206

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Milwaukee	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Milwaukee	ThA	Theresa	L	H	W	M		M			1	250	3	0.49	0.028
Milwaukee	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Milwaukee	ThB2	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Milwaukee	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Milwaukee	VsA	Virgil	L	H	SP	H		M			1.5	250	4	0.37	0.019
Milwaukee	Wa	Walkill	L	M	VP	M		M	w	w	1.5	250	5	0.32	0.013
Milwaukee	WdB	Warsaw	L	H	W	M		M			4	200	3	0.15	0.026
Milwaukee	WeA	Warsaw	L	H	W	M		M			1	250	3	0.24	0.014
Milwaukee	WeB	Warsaw	L	H	W	M		M			4	200	3	0.24	0.042
Milwaukee	WeC2	Warsaw	L	H	W	M		M			9	150	3	0.24	0.115
Milwaukee	WhA	Warsaw	L	H	W	M		M			1	250	3	0.28	0.016
Milwaukee	WmA	Wasepi	L	M	SP	L		M			2	250	4	0.2	0.013
Monroe	103C2	Wildale	L	H	W	M		M			9	150	3	0.49	0.235
Monroe	105B2	Wildale	L	H	W	M		M			4	200	3	0.49	0.087
Monroe	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Monroe	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Monroe	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Monroe	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Monroe	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Monroe	114C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Monroe	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Monroe	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Monroe	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Monroe	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Monroe	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Monroe	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Monroe	1203F	Boone	S	S	E	VL		M	pr	r	50	60	3	0.05	0.23
Monroe	1218A	Ironrun	S	S	SP	L		F	wp	w	2	250	5	0.05	0.003
Monroe	1218A	Ponycreek	S	S	P	L		F	wp	w	1	250	5	0.05	0.002
Monroe	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Monroe	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Monroe	122B2	Newhouse	L	H	W	H		M			4	200	5	0.49	0.052
Monroe	1233F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Monroe	1233F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Monroe	1234C2	Bilson	L	H	W	M		M			9	150	3	0.28	0.134
Monroe	1234C2	Elevasil	L	M	SE	L		M			9	150	3	0.24	0.115
Monroe	123C2	Blackhammer	L	H	W	H		M			9	150	5	0.49	0.141
Monroe	123D2	Blackhammer	L	H	W	H		M			16	100	5	0.49	0.278
Monroe	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Monroe	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Monroe	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Monroe	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
Monroe	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
Monroe	132C2	Brinkman	L	H	MW	VH		M			9	150	5	0.49	0.141
Monroe	133B2	Valton	L	H	W	M		M			4	200	4	0.49	0.065
Monroe	133C2	Valton	L	H	W	M		M			9	150	4	0.49	0.176
Monroe	133D2	Valton	L	H	W	M		M			16	100	4	0.49	0.348

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Monroe	134D2	Lamoille	L	H	W	M		M			16	100	3	0.49	0.464
Monroe	134E2	Lamoille	L	H	W	M		M			25	60	3	0.49	0.745
Monroe	137B	Mickle	L	H	MW	VH		M			4	200	5	0.43	0.046
Monroe	137C	Mickle	L	H	MW	VH		M			9	150	5	0.43	0.124
Monroe	143A	Reedsburg	L	H	SP	M		M			1	250	4	0.49	0.021
Monroe	143B	Reedsburg	L	H	SP	M		M			4	200	4	0.49	0.065
Monroe	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Monroe	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Monroe	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Monroe	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Monroe	1519A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Monroe	1519A	Ponycreek	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Monroe	1548A	Majik	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Monroe	1548A	Ponycreek	S	S	P	L		F	w	w	1	250	5	0.05	0.002
Monroe	1599A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Monroe	1599A	Ponycreek	L	M	P	L		F	w	w	1	250	5	0.05	0.002
Monroe	15A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Monroe	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Monroe	163E2	Elbaville	L	H	W	M		M			25	60	4	0.43	0.49
Monroe	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Monroe	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Monroe	164E	Elizabeth	L	M	SE	VL	S	M	r	r	25	60	1	0.37	1.687
Monroe	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Monroe	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Monroe	1715D2	Council	L	H	W	H		M			16	100	5	0.43	0.244
Monroe	1715D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Monroe	1715E2	Council	L	H	W	H		M			22	80	5	0.43	0.367
Monroe	1715E2	Seaton	L	H	W	VH		M			22	80	5	0.49	0.418
Monroe	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
Monroe	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Monroe	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Monroe	17A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Monroe	190F	Brodale	L	M	E	L		M			62.5	60	3	0.43	2.718
Monroe	202B2	Lambeau	L	H	W	VH		M			4	200	4	0.49	0.065
Monroe	202C2	Lambeau	L	H	W	VH		M			9	150	4	0.49	0.176
Monroe	202D2	Lambeau	L	H	W	H		M			16	100	4	0.49	0.348
Monroe	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Monroe	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Monroe	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Monroe	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Monroe	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Monroe	214C2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Monroe	214D2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Monroe	218A	Ironrun	S	S	SP	L		F	p		1	250	5	0.05	0.002
Monroe	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Monroe	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Monroe	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Monroe	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Monroe	253B2	Greenridge	L	H	W	H		M			3	200	5	0.49	0.034
Monroe	253C2	Greenridge	L	H	W	H		M			8	150	5	0.49	0.119
Monroe	253D2	Greenridge	L	H	W	H		M			16	100	5	0.49	0.278
Monroe	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Monroe	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Monroe	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Monroe	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Monroe	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Monroe	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Monroe	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Monroe	25A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Monroe	264B2	Rockbridge	L	H	W	M		M			4	150	4	0.43	0.051
Monroe	264C2	Rockbridge	L	H	W	M		M			9	150	4	0.43	0.155
Monroe	2A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Monroe	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
Monroe	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Monroe	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Monroe	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Monroe	359A	Menasha	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Monroe	377A	Curran	L	H	SP	H		M			1	250	4	0.43	0.018
Monroe	37A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Monroe	382B	Bertrand	L	H	W	H		M			4	200	4	0.49	0.065
Monroe	382C2	Bertrand	L	H	W	H		M			9	150	4	0.49	0.176
Monroe	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Monroe	386B	Jackson	L	H	MW	H		M			4	200	4	0.43	0.057
Monroe	387A	Curran	L	H	SP	H		M			1	250	4	0.43	0.018
Monroe	398A	Neenah	L	H	SP	M		M			1.5	250	3	0.37	0.026
Monroe	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Monroe	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Monroe	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Monroe	434D2	Bilson	L	H	W	M		M	p		16	100	5	0.24	0.136
Monroe	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
Monroe	448A	Sooner	L	H	SP	M		M		w	1	250	5	0.43	0.015
Monroe	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Monroe	458A	Hoop	L	M	SP	L		M		w	1	250	3	0.24	0.014
Monroe	466A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Monroe	498A	Hoop	L	H	SP	M		M		w	1.5	250	5	0.28	0.012
Monroe	499A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Monroe	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Monroe	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Monroe	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Monroe	518A	Rockdam	S	S	MW	L		F	p		2	250	5	0.05	0.003
Monroe	519A	Ponycreek	L	M	VP	L		F	wp	w	1	250	5	0.05	0.002
Monroe	551A	Impact	S	S	E	L		M	p		1	250	5	0.05	0.002
Monroe	551B	Impact	S	S	E	L		M	p		4	200	5	0.05	0.005
Monroe	556A	Mindoro	S	S	MW	L		M	p		1	250	5	0.05	0.002
Monroe	558A	Wyeville	S	S	SP	M		M			1.5	250	5	0.17	0.007
Monroe	559A	Wautoma	S	S	P	M		M	w	w	1	250	4	0.05	0.002

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Monroe	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Monroe	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019
Monroe	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Monroe	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
Monroe	562C	Gosil	S	S	SE	L		M	p		9	150	5	0.24	0.069
Monroe	562D2	Gosil	S	S	SE	L		M	p		16	150	5	0.24	0.167
Monroe	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Monroe	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
Monroe	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
Monroe	596A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Monroe	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Monroe	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Monroe	625A	Arenzville	L	H	MW	VH		M			1	250	5	0.49	0.017
Monroe	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Monroe	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Monroe	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Monroe	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Monroe	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Monroe	679A	Ettrick	L	M	P	H		M	w	w	1	250	4	0.37	0.016
Monroe	688A	Sechler	L	M	SP	L		M		w	2	250	3	0.28	0.024
Monroe	699A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Monroe	743B2	Council	L	H	W	H		M			4	200	5	0.37	0.039
Monroe	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Monroe	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Monroe	743E2	Council	L	H	W	H		M			25	60	5	0.37	0.337
Oconto	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Oconto	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Oconto	7101	Onaway	L	H	W	M		F			12	100	3	0.37	0.222
Oconto	7102	Onaway	L	H	W	M		F			25	60	3	0.32	0.486
Oconto	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Oconto	7203	Onaway	L	H	W	M		F			27	60	3	0.32	0.553
Oconto	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Oconto	7206	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Oconto	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Oconto	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Oconto	7209	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Oconto	7209	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Oconto	7502	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Oconto	7601	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Oconto	7601	Solona	L	H	SP	H		F			2	250	5	0.32	0.017
Oconto	AaE	Alpena	S	S	E	VL		F	p		25	60	5	0.17	0.155
Oconto	BnA	Bonduel	L	H	SP	M		F			2	300	2	0.37	0.052
Oconto	Bs	Brevort	S	S	VP	M		F	w	w	1	300	5	0.15	0.005
Oconto	Co	Cormant	S	S	VP	L		F	w	w	1	300	5	0.15	0.005
Oconto	Es	Ensley	L	M	VP	M		F	w	w	1	300	5	0.24	0.009
Oconto	FpB	Fairport	L	M	W	L		F			4	200	2	0.24	0.064
Oconto	FpC	Fairport	L	M	W	L		F			8	150	2	0.24	0.145
Oconto	FsB	Fence	L	H	W	H		F			4	200	5	0.55	0.058

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Oconto	FsC	Fence	L	H	W	H		F			8	150	5	0.55	0.133
Oconto	IsA	Iosco	S	S	SP	M		F			1	300	5	0.1	0.004
Oconto	KaB	Kennan	L	H	W	M		F			4	200	5	0.28	0.03
Oconto	KaC	Kennan	L	H	W	M		F			8	150	5	0.28	0.068
Oconto	KaD	Kennan	L	H	W	M		F			20	100	5	0.28	0.228
Oconto	KeB	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Oconto	KeC	Keweenaw	S	S	W	L		F	p		8	150	5	0.15	0.036
Oconto	KeD	Keweenaw	S	S	W	L		F	p		20	100	5	0.15	0.122
Oconto	KvB	Kiva	S	S	W	L		F			4	200	2	0.17	0.045
Oconto	KvC	Kiva	S	S	W	L		F			8	150	3	0.17	0.069
Oconto	KvD	Kiva	S	S	W	L		F			20	100	2	0.17	0.347
Oconto	Lx	Loxley	O	M	VP			F	w	w	1	300	2	0.02	0.002
Oconto	McB	Mancelona	S	S	SE	L		F	p		4	200	5	0.17	0.018
Oconto	McC	Mancelona	S	S	SE	L		F	p		8	150	5	0.17	0.041
Oconto	MnB	Menahga	S	S	E	L		F	p		4	200	5	0.15	0.016
Oconto	MnC	Menahga	S	S	E	L		F	p		8	150	5	0.02	0.005
Oconto	MnD	Menahga	S	S	E	L		F	p		20	80	5	0.05	0.036
Oconto	MoB	Menominee	S	S	W	M		F			4	200	5	0.24	0.025
Oconto	MoC	Menominee	S	S	W	M		F			8	150	5	0.24	0.058
Oconto	MoD	Menominee	S	S	W	M		F			16	100	5	0.24	0.136
Oconto	Mu	Minocqua	L	M	P	L		F	w	w	1	300	3	0.28	0.017
Oconto	NeB	Nester	L	H	W	M		F			4	200	5	0.49	0.052
Oconto	OcB	Oconto	L	H	W	M		F			4	200	3	0.28	0.049
Oconto	OcC	Oconto	L	H	W	M		F			8	150	3	0.28	0.113
Oconto	OcD	Oconto	L	M	W	L		F			16	100	3	0.28	0.265
Oconto	OeC2	Onaway	L	H	W	M		F			8	150	5	0.2	0.048
Oconto	OeD2	Onaway	L	H	W	M		F			16	100	5	0.2	0.114
Oconto	OsB	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Oconto	OvC	Kiva	S	S	W	L		F	p		8	150	2	0.17	0.103
Oconto	OvC	Menahga	S	S	E	VL		F	p		8	150	5	0.05	0.012
Oconto	OvC	Onaway	L	H	W	M		F	p		8	150	3	0.32	0.129
Oconto	OvD	Kiva	S	S	W	L		F	p		20	80	2	0.17	0.31
Oconto	OvD	Menahga	S	S	E	VL		F	p		20	80	5	0.05	0.036
Oconto	OvD	Onaway	L	H	W	M		F	p		20	80	3	0.32	0.389
Oconto	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Oconto	PaC	Padus	L	H	W	M		F			8	150	3	0.37	0.149
Oconto	PaD	Padus	L	M	W	L		F			20	100	3	0.37	0.503
Oconto	PeA	Pelkie	S	S	MW	L		F	p		1	300	5	0.15	0.005
Oconto	PkB	Pence	S	S	W	L		F	p		4	200	5	0.2	0.021
Oconto	PkC	Pence	S	S	W	L		F	p		8	150	5	0.2	0.048
Oconto	PkD	Pence	S	S	W	L		F	p		20	100	5	0.2	0.163
Oconto	PsD	Peshekee	L	M	W	VL	S	F	r	r	16	100	1	0.28	0.795
Oconto	RsB	Rousseau	S	S	MW	L		F	p		4	200	5	0.1	0.011
Oconto	Sdi	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Oconto	Sdi	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Oconto	SfB	Shawano	S	S	E	L		F	p		4	200	5	0.05	0.005
Oconto	SfC	Shawano	S	S	E	L		F	p		8	150	5	0.05	0.012
Oconto	SfD	Shawano	S	S	E	L		F	p		16	100	5	0.05	0.028

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Oconto	ShA	Shiocton	L	H	SP	H		F			1	300	5	0.43	0.015
Oconto	SoA	Solona	L	H	SP	M		F			1	300	5	0.28	0.01
Oconto	SuB	Summerville	L	M	W	VL	S	F	r	r	4	200	1	0.2	0.106
Oconto	SuE	Summerville	L	M	W	VL	S	F	r	r	25	60	1	0.2	0.912
Oconto	TIB	Tilleda	L	H	W	M		F			4	200	5	0.24	0.025
Oconto	TIC2	Tilleda	L	H	W	M		F			8	150	5	0.24	0.058
Oconto	WaA	Wainola	S	S	SP	L		F		w	1	300	5	0.2	0.007
Oconto	Wd	Waupaca	L	M	P	M		F	w	w	1	300	5	0.49	0.018
Oconto	Wf	Winterfield	S	S	SP			F		w	1	300	5	0.2	0.007
Oconto	WrA	Worcester	L	M	SP	L		F		w	1	295	3	0.37	0.022
Oneida	AcB	Alcona	L	M	MW	M		F			3	200	5	0.32	0.022
Oneida	AcC	Alcona	L	M	MW	M		F			10.5	150	5	0.32	0.115
Oneida	Au	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Oneida	CaA	Cable	L	M	VP	M		F	w	w	1.5	250	4	0.49	0.026
Oneida	Cb	Carbondale	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Oneida	Cb	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Oneida	Cb	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Oneida	CrA	Croswell	S	S	MW	L		F	p		1.5	250	5	0.05	0.002
Oneida	CsA	Croswell	S	S	MW	L		F	p		1.5	250	5	0.24	0.01
Oneida	EmE	Emmert	S	S	E	VL		F	p		32.5	60	5	0.02	0.028
Oneida	Fh	Fordum	L	M	P	M		F	w	w	1	250	3	0.32	0.018
Oneida	GoB	Goodman	L	M	MW	M		F			3.5	200	5	0.49	0.045
Oneida	GoC	Goodman	L	M	MW	M		F			10.5	150	5	0.49	0.176
Oneida	GoD	Goodman	L	M	W	M		F			20	80	5	0.49	0.358
Oneida	Gr	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Oneida	Gr	Greenwood	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Oneida	Gr	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Oneida	KaB	Karlin	S	S	SE	L		F	p		3	200	3	0.32	0.037
Oneida	KeB	Keweenaw	S	S	MW	L		F			3.5	200	5	0.24	0.022
Oneida	KeC	Keweenaw	S	S	W	L		F			10.5	150	5	0.24	0.086
Oneida	KeD	Keweenaw	S	S	W	L		F			20	80	5	0.24	0.175
Oneida	KnB	Keweenaw	S	S	MW	L		F	p		3.5	200	5	0.24	0.022
Oneida	KnB	Vilas	S	S	E	L		F	p		3.5	200	5	0.15	0.014
Oneida	KnC	Keweenaw	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Oneida	KnC	Vilas	S	S	E	L		F	p		10.5	150	5	0.15	0.054
Oneida	KrD	Keweenaw	S	S	W	L		F	p		22.5	80	5	0.24	0.213
Oneida	KrD	Sayner	S	S	E	VL		F	p		22.5	80	5	0.2	0.177
Oneida	Ks	Kinross	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Oneida	MaB	Magnor	L	M	SP	M		F			3.5	200	4	0.49	0.056
Oneida	Mc	Minocqua	L	M	P	L		F	w	w	1	250	3	0.43	0.024
Oneida	MoB	Monico	L	M	SP	L		F	w	w	3.5	200	5	0.32	0.029
Oneida	PaB	Padus	L	M	MW	L		F			3	200	3	0.37	0.043
Oneida	PaC	Padus	L	M	W	L		F			10.5	150	3	0.37	0.222
Oneida	PaD	Padus	L	M	W	L		F			20	80	3	0.37	0.45
Oneida	PbB	Goodman	L	M	MW	M		F			3.5	200	5	0.49	0.045
Oneida	PbB	Padus	L	M	MW	L		F			3.5	200	3	0.37	0.057
Oneida	PbC	Goodman	L	M	MW	M		F			10.5	150	5	0.49	0.176
Oneida	PbC	Padus	L	M	W	L		F			10.5	150	3	0.37	0.222



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Oneida	PbD	Goodman	L	M	W	M		F			20	80	5	0.49	0.358
Oneida	PbD	Padus	L	M	W	L		F			20	80	3	0.37	0.45
Oneida	PeB	Padus	L	M	W	L		F	p		3.5	200	5	0.28	0.026
Oneida	PeB	Pence	S	S	W	L		F	p		3.5	200	5	0.24	0.022
Oneida	PeC	Padus	L	M	W	L		F	p		10.5	150	5	0.28	0.101
Oneida	PeC	Pence	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Oneida	PeD	Padus	L	M	W	L		F	p		30	60	5	0.28	0.345
Oneida	PeD	Pence	S	S	W	L		F	p		30	60	5	0.24	0.296
Oneida	PrB	Pequaming	S	S	SP	L		F	w	w	2	250	5	0.2	0.01
Oneida	PvA	Plover	L	M	SP	H		F			1.5	250	5	0.37	0.016
Oneida	RsB	Rousseau	S	S	W	L		F	p		3	200	5	0.24	0.017
Oneida	RsC	Rousseau	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Oneida	SaB	Sayner	S	S	E	VL		F	p		3	200	5	0.2	0.014
Oneida	SaC	Sayner	S	S	E	VL		F	p		10.5	150	5	0.2	0.072
Oneida	SaD	Sayner	S	S	E	VL		F	p		30	60	5	0.2	0.246
Oneida	VsB	Vilas	S	S	E	L		F	p		3	200	5	0.15	0.01
Oneida	VsC	Vilas	S	S	E	L		F	p		10.5	150	5	0.15	0.054
Oneida	VsD	Vilas	S	S	E	L		F	p		20	80	5	0.15	0.11
Oneida	WoA	Worcester	L	M	SP	L		F	w	w	1.5	250	3	0.28	0.02
Outagamie	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Outagamie	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Outagamie	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Outagamie	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Outagamie	7501	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Outagamie	7601	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Outagamie	7601	Solona	L	H	SP	H		F			2	250	5	0.32	0.017
Outagamie	AdA	Allendale	S	S	SP	L		F	w	w	1.5	250	4	0.24	0.013
Outagamie	Ax	Angelica	L	M	P	M		F	w	w	1	250	5	0.32	0.011
Outagamie	Bc	Bellevue	L	H	MW	H		M	w	w	1	250	5	0.37	0.013
Outagamie	BnA	Bonduel	L	M	SP	L	S	F	w	w	1.5	250	2	0.37	0.039
Outagamie	BoA	Borth	L	H	W	M		M			1.5	250	3	0.37	0.026
Outagamie	BrB	Boyer	S	S	W	L		M	p		4	200	4	0.2	0.027
Outagamie	BrC2	Boyer	S	S	W	L		M	p		9	150	4	0.24	0.086
Outagamie	BrD2	Boyer	S	S	W	L		M	p		16	100	4	0.24	0.17
Outagamie	BtA	Briggsville	L	H	W	H		M			1	250	5	0.43	0.015
Outagamie	BtB	Briggsville	L	H	W	H		M			4	200	5	0.43	0.046
Outagamie	Ca	Carbondale	O	M	VP			F	w	w	1	250	2	0.02	0.002
Outagamie	CcB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Outagamie	CcC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Outagamie	CcD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Outagamie	Cm	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Outagamie	CnB	Channahon	L	M	MW	L	S	M	r	r	4	200	1	0.37	0.196
Outagamie	De	Deford	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Outagamie	EIB	Eleva	L	M	W	L	S	M			4	200	3	0.2	0.035
Outagamie	EIC2	Eleva	L	M	W	L		M			10.5	150	3	0.28	0.168
Outagamie	GrA	Grays	L	H	MW	H		M			1	250	5	0.37	0.013
Outagamie	GrB	Grays	L	H	MW	H		M			4	200	5	0.37	0.039
Outagamie	HeB	Hebron	L	H	W	H		M			4	200	5	0.37	0.039

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Outagamie	HnB	Hortonville	L	H	W	H		M			4	200	5	0.32	0.034
Outagamie	HnC2	Hortonville	L	H	W	H		M			9	150	5	0.32	0.092
Outagamie	HrB	Hortonville	L	H	W	H		M			4	200	5	0.43	0.046
Outagamie	HrC2	Hortonville	L	H	W	H		M			9	140	5	0.43	0.12
Outagamie	HrD2	Hortonville	L	H	W	H		M			16	115	5	0.43	0.261
Outagamie	HrE	Hortonville	L	H	W	H		M			25	60	5	0.49	0.447
Outagamie	HsB	Hortonville	L	H	W	M		M			4	200	3	0.37	0.065
Outagamie	HsC2	Hortonville	L	H	W	M		M			9	150	3	0.49	0.235
Outagamie	HtB	Hortonville	L	H	W	H		M	w	w	4	200	5	0.43	0.046
Outagamie	HtB	Symco	L	H	SP	H		M	w	w	2	250	5	0.37	0.019
Outagamie	KaA	Kaukauna	L	H	MW	H		M	w	w	1.5	250	5	0.24	0.01
Outagamie	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Outagamie	KhB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Outagamie	KhC2	Kewaunee	L	H	W	M		M			9	150	5	0.49	0.141
Outagamie	KhD2	Kewaunee	L	H	W	M		M			16	100	5	0.49	0.278
Outagamie	KkE3	Kewaunee	L	H	W	M		M			32.5	60	5	0.32	0.449
Outagamie	KlB	Kewaunee	L	H	W	M		M			4	200	5	0.49	0.052
Outagamie	KlB	Manawa	L	H	SP	H		M			4	200	5	0.32	0.034
Outagamie	KoB	Kolberg	L	M	W	L	S	F			3.5	200	2	0.43	0.099
Outagamie	KoC2	Kolberg	L	M	W	L	S	F			9	150	2	0.49	0.353
Outagamie	Lo	Lobo	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Outagamie	McA	Manawa	L	H	SP	M		M			1.5	250	3	0.37	0.026
Outagamie	MeB	Manistee	S	S	W	M		F	p		4	200	4	0.1	0.013
Outagamie	MeC2	Manistee	S	S	W	M		F	p		9	150	4	0.2	0.072
Outagamie	MfB	Manistee	S	S	W	M		F			4	200	4	0.2	0.027
Outagamie	Mk	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Outagamie	MsB	Menominee	S	S	W	M		F			4	200	5	0.2	0.021
Outagamie	MsC2	Menominee	S	S	W	M		F			9	150	5	0.32	0.092
Outagamie	MtA	Mosel	L	H	SP	M		M			1.5	250	5	0.37	0.016
Outagamie	MuA	Mundelein	L	H	SP	H		M	w	w	1.5	250	5	0.32	0.013
Outagamie	NaB	Namur	L	M	W	VL	S	F	r	r	3.5	200	1	0.43	0.198
Outagamie	NfA	Nichols	L	H	MW	H		M			1	250	3	0.43	0.024
Outagamie	NfB	Nichols	L	H	MW	H		M			4	200	3	0.43	0.076
Outagamie	NsA	Nichols	L	H	MW	M		M			1	250	3	0.43	0.024
Outagamie	NsB	Nichols	L	H	MW	M		M			4	200	3	0.43	0.076
Outagamie	Pe	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Outagamie	Pf	Poy	L	M	P	L		M			1	250	3	0.28	0.016
Outagamie	Po	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Outagamie	Rd	Rondeau	O	M	VP			F	w	w	1	250	1	0.02	0.003
Outagamie	RoB	Rousseau	S	S	W	L		F	p		4	200	5	0.17	0.018
Outagamie	SeC	Shawano	S	S	E	L		F	p		9	150	5	0.1	0.029
Outagamie	SeD	Shawano	S	S	E	L		F	p		23.5	80	5	0.1	0.095
Outagamie	ShA	Shiocton	L	H	SP	H		F	w	w	1.5	250	5	0.49	0.021
Outagamie	SkA	Shiocton	L	H	SP	M		F	w	w	2.5	250	4	0.43	0.034
Outagamie	SnB	Nichols	L	H	MW	H		M	w	w	4	200	3	0.43	0.076
Outagamie	SnB	Shiocton	L	H	SP	H		F	w	w	3	200	5	0.49	0.034
Outagamie	SoA	Solona	L	H	SP	M		F	w	w	2	250	5	0.37	0.019
Outagamie	Su	Suamico	O	H	VP			M	w	w	1	250	1	0.02	0.003

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Outagamie	SyA	Symco	L	H	SP	H		M	w	w	1.5	250	5	0.37	0.016
Outagamie	SzA	Symco variant	L	M	SP	L		M	w	w	1.5	250	3	0.37	0.026
Outagamie	WaA	Wainola	S	S	SP	L		F	w	w	1.5	250	5	0.2	0.008
Outagamie	Wb	Will	L	M	P	L		M	w	w	1	250	3	0.28	0.016
Outagamie	WnA	Winneconne	L	H	W	M		M			1	250	3	0.2	0.011
Outagamie	WnB	Winneconne	L	H	W	M		M			4	200	3	0.2	0.035
Outagamie	WnC2	Winneconne	L	H	W	M		M			9	150	3	0.32	0.154
Outagamie	ZtA	Zittau	L	H	SP	M		M		w	1.5	250	3	0.28	0.02
Ozaukee	Ak	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Ozaukee	As	Ashkum	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Ozaukee	AzA	Aztalan	L	H	SP	H		M		w	2	250	3	0.24	0.021
Ozaukee	BmB2	Boyer	S	S	W	L		M	p		3.5	200	4	0.15	0.017
Ozaukee	BmD2	Boyer	S	S	W	L		M	p		13	100	4	0.15	0.076
Ozaukee	BnA	Boyer	S	S	W	L		M	w	w	1.5	250	4	0.1	0.005
Ozaukee	BoB	Boyer	S	S	W	M		M	p		3.5	200	4	0.1	0.012
Ozaukee	BsA	Brookston	L	M	P	H		M	w	w	1.5	250	5	0.37	0.016
Ozaukee	CcB2	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Ozaukee	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Ozaukee	CeB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Ozaukee	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Ozaukee	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Ozaukee	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Ozaukee	CrE2	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Ozaukee	CrE2	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Ozaukee	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Ozaukee	DaA	Darroch variant	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Ozaukee	DcA	Darroch variant	L	H	SP	H		M			1.5	250	5	0.43	0.018
Ozaukee	DsA	Dresden	L	H	W	M		M			2	250	3	0.43	0.037
Ozaukee	FaA	Fabius	L	M	SP	L		M			2	250	2	0.32	0.042
Ozaukee	FmB	Fox	L	H	W	M		M			3.5	200	3	0.37	0.057
Ozaukee	FoA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Ozaukee	FoB	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Ozaukee	Ge	Granby	S	S	P	L		M	w	w	1	250	5	0.1	0.003
Ozaukee	HeB	Hebron	L	H	MW	H		M			3.5	200	5	0.37	0.034
Ozaukee	HmA	Hochheim	L	H	W	M		M			1	250	3	0.28	0.016
Ozaukee	HmB2	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Ozaukee	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Ozaukee	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Ozaukee	HsA	Casco	L	M	W	L		M			1	250	2	0.32	0.027
Ozaukee	HsA	Hochheim	L	H	W	M		M			1	250	3	0.28	0.016
Ozaukee	HsA	Sisson	L	H	W	H		M			1	250	5	0.17	0.006
Ozaukee	HsB2	Casco	L	M	W	L		M			4	200	2	0.32	0.085
Ozaukee	HsB2	Hochheim	L	H	W	M		M			4	200	3	0.28	0.049
Ozaukee	HsB2	Sisson	L	H	W	H		M			4	200	5	0.2	0.021
Ozaukee	HsC2	Casco	L	M	W	L		M			9	150	2	0.32	0.23
Ozaukee	HsC2	Hochheim	L	H	W	M		M			9	150	3	0.28	0.134
Ozaukee	HsC2	Sisson	L	H	W	H		M			9	150	5	0.17	0.049
Ozaukee	HsD2	Casco	L	M	W	L		M			16	100	2	0.32	0.454

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ozaukee	HsD2	Hochheim	L	H	W	M		M			16	100	3	0.28	0.265
Ozaukee	HsD2	Sisson	L	H	W	H		M			16	100	5	0.17	0.097
Ozaukee	HsE2	Casco	L	M	W	L		M			27.5	60	2	0.32	0.854
Ozaukee	HsE2	Hochheim	L	H	W	M		M			27.5	60	3	0.28	0.498
Ozaukee	HsE2	Sisson	L	H	W	H		M			27.5	60	5	0.17	0.182
Ozaukee	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Ozaukee	Km	Keown's	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Ozaukee	KnA	Kewaunee	L	H	W	M		M			1	250	3	0.43	0.024
Ozaukee	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Ozaukee	KoB2	Kewaunee	L	H	W	M		M			5	150	3	0.37	0.081
Ozaukee	KoC2	Kewaunee	L	H	W	M		M			9	150	3	0.37	0.178
Ozaukee	KrC3	Kewaunee	L	H	W	M		M			9	150	2	0.28	0.202
Ozaukee	KrD3	Kewaunee	L	H	W	M		M			16	100	1	0.28	0.795
Ozaukee	KwA	Knowles	L	M	W	L	S	M			1	250	3	0.49	0.028
Ozaukee	KwB2	Knowles	L	M	W	L	S	M			4	200	3	0.43	0.076
Ozaukee	KyA	nowles variar	L	M	SP	L	S	M		w	1	250	3	0.43	0.024
Ozaukee	LyA	Lorenzo	L	M	W	L		M			2	250	2	0.24	0.031
Ozaukee	MaA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Ozaukee	MgA	Martinton	L	H	SP	H		M		w	2	250	5	0.32	0.017
Ozaukee	MkA	Matherton	L	M	SP	L		M		w	1	250	3	0.43	0.024
Ozaukee	MmA	Matherton	L	M	SP	L		M		w	2	250	3	0.43	0.037
Ozaukee	MtA	Mequon	L	H	SP	H		M		w	2	250	5	0.43	0.022
Ozaukee	Mzg	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Ozaukee	Mzk	Mussey	L	M	P	L		M	w	w	1	250	2	0.28	0.024
Ozaukee	Na	Navan	L	M	P	M		M	w	w	1	250	5	0.43	0.015
Ozaukee	NnA	Nenno	L	H	SP	M		M		w	2	250	2	0.37	0.048
Ozaukee	Od	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Ozaukee	OuA	Ozaukee	L	H	W	H		M			1	250	3	0.49	0.028
Ozaukee	OuB	Ozaukee	L	H	W	H		M			5	150	3	0.49	0.108
Ozaukee	OuB2	Ozaukee	L	H	W	H		M			5	150	3	0.49	0.108
Ozaukee	OuC2	Ozaukee	L	H	W	H		M			9	150	3	0.49	0.235
Ozaukee	OuD2	Ozaukee	L	H	W	H		M			16	100	3	0.49	0.464
Ozaukee	OuE	Ozaukee	L	H	W	H		M			25	60	3	0.49	0.745
Ozaukee	OzC3	Ozaukee	L	H	W	H		M			9	150	3	0.24	0.115
Ozaukee	OzD3	Ozaukee	L	H	W	H		M			16	100	3	0.24	0.227
Ozaukee	Pc	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Ozaukee	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Ozaukee	Py	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Ozaukee	RaA	Radford	L	H	SP	H		M		w	1.5	250	4	0.43	0.023
Ozaukee	RkB	Ritchey	L	M	W	L	S	M	r	r	3	200	1	0.43	0.15
Ozaukee	RkD2	Ritchey	L	M	W	L	S	M	r	r	13	100	1	0.43	0.877
Ozaukee	Rw	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Ozaukee	ShA	Saylesville	L	H	W	H		M			1	250	3	0.43	0.024
Ozaukee	ShB2	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Ozaukee	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Ozaukee	SrB2	Sisson	L	H	W	H		M			3.5	200	5	0.17	0.016
Ozaukee	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Ozaukee	WmA	Wasepi	L	M	SP	L		M		w	2	250	4	0.17	0.011

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Ozaukee	YhA	Yahara	L	H	SP	H		M		w	2	250	5	0.49	0.025
Ozaukee	ZuA	Zurich	L	H	W	H		M			1	250	5	0.37	0.013
Ozaukee	ZuB2	Zurich	L	H	W	H		M			4	200	5	0.37	0.039
Pepin	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Pepin	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Pepin	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Pepin	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Pepin	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Pepin	114C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Pepin	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Pepin	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Pepin	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Pepin	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Pepin	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Pepin	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Pepin	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Pepin	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Pepin	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Pepin	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Pepin	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Pepin	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Pepin	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Pepin	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Pepin	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Pepin	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Pepin	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Pepin	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Pepin	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Pepin	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Pepin	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Pepin	1658A	Algansee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Pepin	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Pepin	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Pepin	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Pepin	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Pepin	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Pepin	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Pepin	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Pepin	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Pepin	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Pepin	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Pepin	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
Pepin	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Pepin	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Pepin	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Pepin	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Pepin	254F	Norden	L	M	W	L		M			38	60	3	0.37	1.114
Pepin	255B2	Urne	L	M	W	L		M			4	200	3	0.24	0.042

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Pepin	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Pepin	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Pepin	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Pepin	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Pepin	265B	Garne	S	S	SE	L		M	p		4	200	3	0.2	0.035
Pepin	265C	Garne	S	S	SE	L		M	p		9	150	3	0.2	0.096
Pepin	303A	Boguscreek	L	H	W	VH		M			1	250	4	0.49	0.021
Pepin	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Pepin	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Pepin	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Pepin	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Pepin	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Pepin	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
Pepin	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Pepin	40A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Pepin	40A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Pepin	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Pepin	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Pepin	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Pepin	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Pepin	429A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Pepin	432A	Kevilar	L	H	MW	M		M	p		1	250	5	0.24	0.008
Pepin	432B	Kevilar	L	H	MW	M		M	p		4	200	5	0.24	0.025
Pepin	432C2	Kevilar	L	H	MW	M		M	p		9	150	5	0.24	0.069
Pepin	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Pepin	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Pepin	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Pepin	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Pepin	438A	Hoopeston	L	H	SP	M		M		w	1	250	3	0.2	0.011
Pepin	453A	Burkhardt	S	S	SE	L		M	p		1	250	2	0.24	0.02
Pepin	453B	Burkhardt	S	S	SE	L		M	p		4	200	2	0.24	0.064
Pepin	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Pepin	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Pepin	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Pepin	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Pepin	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Pepin	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Pepin	510B	Boplain	S	S	E	VL		M	p		2	250	3	0.05	0.004
Pepin	510C	Boplain	S	S	E	VL		M	p		11	150	3	0.05	0.032
Pepin	510F	Boplain	S	S	E	VL		M	p		38	60	3	0.05	0.15
Pepin	511A	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Pepin	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Pepin	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Pepin	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Pepin	512B	Drammen	S	S	SE	L		M	p		2	250	5	0.24	0.012
Pepin	512C	Drammen	S	S	SE	L		M	p		9	150	5	0.24	0.069
Pepin	512D	Drammen	S	S	SE	L		M	p		16	100	5	0.24	0.136
Pepin	516A	Aldo	S	S	MW	L		M	p		1	250	5	0.05	0.002

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Pepin	546A	Prissel	S	S	MW	L		M	p		1	250	5	0.24	0.008
Pepin	546B	Prissel	S	S	MW	L		M	p		4	200	5	0.24	0.025
Pepin	546F	Prissel	S	S	MW	L		M	p		38	60	5	0.17	0.307
Pepin	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Pepin	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Pepin	589A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Pepin	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Pepin	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Pepin	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Pepin	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Pepin	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Pepin	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Pepin	826B2	Hersey	L	H	MW	VH		M			4	200	5	0.49	0.052
Pepin	826C2	Hersey	L	H	MW	VH		M			9	150	5	0.49	0.141
Pierce	1105F	Boone	S	S	E	VL		M	p		35	60	3	0.15	0.396
Pierce	1105F	Dorerton	L	M	W	L		M	p		45	60	3	0.32	1.255
Pierce	1105F	Whalan	L	M	W	L	S	M	p		25	60	2	0.55	1.254
Pierce	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Pierce	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Pierce	113C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Pierce	113D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Pierce	113E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Pierce	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Pierce	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Pierce	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Pierce	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Pierce	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Pierce	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Pierce	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Pierce	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Pierce	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Pierce	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Pierce	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Pierce	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Pierce	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Pierce	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Pierce	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Pierce	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Pierce	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Pierce	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Pierce	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Pierce	1608A	Orion	L	H	SP	VH		M	p	w	2	250	5	0.49	0.025
Pierce	1608A	Scotah	S	S	MW	L		M	p	w	2	250	5	0.2	0.01
Pierce	161B2	Fivepoints	L	M	W	L		M			4	200	2	0.49	0.13
Pierce	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Pierce	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Pierce	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Pierce	1628A	Coland	L	M	P	H		M	w	w	1	250	5	0.24	0.008

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Pierce	1628A	Orion	L	H	SP	VH		M	w	w	1	250	5	0.49	0.017
Pierce	162C	Northfield	L	M	W	L	S	M	r	r	9	150	2	0.43	0.31
Pierce	162D	Northfield	L	M	W	L	S	M	r	r	16	100	2	0.43	0.611
Pierce	162F	Northfield	L	M	W	VL	S	M	r	r	32	60	2	0.43	1.473
Pierce	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Pierce	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Pierce	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Pierce	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Pierce	166C2	Derinda	L	H	MW	M		M			9	150	3	0.49	0.235
Pierce	166D2	Derinda	L	H	MW	M		M			16	100	3	0.49	0.464
Pierce	167B2	Derinda	L	M	MW	L		M			4	200	3	0.55	0.097
Pierce	167C2	Derinda	L	M	MW	L		M			9	150	3	0.55	0.264
Pierce	167D2	Derinda	L	M	MW	L		M			16	100	3	0.55	0.521
Pierce	167E	Derinda	L	M	MW	L		M			25	60	3	0.43	0.654
Pierce	168B	Shullsburg	L	H	SP	M		M			3	200	3	0.37	0.043
Pierce	170B	Rockton	L	H	W	M		M			2	200	2	0.37	0.046
Pierce	1816F	Boone	S	S	E	VL		M	p		33	60	3	0.15	0.36
Pierce	1816F	Lilah	L	M	E	L		M	p		35	60	2	0.2	0.792
Pierce	1816F	Wykoff	L	H	W	M		M	p		25	60	5	0.37	0.337
Pierce	1841D	Lilah	L	M	E	L		M	p		16	100	2	0.2	0.284
Pierce	1841D	Wykoff	L	H	W	M		M	p		16	100	5	0.37	0.21
Pierce	200C2	Hixton	L	H	W	M		M			9	150	3	0.37	0.178
Pierce	211B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Pierce	211C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Pierce	211D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Pierce	220C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Pierce	220D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Pierce	230C	Boone	S	S	E	VL		M	p		11	150	3	0.2	0.129
Pierce	230F	Boone	S	S	E	VL		M	p		33	60	3	0.15	0.36
Pierce	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Pierce	300A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Pierce	300B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Pierce	300C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Pierce	303A	Boguscreek	L	H	W	VH		M			1	250	4	0.49	0.021
Pierce	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Pierce	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Pierce	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Pierce	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Pierce	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Pierce	391A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Pierce	401A	Dakota	L	H	W	M		M			1	250	3	0.32	0.018
Pierce	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Pierce	404A	Dakota	L	H	W	M		M			1	250	3	0.32	0.018
Pierce	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Pierce	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Pierce	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024
Pierce	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Pierce	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Pierce	431B	Forkhorn	L	M	W	L		M	p		3	200	3	0.24	0.028
Pierce	431C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Pierce	431D2	Forkhorn	L	M	W	L		M	p		16	100	3	0.24	0.227
Pierce	431E	Forkhorn	L	M	W	L		M	p		25	60	3	0.24	0.365
Pierce	432B	Kevilar	L	H	MW	M		M	p		4	200	5	0.24	0.025
Pierce	432C2	Kevilar	L	H	MW	M		M	p		9	150	5	0.24	0.069
Pierce	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Pierce	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Pierce	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Pierce	433D2	Forkhorn	L	M	W	L		M	p		16	100	3	0.24	0.227
Pierce	436A	Rusktown	L	M	MW	L		M	p		1	250	3	0.24	0.014
Pierce	438A	Hoopeston	L	H	SP	M		M		w	1	250	3	0.2	0.011
Pierce	440B	Forkhorn	L	M	W	L		M	p		3	200	3	0.28	0.033
Pierce	440C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.28	0.134
Pierce	453A	Burkhardt	S	S	SE	L		M	p		1	250	2	0.24	0.02
Pierce	453B	Burkhardt	S	S	SE	L		M	p		4	200	2	0.24	0.064
Pierce	477A	Shiffer	L	H	SP	M		M		w	1	250	3	0.32	0.018
Pierce	488A	Lawler	L	H	SP	M		M		w	1	250	3	0.32	0.018
Pierce	489A	Marshan	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Pierce	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Pierce	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Pierce	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Pierce	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Pierce	503B2	Lamont	L	H	W	M		M	p		4	200	3	0.28	0.049
Pierce	503C2	Lamont	L	H	W	M		M	p		9	150	3	0.28	0.134
Pierce	503D2	Lamont	L	H	W	M		M	p		16	100	3	0.28	0.265
Pierce	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Pierce	511A	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Pierce	511B	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Pierce	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Pierce	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Pierce	512B	Drammen	S	S	SE	L		M	p		2	250	5	0.24	0.012
Pierce	512C	Drammen	S	S	SE	L		M	p		9	150	5	0.24	0.069
Pierce	512D	Drammen	S	S	SE	L		M	p		16	100	5	0.24	0.136
Pierce	546B	Prissel	S	S	MW	L		M	p		4	200	5	0.24	0.025
Pierce	546C	Prissel	S	S	MW	L		M	p		11	150	5	0.24	0.093
Pierce	546F	Prissel	S	S	MW	L		M	p		38	60	5	0.17	0.307
Pierce	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Pierce	607A	Spillville	L	H	MW	H		M			1	100	5	0.32	0.008
Pierce	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Pierce	618A	Northbend	L	H	SP	H		M		w	1	250	3	0.37	0.021
Pierce	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Pierce	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Pierce	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Pierce	640A	Arenzville	L	H	MW	H		M			1	250	4	0.49	0.021
Pierce	646A	Dunnbot	L	H	MW	M		M	p		1	250	5	0.24	0.008
Pierce	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Pierce	657A	Dunnbot	L	H	MW	H		M	p		2	250	5	0.43	0.022

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Pierce	668A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Pierce	740C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Pierce	740D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Pierce	800B	Whalan	L	M	W	L	S	M			4	200	2	0.32	0.085
Pierce	800C	Whalan	L	M	W	L	S	M			9	150	2	0.32	0.23
Pierce	801B2	Renova	L	H	W	M		M			4	200	3	0.28	0.049
Pierce	801C2	Renova	L	H	W	M		M			9	150	3	0.28	0.134
Pierce	801D2	Renova	L	H	W	M		M			16	100	3	0.28	0.265
Pierce	803C2	Whalan	L	M	W	L	S	M			9	150	2	0.49	0.353
Pierce	803D2	Whalan	L	M	W	L	S	M			16	100	2	0.49	0.696
Pierce	803E	Whalan	L	M	W	L	S	M			25	60	2	0.43	0.98
Pierce	814D2	Renova	L	H	MW	H		M			16	100	5	0.49	0.278
Pierce	816B2	Vlasaty	L	H	MW	H		M			4	200	5	0.49	0.052
Pierce	816C2	Vlasaty	L	H	MW	H		M			9	150	5	0.49	0.141
Pierce	818B	Sargeant	L	H	SP	H		M			3	200	5	0.49	0.034
Pierce	819A	Clyde	L	M	P	H		M	w	w	2	200	5	0.32	0.016
Pierce	823B2	Whalan	L	M	W	L	S	M			4	200	2	0.55	0.146
Pierce	823C2	Whalan	L	M	W	L	S	M			9	150	2	0.55	0.396
Pierce	823D2	Whalan	L	M	W	L	S	M			16	100	2	0.55	0.781
Pierce	823E	Whalan	L	M	W	L	S	M			25	60	2	0.43	0.98
Pierce	826B2	Hersey	L	H	MW	VH		M			4	200	5	0.49	0.052
Pierce	826C2	Hersey	L	H	MW	VH		M			9	150	5	0.49	0.141
Pierce	828B	Vasa	L	H	SP	VH		M			3	200	5	0.43	0.03
Pierce	836B2	Spencer	L	H	MW	H		F			4	200	5	0.49	0.052
Pierce	836C2	Spencer	L	H	MW	H		F			9	150	5	0.49	0.141
Pierce	843B2	Wykoff	L	H	W	M		M			3	200	5	0.37	0.026
Pierce	843C2	Wykoff	L	H	W	M		M			9	150	5	0.37	0.107
Pierce	866B	Kasson	L	H	MW	H		M			3	200	5	0.43	0.03
Pierce	868B	Floyd	L	H	SP	H		M			3	200	5	0.37	0.026
Pierce	870B2	Santiago	L	H	W	H		F			4	200	5	0.49	0.052
Pierce	870C2	Santiago	L	H	W	H		F			9	150	5	0.49	0.141
Pierce	880B	Nickin	L	H	W	M		M			3	200	3	0.37	0.043
Pierce	882B	Nickin	L	H	W	M		M			3	200	3	0.28	0.033
Pierce	892B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Polk	1070C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Polk	1070C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Polk	1070D	Cress	S	S	SE	L		F	p		21	80	2	0.24	0.474
Polk	1070D	Fremstadt	S	S	W	L		F	p		23	80	5	0.24	0.22
Polk	107B	Amery	L	M	W	L		F			4	200	3	0.32	0.057
Polk	1080B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Polk	1080B	Spoonerhill	S	S	MW	L		F			4	200	5	0.24	0.025
Polk	109B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Polk	109B	Menahga	S	S	E	L		F	p		3	200	5	0.15	0.01
Polk	109C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Polk	109C	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Polk	109D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Polk	109D	Menahga	S	S	E	L		F	p		21	80	5	0.15	0.118
Polk	10C	Centuria	L	H	SP	M		F			1	250	3	0.43	0.024

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	10C	Trade River	L	H	MW	M		F			15	100	3	0.24	0.205
Polk	119B	Hubbard	S	S	E	L		F	p		1	250	5	0.05	0.002
Polk	124A	Fenander	L	M	P	M		F			1	250	5	0.37	0.013
Polk	13B	Centuria	L	H	SP	M		F	p		1	250	3	0.43	0.024
Polk	13B	Grettum	L	M	MW	L		F	p		1	250	5	0.1	0.003
Polk	13B	Trade River	L	H	MW	M		F	p		4	200	3	0.24	0.042
Polk	149D2	Branstad	L	H	MW	H		F	p		14	100	5	0.28	0.128
Polk	149D2	Chetek	L	M	SE	L		F	p		15	100	5	0.28	0.143
Polk	156B	Magnor	L	H	SP	H		F			2	250	4	0.49	0.032
Polk	157B	Freeon	L	H	MW	H		F			4	200	4	0.49	0.065
Polk	160A	Poskin	L	H	SP	M		F	w	w	2	150	3	0.43	0.033
Polk	184B	Aftad	L	H	MW	H		F			4	200	5	0.55	0.058
Polk	184C2	Aftad	L	H	MW	H		F			9	150	5	0.55	0.158
Polk	187A	Aftad	L	H	MW	H		F			1	250	5	0.43	0.015
Polk	187B	Aftad	L	H	MW	H		F			3	200	5	0.43	0.03
Polk	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Polk	19F	Beede Lake	L	H	W	M		F			54	60	3	0.32	1.648
Polk	19F	Trade River	L	H	MW	M		F			20	80	3	0.24	0.292
Polk	23B	Caryville	L	H	W	M		F	p		2	200	2	0.37	0.046
Polk	24A	Poskin	L	H	SP	M		F	w	w	2	150	3	0.43	0.033
Polk	26B	Caryville	L	H	W	M		F	wp	w	2	250	2	0.37	0.048
Polk	26B	Dechamps	L	M	SP	L		F	wp	w	1	250	5	0.17	0.006
Polk	26B	Fordum	L	M	P	M		F	wp	w	1	250	3	0.37	0.021
Polk	27A	Scott Lake	L	M	MW	L		F			2	150	3	0.24	0.018
Polk	28B	Haugen	L	H	MW	M		F			4	200	5	0.24	0.025
Polk	28B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Polk	28C	Haugen	L	H	MW	M		F			9	150	5	0.24	0.069
Polk	28C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Polk	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Polk	3082E	Braham	S	S	W	M		F	p		20	60	5	0.24	0.152
Polk	3082E	Shawano	S	S	E	L		F	p		26	60	5	0.1	0.097
Polk	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Polk	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Polk	321A	Pierz	L	M	W	L		F	p		1	250	3	0.32	0.018
Polk	3312B	Glendenning	L	H	SP	M		F			1	250	5	0.28	0.01
Polk	332C	Alban	L	H	W	M		F			9	150	5	0.28	0.081
Polk	332D	Alban	L	H	W	M		F			30	150	5	0.28	0.545
Polk	338A	Plover	L	H	SP	H		F			2	250	5	0.37	0.019
Polk	33B	Chetek	L	M	SE	L		F	p		4	100	2	0.24	0.048
Polk	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Polk	3448B	Grettum	S	S	MW	L		F	p		3	200	5	0.1	0.007
Polk	344B	Crystal Lake	L	H	MW	VH		F			1	250	5	0.37	0.013
Polk	3510B	Fremstadt	S	S	W	L		F	p		4	200	5	0.2	0.021
Polk	3510B	Pomroy	S	S	MW	L		F	p		3	200	4	0.2	0.017
Polk	3510C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Polk	3510C	Pomroy	S	S	MW	M		F	p		10	150	4	0.2	0.084
Polk	3516A	Slimlake	S	S	MW	L		F			2	250	5	0.24	0.012
Polk	3625A	Lino	S	S	SP	L		F	w	w	1	250	5	0.28	0.01

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	3626A	Crex	S	S	MW	L		F			2	250	5	0.2	0.01
Polk	3636B	Plainbo	S	S	E	L		F	p		4	200	3	0.02	0.004
Polk	380B	Cress	S	S	SE	L		F			4	200	2	0.24	0.064
Polk	380B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Polk	380C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Polk	380C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Polk	380D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Polk	380D	Rosholt	L	M	W	L		F			21	80	5	0.28	0.221
Polk	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Polk	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Polk	38B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Polk	38C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Polk	395A	Meehan	S	S	SP	L		F	w	w	1	250	5	0.15	0.005
Polk	395A	Perchlake	S	S	SP	L		F	w	w	1	250	5	0.17	0.006
Polk	396B	Friendship	S	S	MW	L		F	p		1	250	5	0.02	0.001
Polk	396B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Polk	396B	Wurtsmith	S	S	MW	L		F	p		1	250	5	0.02	0.001
Polk	397A	Perchlake	S	S	SP	L		F	w	w	1	250	5	0.17	0.006
Polk	399B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Polk	399C	Grayling	S	S	E	VL		F	p		9	150	5	0.02	0.006
Polk	399D	Grayling	S	S	E	VL		F	p		21	80	5	0.02	0.016
Polk	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Polk	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Polk	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Polk	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Polk	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Polk	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Polk	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Polk	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Polk	410A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Polk	410A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Polk	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Polk	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Polk	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Polk	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Polk	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Polk	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Polk	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Polk	465A	Meehan	S	S	SP	L		F	w	w	2	200	5	0.15	0.008
Polk	465A	Newson	L	M	VP	L		F	w	w	1	250	5	0.2	0.007
Polk	469E	Bigisland	S	S	SE	VL		F	p		31	60	4	0.1	0.162
Polk	469E	Milaca	L	H	MW	M		F	p		31	60	4	0.2	0.325
Polk	471B	Dairyland	S	S	MW	L		F	p		3	200	4	0.1	0.009
Polk	471B	Emmert	S	S	E	VL		F	p		3	200	5	0.2	0.014
Polk	471C	Dairyland	S	S	MW	L		F	p		11	150	4	0.1	0.048
Polk	471C	Emmert	S	S	E	VL		F	p		11	150	5	0.2	0.077
Polk	473A	Dairyland	L	M	MW	L		F	p		1	250	4	0.1	0.004
Polk	473A	Skog	L	M	MW	VL		F	p		1	250	2	0.2	0.017

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	485C	Lupton	O	M	VP			F	w	w	8	150	2	0.02	0.012
Polk	485C	Tawas	O	M	VP			F	w	w	8	150	1	0.02	0.024
Polk	496B	Karlsborg	S	S	MW	L		F			4	200	4	0.1	0.013
Polk	496C	Karlsborg	S	S	MW	L		F			9	150	4	0.1	0.036
Polk	497A	Meenon	S	S	SP	L		F			2	250	4	0.1	0.007
Polk	542B	Haugen	L	H	MW	M		F			4	200	5	0.24	0.025
Polk	542C	Haugen	L	H	MW	M		F			9	150	5	0.24	0.069
Polk	544F	Mahtomedi	S	S	E	VL		F	p		38	60	5	0.1	0.181
Polk	544F	Menahga	S	S	E	L		F	p		38	60	5	0.02	0.036
Polk	553B	Branstad	L	H	MW	H		F			3	200	5	0.28	0.02
Polk	553C	Branstad	L	H	MW	H		F			9	150	5	0.28	0.081
Polk	553D	Branstad	L	H	MW	H		F			16	100	5	0.28	0.159
Polk	5555A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Polk	5555A	Fordum	L	M	P	M		F	w	w	1	250	3	0.37	0.021
Polk	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Polk	557B	Shawano	S	S	E	L		F	p		3	200	5	0.1	0.007
Polk	557C	Shawano	S	S	E	L		F	p		9	150	5	0.1	0.029
Polk	557D	Shawano	S	S	E	L		F	p		21	80	5	0.1	0.079
Polk	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Polk	615D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Polk	620C	Haustrup	L	M	SE	L	S	F	r	r	7	150	1	0.55	0.556
Polk	620C	Lundeen	L	H	W	M		F	r	r	7	150	2	0.43	0.217
Polk	632B	Aftad	L	H	MW	H		F			4	200	5	0.55	0.058
Polk	632C	Aftad	L	H	MW	H		F			9	150	5	0.55	0.158
Polk	63B	Crystal Lake	L	H	MW	VH		F			4	200	5	0.37	0.039
Polk	64A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Polk	64A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.1	0.005
Polk	655B	Cress	S	S	SE	L		F	p		3	200	2	0.24	0.042
Polk	655B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Polk	655C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Polk	655C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Polk	655D	Cress	S	S	SE	L		F	p		21	80	2	0.24	0.474
Polk	655D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Polk	65B	Cromwell	S	S	SE	L		F	p		3	200	5	0.15	0.01
Polk	65C	Cromwell	S	S	SE	L		F	p		9	150	5	0.15	0.043
Polk	65D	Cromwell	S	S	SE	L		F	p		16	100	5	0.15	0.085
Polk	669D	Fremstadt	S	S	W	L		F	p		22	80	5	0.24	0.205
Polk	669D	Pomroy	S	S	MW	M		F	p		22	80	4	0.2	0.214
Polk	720F	Haustrup	L	M	SE	L	S	F	r	r	18	150	1	0.49	2.063
Polk	720F	Lundeen	L	H	W	M		F	r	r	18	150	2	0.43	0.905
Polk	825A	Meehan	S	S	SP	L		F		w	1	250	5	0.02	0.001
Polk	82B	Branstad	L	H	MW	H		F	p		3.5	200	5	0.28	0.026
Polk	82B	Cutaway	S	S	MW	M		F	p		3.5	200	5	0.24	0.022
Polk	82C	Branstad	L	H	MW	H		F	p		9	150	5	0.28	0.081
Polk	82C	Cutaway	S	S	MW	M		F	p		9	150	5	0.24	0.069
Polk	87B	Tourtillotte	S	S	MW	L		F			3	200	5	0.1	0.007
Polk	8F	Grayling	S	S	E	VL		F	p		20	80	5	0.02	0.015
Polk	8F	Trade River	S	S	MW	M		F	p		20	80	3	0.24	0.292

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	Ad	Adolph	L	M	VP	M		F			1	250	5	0.28	0.01
Polk	AfA	Alban	L	H	W	H		F			1	250	5	0.43	0.015
Polk	AfB	Alban	L	H	W	H		F			4	200	5	0.43	0.046
Polk	AfC2	Alban	L	H	W	H		F			9	150	5	0.43	0.124
Polk	AfD	Alban	L	H	W	H		F			16	100	5	0.43	0.244
Polk	Ag	Alstad	L	H	SP	H		F	w	w	2	250	5	0.32	0.017
Polk	AlB	Amery	L	M	W	L		F			4	200	3	0.32	0.057
Polk	AlC	Amery	L	M	W	L		F			9	150	3	0.32	0.154
Polk	AlD	Amery	L	M	W	L		F			16	100	3	0.32	0.303
Polk	AlE	Amery	L	M	W	L		F			25	60	3	0.32	0.486
Polk	AnB	Amery	L	M	W	L		F			4	200	3	0.49	0.087
Polk	AnC	Amery	L	M	W	L		F			9	150	3	0.49	0.235
Polk	AoB	Amery	L	M	W	L		F			4	200	3	0.32	0.057
Polk	AoB	Brill	L	H	MW	M		F			4	200	3	0.37	0.065
Polk	AoC	Amery	L	M	W	L		F	p		9	150	3	0.32	0.154
Polk	AoC	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Polk	AoD	Amery	L	M	W	L		F	p		16	100	3	0.32	0.303
Polk	AoD	Menahga	S	S	E	L		F	p		16	100	5	0.15	0.085
Polk	AoE	Amery	L	M	W	L		F	p		25	60	3	0.32	0.486
Polk	AoE	Menahga	S	S	E	L		F	p		25	60	5	0.15	0.137
Polk	ArC	Amery	L	M	W	L		F	r	r	7	150	3	0.32	0.108
Polk	ArD	Amery	L	M	W	L		F	r	r	29	60	3	0.32	0.622
Polk	AtA	Antigo	L	H	W	M		F			1	250	3	0.49	0.028
Polk	AtB	Antigo	L	H	W	M		F			4	200	3	0.49	0.087
Polk	AtC2	Antigo	L	H	W	M		F			9	150	3	0.49	0.235
Polk	AuA	Auburndale	L	M	P	H		F			2	250	5	0.32	0.017
Polk	Ba	Barronett	L	M	P	VH		F			1	250	5	0.43	0.015
Polk	Be	Barronett	L	M	P	H		F			1	250	5	0.28	0.01
Polk	Bf	Bluffton	L	M	VP	H		F	w	w	1	250	5	0.24	0.008
Polk	BIA	Brill	L	H	MW	M		F			2	250	3	0.37	0.032
Polk	BpA	Burkhardt	S	S	E	L		M	p		1	250	2	0.2	0.017
Polk	BpB	Burkhardt	S	S	E	L		M	p		4	200	2	0.2	0.053
Polk	BpC2	Burkhardt	S	S	E	L		M	p		9	150	2	0.2	0.144
Polk	CaA	Campia	L	H	W	H		F			1	250	5	0.49	0.017
Polk	CaB	Campia	L	H	W	H		F			4	200	5	0.49	0.052
Polk	CaC2	Campia	L	H	W	H		F			9	150	5	0.49	0.141
Polk	CbB	Campia varian	L	H	W	M		F			4	200	5	0.37	0.039
Polk	CbC	Campia varian	L	H	W	M		F			9	150	5	0.37	0.107
Polk	CbD	Campia varian	L	H	W	M		F			16	100	5	0.37	0.21
Polk	Cc	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Polk	ChB	Chetek	L	M	SE	L		F			4	200	3	0.28	0.049
Polk	ChC2	Chetek	L	M	SE	L		F			9	150	3	0.28	0.134
Polk	ChD2	Chetek	L	M	SE	L		F			16	100	3	0.28	0.265
Polk	CmA	Comstock	L	H	SP	H		F			2	250	5	0.43	0.022
Polk	CpA	Comstock varia	L	H	SP	H		F			2	250	5	0.37	0.019
Polk	CrA	Cromwell	S	S	SE	L		F			1	250	2	0.24	0.02
Polk	CrB	Cromwell	S	S	SE	L		F			4	200	2	0.24	0.064
Polk	CrC	Cromwell	S	S	SE	L		F			9	150	2	0.24	0.173

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	CrD	Cromwell	S	S	SE	L		F			19	80	2	0.24	0.402
Polk	CsA	omwell varia	S	S	SP	L		F	w	w	2	250	3	0.28	0.024
Polk	CtA	Croswell	S	S	MW	L		F	p		2	250	5	0.1	0.005
Polk	CuA	Crystal Lake	L	H	MW	VH		F			1	250	5	0.37	0.013
Polk	CuB	Crystal Lake	L	H	MW	VH		F			4	200	5	0.37	0.039
Polk	CvB	Cushing	L	H	W	H		F			4	200	5	0.43	0.046
Polk	CvC2	Cushing	L	H	W	H		F			9	150	5	0.43	0.124
Polk	CvD	Cushing	L	H	W	H		F			16	100	5	0.43	0.244
Polk	CvE	Cushing	L	H	W	H		F			25	60	5	0.43	0.392
Polk	CwD3	Cushing	L	H	W	M		F			19	80	5	0.32	0.214
Polk	CxB	Brill	L	H	MW	M		F	p		4	200	3	0.37	0.065
Polk	CxB	Cushing	L	H	W	H		F	p		4	200	5	0.43	0.046
Polk	CxB	Menahga	S	S	E	L		F	p		4	200	5	0.15	0.016
Polk	CxC2	Cushing	L	H	W	H		F	p		9	150	5	0.43	0.124
Polk	CxC2	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Polk	CxD2	Cushing	L	H	W	H		F	p		16	100	5	0.43	0.244
Polk	CxD2	Menahga	S	S	E	L		F	p		16	100	5	0.15	0.085
Polk	DaA	Dakota	L	H	W	M		M			1	250	3	0.2	0.011
Polk	DaB	Dakota	L	H	W	M		M			4	200	3	0.2	0.035
Polk	DIA	Dakota	L	H	W	M		M			2	250	3	0.2	0.017
Polk	DvA	Dakota varian	L	H	SP	M		F	w	w	2	250	3	0.28	0.024
Polk	EmD	Emmert	S	S	E	VL		F	p		24	80	5	0.2	0.197
Polk	FnB	Freeon	L	H	MW	M		F			4	200	5	0.49	0.052
Polk	HrB	Hubbard	S	S	E	L		F	p		3	200	5	0.05	0.003
Polk	LnA	Lino	S	S	SP	L		F	w	w	2	250	5	0.24	0.012
Polk	MaA	Magnor	L	H	SP	M		F			1	250	4	0.49	0.021
Polk	MaB	Magnor	L	H	SP	M		F			4	200	4	0.49	0.065
Polk	Mk	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Polk	MnB	Menahga	S	S	E	L		F	p		4	200	5	0.15	0.016
Polk	MnC	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Polk	MnD	Menahga	S	S	E	L		F	p		19	80	5	0.15	0.1
Polk	MoB	Mora	L	H	MW	M		F			3	200	4	0.37	0.032
Polk	Ns	Newson	S	S	VP	L		F	w	w	1	250	5	0.17	0.006
Polk	NyA	Nymore	S	S	E	L		F	p		2	250	5	0.1	0.005
Polk	OgB	Omega	S	S	SE	L		F	p		4	200	5	0.05	0.005
Polk	OgC	Omega	S	S	SE	L		F	p		9	150	5	0.05	0.014
Polk	OgD	Omega	S	S	SE	L		F	p		16	100	5	0.05	0.028
Polk	PvA	Plover	L	H	SP	H		F			2	250	5	0.37	0.019
Polk	PxA	Poskin	L	H	SP	M		F	w	w	2	250	3	0.37	0.032
Polk	Rf	Rifle	O	M	VP			F	w	w	1	250	2	0.02	0.002
Polk	RoA	Rosholt	L	H	W	M		F			1	250	3	0.43	0.024
Polk	RoB	Rosholt	L	H	W	M		F			4	200	3	0.43	0.076
Polk	RoC2	Rosholt	L	H	W	M		F			9	150	3	0.43	0.206
Polk	RoD	Rosholt	L	M	W	L		F			16	100	3	0.43	0.407
Polk	RpB	Cromwell	L	M	SE	L		F			4	200	2	0.24	0.064
Polk	RpB	Rosholt	L	H	W	M		F			4	200	3	0.43	0.076
Polk	RpC	Cromwell	L	M	SE	L		F			9	150	2	0.24	0.173
Polk	RpC	Rosholt	L	H	W	M		F			9	150	3	0.43	0.206

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Polk	RpD	Cromwell	L	M	SE	L		F			16	100	2	0.24	0.341
Polk	RpD	Rosholt	L	M	W	L		F			16	100	3	0.43	0.407
Polk	RpE	Cromwell	L	M	SE	L		F			25	60	2	0.24	0.547
Polk	RpE	Rosholt	L	M	W	L		F			25	60	3	0.43	0.654
Polk	RvB	Rosholt variant	L	M	W	L	S	F		r	4	200	3	0.43	0.076
Polk	SaB	Santiago	L	H	W	M		F			4	200	4	0.49	0.065
Polk	SaC	Santiago	L	H	W	M		F			9	150	4	0.49	0.176
Polk	SaD	Santiago	L	H	W	M		F			16	100	4	0.49	0.348
Polk	ScB	Antigo	L	H	W	M		F			4	200	3	0.49	0.087
Polk	ScB	Santiago	L	H	W	M		F			4	200	4	0.49	0.065
Polk	ScC	Antigo	L	H	W	M		F			9	150	3	0.49	0.235
Polk	ScC	Santiago	L	H	W	M		F			9	150	4	0.49	0.176
Polk	ScD	Antigo	L	H	W	M		F			16	100	3	0.49	0.464
Polk	ScD	Santiago	L	H	W	M		F			16	100	4	0.49	0.348
Polk	Sm	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Polk	Wv	Warman variant	L	M	P	L		F	w	w	1	250	2	0.2	0.017
Portage	Af	Altdorf	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Portage	Bt	Billett	L	M	W	L		M	p		1	250	3	0.2	0.011
Portage	Ca	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Portage	CoB	Coloma	S	S	E	L		M	p		4	200	5	0.1	0.011
Portage	CoC	Coloma	S	S	E	L		M	p		9	150	5	0.1	0.029
Portage	Da	Dancy	L	M	P	M		F	w	w	1	250	5	0.24	0.008
Portage	DoA	Dolph	L	H	SP	H		F	w	w	2	250	5	0.37	0.019
Portage	DuB	Dunnville	L	H	W	M		F	p		4	200	3	0.43	0.076
Portage	DxA	Dunnville variant	L	H	SP	M		F	p		2	250	3	0.32	0.028
Portage	FrA	Friendship	S	S	MW	L		F	p		1.5	250	5	0.1	0.004
Portage	KeA	Kert	L	M	SP	L	S	F	w	w	2	250	3	0.37	0.032
Portage	KrB	Kranski	S	S	SE	L		M	p		4	200	5	0.24	0.025
Portage	KrC	Kranski	S	S	SE	L		M	p		9	150	5	0.24	0.069
Portage	KrD	Kranski	S	S	SE	L		M	p		16	100	5	0.24	0.136
Portage	LeA	Leola	S	S	SP	L		M	w	w	1.5	250	5	0.17	0.007
Portage	Lu	Lupton	O	M	VP			F	w	w	1	250	2	0.02	0.002
Portage	Ma	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Portage	Mb	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Portage	MeA	Meadland	L	H	SP	M		F	w	w	2	250	5	0.32	0.017
Portage	MfB	Mecan	S	S	SE	M		M	p		4	200	5	0.17	0.018
Portage	MfC	Mecan	S	S	SE	M		M	p		9	150	5	0.17	0.049
Portage	MfD	Mecan	S	S	SE	M		M	p		16	100	5	0.17	0.097
Portage	MgB	Mecan	L	M	SE	M		M	p		4	200	5	0.2	0.021
Portage	MgC	Mecan	L	M	SE	M		M	p		9	150	5	0.2	0.058
Portage	MgD	Mecan	L	M	SE	M		M	p		16	100	5	0.2	0.114
Portage	MnA	Meehan	S	S	SP	L		F	w	w	1.5	250	5	0.15	0.006
Portage	MoA	Meehan	S	S	SP	VL	S	F	w	w	1.5	250	3	0.15	0.01
Portage	MpA	Meehan	S	S	SP	L		F	w	w	1.5	250	5	0.15	0.006
Portage	Mr	Meehan variant	L	M	SP	L		F	w	w	1	250	2	0.28	0.024
Portage	MsB	Mosinee	L	M	W	L		F			4	200	3	0.28	0.049
Portage	NoB	Norgo variant	L	M	W	L	S	F			4	200	3	0.43	0.076
Portage	NoC	Norgo variant	L	M	W	L	S	F			9	150	3	0.43	0.206



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Portage	Oe	Oesterle	L	M	SP	L		F	w	w	1	250	3	0.17	0.01
Portage	Ov	esterle varia	L	H	SP	H		F	w	w	1	250	5	0.32	0.011
Portage	PaA	Pearl	S	S	MW	L		M			2	250	5	0.17	0.009
Portage	PbB	Plainbo	S	S	E	VL		F	p		4	200	3	0.05	0.009
Portage	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.15	0.005
Portage	PfAT	Plainfield	S	S	E	L		M	p		1	250	5	0.1	0.003
Portage	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.15	0.016
Portage	PfBT	Plainfield	S	S	E	L		M	p		4	200	5	0.1	0.011
Portage	PfC	Plainfield	S	S	E	L		M	p		9	150	5	0.15	0.043
Portage	PfCT	Plainfield	S	S	E	L		M	p		9	150	5	0.1	0.029
Portage	PgB	Plainfield	S	S	E	L		M	p		4	200	3	0.1	0.018
Portage	Ph	Kranski	S	S	SE	L		M	p		16	100	5	0.24	0.136
Portage	Ph	Plainfield	S	S	E	L		M	p		16	100	5	0.15	0.085
Portage	PkB	ainfield varia	S	S	E	L		F	p		4	200	3	0.2	0.035
Portage	PoA	Point	L	H	SP	M		F	w	w	2	250	5	0.2	0.01
Portage	RfA	Richford	S	S	SE	L		M	p		1	250	5	0.15	0.005
Portage	RfB	Richford	S	S	SE	L		M	p		4	200	5	0.15	0.016
Portage	RfC	Richford	S	S	SE	L		M	p		9	150	5	0.15	0.043
Portage	RgB	Richford	S	S	SE	L		M	p		4	200	5	0.2	0.021
Portage	RhA	Rockers	S	S	SP	M		F	w	w	2	250	5	0.24	0.012
Portage	Rm	Roscommon	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Portage	Rn	Meehan	S	S	SP	L		F	w	w	2	250	5	0.15	0.008
Portage	Rn	Roscommon	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Portage	Ro	common vari	L	M	P	L		F	w	w	1	250	5	0.2	0.007
Portage	Rp	common vari	L	M	P	M		M	w	w	1	250	5	0.2	0.007
Portage	RrA	Rosholt	L	M	W	L		F	p		1	250	4	0.2	0.008
Portage	RrB	Rosholt	L	M	W	L		F	p		4	200	4	0.2	0.027
Portage	RrC2	Rosholt	L	M	W	L		F	p		9	150	4	0.2	0.072
Portage	RsB	Rosholt	L	M	W	L		F			4	200	3	0.37	0.065
Portage	RsC2	Rosholt	L	M	W	L		F			9	150	3	0.37	0.178
Portage	Rt	Rosholt	L	H	MW	M		F			1	250	5	0.37	0.013
Portage	RuD	Rosholt	L	M	W	L		F	p		16	100	5	0.2	0.114
Portage	RuD	osholt Variar	S	S	E	L		F	p		16	100	4	0.2	0.142
Portage	RuE	Rosholt	L	M	W	L		F	p		30	60	5	0.2	0.246
Portage	RuE	osholt Variar	S	S	E	L		F	p		30	60	4	0.2	0.308
Portage	RzB	Rozellville	L	H	W	M		F			4	200	4	0.32	0.042
Portage	Se	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Portage	Sei	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Portage	Sh	Sherry	L	M	P	M		F	w	w	1	250	4	0.43	0.018
Portage	Vs	Vesper	L	M	P	H		F	w	w	1	250	5	0.32	0.011
Portage	WyB	Wyocena	L	M	W	L		M	p		4	200	5	0.28	0.03
Portage	WyC	Wyocena	L	M	W	L		M	p		9	150	5	0.28	0.081
Portage	WyD	Wyocena	L	M	W	L		M	p		16	100	5	0.28	0.159
Portage	WyE	Wyocena	L	M	W	L		M	p		25	60	5	0.28	0.255
Price	1345B	hequamegor	L	M	MW	M		F			4	200	4	0.55	0.073
Price	1345B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Price	1633B	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Price	1633B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Price	1633B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Price	1633C	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Price	1633C	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Price	1633C	Shanagolden	L	M	MW	L		F			9	150	4	0.28	0.101
Price	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Price	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Price	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Price	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Price	193A	Minocqua	L	M	P			F	w	w	1	150	3	0.49	0.024
Price	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Price	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Price	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Price	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Price	217C	Karlin	S	S	SE	L		F	p		9	150	5	0.2	0.058
Price	22A	Comstock	L	M	SP	H		F			2	200	5	0.43	0.022
Price	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Price	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Price	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	3456A	Magnor	L	M	SP	H		F			2	250	4	0.43	0.028
Price	345B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Price	345B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Price	346E	Newot	L	M	W	L		F	p		30	60	4	0.43	0.662
Price	346E	Pence	L	M	SE	L		F	p		30	60	5	0.24	0.296
Price	3525C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Price	3525C	Padus	L	M	W	L		F			11	150	5	0.24	0.093
Price	3525C	Padwood	L	M	MW	M		F			11	150	5	0.2	0.077
Price	3546B	Newood	L	M	MW	M		F	p		4	150	4	0.32	0.038
Price	3546B	Pence	L	M	SE	L		F	p		4	150	5	0.24	0.023
Price	3546C	Newood	L	M	MW	M		F	p		11	150	4	0.32	0.154
Price	3546C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Price	3546D	Newood	L	M	MW	M		F	p		22	150	4	0.32	0.467
Price	3546D	Pence	L	M	SE	L		F	p		22	150	5	0.24	0.28
Price	3556C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Price	3556C	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Price	3556C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Price	3561A	Pesabic	L	M	SP	M		F			2	200	4	0.43	0.027
Price	3561A	Worcester	L	M	SP	L		F			2	200	3	0.24	0.02
Price	3561A	Worwood	L	M	SP	M		F			2	200	5	0.32	0.016
Price	3569C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Price	3569C	Newood	L	M	MW	M		F			9	150	4	0.32	0.115
Price	3569C	Pesabic	L	M	SP	M		F			2	200	4	0.43	0.027
Price	3666B	Pesabic	L	M	SP	M		F			2	200	4	0.43	0.027
Price	384B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Price	3863C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Price	3863C	Crystal Lake	L	M	MW	VH		F			11	150	5	0.37	0.143
Price	3863C	Freeon	L	M	MW	M		F			11	100	4	0.55	0.217

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Price	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Price	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	418A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	418A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	425B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Price	425C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Price	425D	Karlin	L	M	SE	L		F	p		22	80	5	0.2	0.171
Price	43B	Antigo	L	M	W	M		F			4	200	3	0.49	0.087
Price	43C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Price	43D	Antigo	L	M	W	M		F			23	80	3	0.49	0.75
Price	441C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Price	441C	Freeon	L	M	MW	H		F			11	100	4	0.49	0.194
Price	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Price	457B	Freeon	L	M	MW	M		F			4	200	4	0.55	0.073
Price	457C	Freeon	L	M	MW	M		F			9	150	4	0.55	0.198
Price	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Price	475D	Rubicon	S	S	E	L		F	p		23	80	5	0.02	0.018
Price	475D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Price	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Price	520A	Annriver	L	M	VP	M		F	w	w	1	150	3	0.37	0.018
Price	525B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Price	525B	Padwood	L	M	MW	M		F			4	200	5	0.2	0.021
Price	525B	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Price	527B	Padwood	L	M	MW	M		F			3	200	5	0.2	0.014
Price	527C	Padwood	L	M	MW	M		F			9	150	5	0.2	0.058
Price	537D	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Price	537D	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Price	537D	Newot	L	M	W	L		F			25	60	4	0.43	0.49
Price	538B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Price	538C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Price	538D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Price	545C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Price	545C	Freeon	L	M	MW	M		F			11	100	4	0.55	0.217
Price	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Price	560A	Worwood	L	M	SP	M		F			2	200	5	0.32	0.016
Price	571B	Pelissier	L	M	E	VL		F	p		4	100	3	0.28	0.037
Price	571C	Pelissier	L	M	E	VL		F	p		11	80	3	0.28	0.132
Price	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Price	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Price	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Price	594B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Price	594B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Price	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Price	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016
Price	594D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Price	594D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Price	59A	Almena	L	M	SP	H		F			2	200	5	0.37	0.018
Price	612A	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Price	612A	Ossmer	L	M	SP	M		F			2	200	3	0.37	0.031
Price	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Price	624A	Ossmer	L	M	SP	M		F		w	2	200	3	0.37	0.031
Price	637B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Price	637C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Price	638B	Torch	L	M	SP	M		F			2	250	3	0.37	0.032
Price	63B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Price	63C	Crystal Lake	L	M	MW	VH		F			9	150	5	0.37	0.107
Price	63D	Crystal Lake	L	M	MW	VH		F			16	100	5	0.37	0.21
Price	642B	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Price	642B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Price	642B	Pesabic	L	M	SP	M		F			2	200	4	0.43	0.027
Price	644B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Price	644C	Shanagolden	L	M	MW	L		F			11	150	4	0.28	0.135
Price	644D	Shanagolden	L	M	MW	L		F			23	80	4	0.28	0.321
Price	648B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Price	670B	Keweenaw	S	S	W	L		F	p		3	150	5	0.15	0.01
Price	670B	Pence	S	S	SE	L		F	p		3	150	5	0.24	0.015
Price	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Price	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Price	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Price	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Price	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Price	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Price	701A	Whisklake	L	M	SP	L		F	w	w	2	200	3	0.49	0.041
Price	730B	Glidden	L	M	W	M		F			3	200	3	0.43	0.05
Price	730C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Price	730D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Price	737D	Santiago	L	M	W	M		F			23	80	4	0.43	0.493
Price	738A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Price	744B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Price	750B	Shequamegor	L	M	MW	M		F			4	200	4	0.55	0.073
Price	750C	Shequamegor	L	M	MW	M		F			11	100	4	0.55	0.217
Price	750D	Shequamegor	L	M	MW	M		F			23	80	4	0.55	0.631
Price	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Price	755A	Moppet	L	M	MW	M		F	w	w	2	150	3	0.2	0.015
Price	757B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Price	757B	Magnor	L	M	SP	H		F			2	200	4	0.43	0.027
Price	766A	Moppet	L	M	MW	M		F			2	150	3	0.2	0.015
Price	770B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Price	770B	Shanagolden	L	M	MW	L		F	p		4	200	4	0.28	0.037

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Price	770C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Price	770C	Shanagolden	L	M	MW	L		F	p		11	150	4	0.28	0.135
Price	770D	Pence	L	M	SE	L		F	p		20	200	5	0.24	0.277
Price	770D	Shanagolden	L	M	MW	L		F	p		20	200	4	0.28	0.404
Price	77A	Auburndale	L	M	P	H		F			1	150	5	0.32	0.01
Price	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Price	822A	Comstock	L	M	SP	H		F			2	200	5	0.43	0.022
Price	822A	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Price	822A	Ossmer	L	M	SP	M		F			2	200	3	0.37	0.031
Price	830A	Spiderlake	L	M	MW	M		F		w	2	200	3	0.37	0.031
Price	834B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Price	834B	Spiderlake	L	M	MW	M		F			2	250	3	0.37	0.032
Price	835C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Price	835C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Price	835D	Butternut	L	M	MW	M		F			23	80	3	0.37	0.566
Price	835D	Glidden	L	M	W	M		F			23	80	3	0.43	0.658
Price	837E	Newot	L	M	W	L		F			30	60	4	0.43	0.662
Price	846B	Pesabic	L	M	SP	M		F			2	200	4	0.32	0.02
Price	847B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Price	847C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Price	847D	Newood	L	M	MW	M		F			23	80	4	0.32	0.367
Price	852C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Price	852C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Price	852D	Padus	L	M	W	L		F	p		23	150	5	0.24	0.302
Price	852D	Pence	S	S	SE	L		F	p		23	150	5	0.24	0.302
Price	863B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Price	863B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Price	863B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Price	864E	Crystal Lake	L	M	MW	VH		F	p		25	60	5	0.37	0.337
Price	864E	Newot	L	M	W	L		F	p		25	60	4	0.43	0.49
Price	864E	Pence	L	M	SE	L		F	p		25	60	5	0.24	0.219
Price	9012B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Price	9012B	Sayner	S	S	E	L		F	p		3	300	5	0.15	0.012
Price	9012C	Lindquist	S	S	SE	L		F	p		11	150	5	0.15	0.058
Price	9012C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Price	9012D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Price	9012D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Price	9013A	Manitowish	S	S	MW	L		F			2	200	3	0.17	0.014
Price	9013A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Price	9050A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Price	9050A	Fordum	L	M	P	M		F	w	w	0.5	250	3	0.37	0.014
Price	9050A	Totagatic	L	M	P	L		F	w	w	0.5	250	5	0.32	0.007
Price	9051A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Price	9051A	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Price	9051A	Pleine	L	M	P	M		F			1	250	1	0.02	0.003
Price	9052A	Capitola	L	M	VP	L		F			1	250	3	0.37	0.021
Price	9052A	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Price	9052A	Lupton	O	M	VP			F			0.5	250	2	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Price	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Price	9060D	Pelissier	L	M	E	VL		F	p		33	60	5	0.28	0.403
Price	9071B	Freeon	L	M	MW	M		F			8	150	4	0.55	0.166
Price	9077C	Freeon	L	M	MW	M		F			15	100	4	0.49	0.314
Price	9113B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Price	9113B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Price	9113C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Price	9113C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Price	9113D	Karlin	L	M	SE	L		F	p		23	150	5	0.2	0.252
Price	9113D	Padus	L	M	W	L		F	p		23	80	5	0.24	0.22
Price	9155A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Price	9155A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	9155A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Price	9155A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Price	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Price	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Price	923A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Price	923A	Cebana	L	M	VP	M		F			1	150	4	0.49	0.018
Price	948A	Billyboy	L	M	MW	M		F			2	200	3	0.37	0.031
Price	956B	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Price	957B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Price	957C	Freeon	L	M	MW	M		F			11	100	4	0.55	0.217
Price	974B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Price	974B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Price	974B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Price	974C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Price	974C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Price	974C	Vilas	S	S	E	L		F	p		11	150	5	0.1	0.039
Price	974D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Price	974D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Price	974D	Vilas	S	S	E	L		F	p		23	80	5	0.1	0.092
Racine	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Racine	AtA	Ashkum	L	M	P	M		M	w	w	0.5	150	5	0.2	0.004
Racine	AuA	Aztalan	L	H	SP	H		M		w	2	250	5	0.15	0.008
Racine	AzA	Aztalan	L	H	SP	H		M		w	1	250	5	0.24	0.008
Racine	AzB	Aztalan	L	H	SP	H		M		w	4	200	5	0.24	0.025
Racine	BcA	Beecher	L	H	SP	H		M			2	250	5	0.37	0.019
Racine	BIA	Blount	L	H	SP	M		M			2	250	5	0.37	0.019
Racine	BmB	Boyer	S	S	W	L		M	p		3.5	200	4	0.2	0.023
Racine	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.2	0.072
Racine	BnB	Boyer	L	M	W	L		M	p		4	200	3	0.2	0.035
Racine	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Racine	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Racine	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Racine	CeB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Racine	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Racine	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Racine	CoC	Casco	L	M	W	L		M			9	150	2	0.32	0.23

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Racine	CoC	Miami	L	H	W	H		M			9	150	5	0.28	0.081
Racine	CoD	Casco	L	M	W	L		M			16	100	2	0.32	0.454
Racine	CoD	Miami	L	H	W	H		M			16	100	5	0.28	0.159
Racine	CrC	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Racine	CrC	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Racine	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Racine	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Racine	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Racine	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Racine	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Racine	CyA	Conover	L	H	SP	M		M		w	2	250	5	0.37	0.019
Racine	DaA	Barroch varians	L	H	SP	H		M		w	1.5	250	5	0.17	0.007
Racine	Dh	Dorchester	L	H	MW	VH		M	w	w	1	250	5	0.43	0.015
Racine	DrA	Dresden	L	H	W	M		M			2	250	3	0.28	0.024
Racine	Dt	Drummer	L	M	P	H		M	w	w	1	250	4	0.32	0.014
Racine	EtA	Elliott	L	H	SP	M		M			0.9	150	4	0.32	0.01
Racine	EtB	Elliott	L	H	SP	M		M		w	4	200	5	0.24	0.025
Racine	FaA	Fabius	L	M	SP	L		M			2	250	3	0.32	0.028
Racine	FmB	Fox	L	H	W	M		M			3.5	200	3	0.24	0.037
Racine	FmC2	Fox	L	H	W	M		M			9	150	3	0.24	0.115
Racine	FoA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Racine	FoB	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Racine	FoC2	Fox	L	H	W	M		M			9	150	3	0.37	0.178
Racine	FrA	Fox	L	H	MW	M		M			1	250	5	0.37	0.013
Racine	FrB	Fox	L	H	MW	M		M			4	200	5	0.37	0.039
Racine	FsA	Fox	L	H	W	M		M			1	250	3	0.43	0.024
Racine	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Racine	Gf	Granby	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Racine	Gm	Granby	S	S	P	L		M	w	w	1	250	5	0.2	0.007
Racine	GnA	Granby varians	L	M	SP	L		M		w	1.5	250	5	0.24	0.01
Racine	GsB	Griswold	L	H	W	M		M			4	200	5	0.28	0.03
Racine	GsC2	Griswold	L	H	W	M		M			9	150	5	0.28	0.081
Racine	HbB	Hebron	L	H	W	H		M			4	200	5	0.24	0.025
Racine	HeA	Hebron	L	H	W	H		M			1	250	5	0.37	0.013
Racine	HeB2	Hebron	L	H	W	H		M			4	200	5	0.37	0.039
Racine	HeC2	Hebron	L	H	W	H		M			9	150	5	0.37	0.107
Racine	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Racine	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Racine	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Racine	Ht	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Racine	KaA	Kane	L	H	SP	M		M		w	2	250	3	0.24	0.021
Racine	KhA	Kane	L	H	SP	M		M		w	2	250	5	0.37	0.019
Racine	KmB	Knowles	L	M	W	L	S	M			4	200	2	0.43	0.114
Racine	Lp	Lawson varians	L	H	SP	H		M			1	250	5	0.37	0.013
Racine	LyB	Lorenzo	L	M	W	L		M			4	200	3	0.28	0.049
Racine	MeB	Markham	L	H	MW	H		M			4	200	5	0.32	0.034
Racine	MeB2	Markham	L	H	MW	H		M			4	200	5	0.32	0.034
Racine	MeC2	Markham	L	H	MW	H		M			9	150	5	0.32	0.092

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Racine	MgA	Martinton	L	H	SP	H		M		w	2	250	5	0.28	0.015
Racine	MkA	Matherton	L	M	SP	L		M		w	2	250	3	0.28	0.024
Racine	MIA	Matherton	L	H	SP	M		M		w	2	250	5	0.24	0.012
Racine	MpB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Racine	MpC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Racine	MwB	Miami	L	H	W	H		M			4	200	5	0.28	0.03
Racine	MwC2	Miami	L	H	W	H		M			9	150	5	0.28	0.081
Racine	MwD2	Miami	L	H	W	H		M			16	100	5	0.28	0.159
Racine	MxB	Miami	L	H	W	M		M			4	200	5	0.37	0.039
Racine	MxC2	Miami	L	H	W	M		M			9	150	5	0.37	0.107
Racine	MxD2	Miami	L	H	W	M		M			16	100	5	0.37	0.21
Racine	MyB	Miami	L	H	W	H		M			4	200	5	0.37	0.039
Racine	MyC2	Miami	L	H	W	H		M			9	150	5	0.37	0.107
Racine	Mzc	Montgomery	L	M	VP	H		M	w	w	1	250	5	0.24	0.008
Racine	MzdB	Morley	L	H	MW	M		M			4	200	5	0.37	0.039
Racine	MzdB2	Morley	L	H	MW	M		M			4	200	5	0.37	0.039
Racine	MzdC	Morley	L	H	MW	M		M			9	150	5	0.37	0.107
Racine	MzdC2	Morley	L	H	MW	M		M			9	150	5	0.37	0.107
Racine	MzdD	Morley	L	H	MW	M		M			16	100	5	0.37	0.21
Racine	MzdD2	Morley	L	H	MW	M		M			16	100	5	0.37	0.21
Racine	MzdE	Morley	L	H	MW	M		M			25	60	5	0.37	0.337
Racine	MzeC3	Morley	L	H	MW	M		M			9	150	5	0.28	0.081
Racine	MzeD3	Morley	L	H	MW	M		M			16	100	5	0.28	0.159
Racine	MzfA	Mundelein	L	H	SP	H		M	w	w	2	250	5	0.32	0.017
Racine	Mzg	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Racine	Mzk	Mussey	L	M	P	L		M	w	w	1	250	2	0.24	0.02
Racine	Na	Navan	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Racine	Oc	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Racine	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Racine	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Racine	Pt	Plano	L	H	W	H		M			1	250	4	0.37	0.016
Racine	RaA	Radford	L	H	SP	VH		M		w	1.5	250	5	0.37	0.016
Racine	RgB	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Racine	RgC	Ringwood	L	H	W	H		M			9	150	5	0.32	0.092
Racine	Rt	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Racine	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Racine	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Racine	Sg	awmill varian	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Racine	ShA	Saylesville	L	H	W	H		M			1	250	5	0.37	0.013
Racine	ShB	Saylesville	L	H	W	H		M			4	200	5	0.37	0.039
Racine	ShC2	Saylesville	L	H	W	H		M			9	150	5	0.37	0.107
Racine	SkA	ylesville varia	L	H	MW	H		M			1	250	5	0.37	0.013
Racine	SkB	ylesville varia	L	H	MW	H		M			4	200	5	0.37	0.039
Racine	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Racine	So	Sebewa	L	M	P	M		M			1	250	4	0.32	0.014
Racine	SrB	Sisson	L	H	W	H		M			3.5	200	5	0.17	0.016
Racine	SsB	Sisson	L	H	W	H		M			3.5	200	5	0.24	0.022
Racine	SzA	Symerton	L	H	W	M		M			1	250	5	0.24	0.008



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Racine	SzB	Symerton	L	H	W	M		M			4	200	5	0.24	0.025
Racine	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Racine	VaB	Varna	L	H	W	H		M			4	200	5	0.32	0.034
Racine	VaB2	Varna	L	H	W	H		M			4	200	5	0.32	0.034
Racine	VaC2	Varna	L	H	W	H		M			9	150	5	0.32	0.092
Racine	Wa	Wallkill	L	M	VP	VH		M	w	w	1	250	5	0.32	0.011
Racine	WeA	Warsaw	L	H	W	M		M			1	250	3	0.24	0.014
Racine	WeB	Warsaw	L	H	W	M		M			4	200	3	0.24	0.042
Racine	WgA	Warsaw	L	H	W	M		M			1	250	5	0.24	0.008
Racine	WgB	Warsaw	L	H	W	M		M			4	200	5	0.24	0.025
Racine	WhA	Warsaw	L	H	W	M		M			1	250	3	0.28	0.016
Racine	WhB	Warsaw	L	H	W	M		M			4	200	3	0.28	0.049
Racine	WmA	Wasepi	L	M	SP	L		M		w	2	250	3	0.15	0.013
Racine	WnA	Wasepi	L	H	SP	M		M		w	2	250	5	0.17	0.009
Racine	WyA	Worthen	L	H	MW	VH		M	w	w	1.5	250	5	0.37	0.016
Racine	YaA	Yahara	L	H	SP	H		M		w	2	250	5	0.24	0.012
Racine	ZuA	Zurich	L	H	W	H		M			1	250	5	0.37	0.013
Racine	ZuB	Zurich	L	H	W	H		M			4	200	5	0.37	0.039
Racine	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.37	0.107
Richland	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Richland	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Richland	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Richland	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Richland	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Richland	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Richland	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Richland	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Richland	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Richland	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Richland	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Richland	117D2	Brownchurch	L	H	W	H		M			16	100	5	0.2	0.114
Richland	117E2	Brownchurch	L	H	W	H		M			25	80	5	0.2	0.211
Richland	122B2	Newhouse	L	H	W	H		M			4	200	5	0.49	0.052
Richland	123C2	Blackhammer	L	H	W	H		M			9	150	5	0.49	0.141
Richland	123D2	Blackhammer	L	H	W	H		M			16	100	5	0.49	0.278
Richland	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
Richland	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
Richland	132C2	Brinkman	L	H	MW	VH		M			9	150	5	0.49	0.141
Richland	133B2	Valton	L	H	W	M		M			4	200	4	0.49	0.065
Richland	133C2	Valton	L	H	W	M		M			9	150	4	0.49	0.176
Richland	133D2	Valton	L	H	W	M		M			16	100	4	0.49	0.348
Richland	134B2	Lamoille	L	H	W	M		M			4	150	3	0.49	0.077
Richland	134C2	Lamoille	L	H	W	M		M			9	150	3	0.49	0.235
Richland	137B	Mickle	L	H	MW	VH		M			4	200	5	0.43	0.046
Richland	137C	Mickle	L	H	MW	VH		M			9	150	5	0.43	0.124
Richland	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Richland	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Richland	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Richland	1505C2	Sparta	S	S	E	L		M	p		1	250	5	0.28	0.01
Richland	161B2	Fivepoints	L	M	W	L		M			4	200	2	0.49	0.13
Richland	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Richland	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Richland	163E2	Elbaville	L	H	W	M		M			25	60	4	0.43	0.49
Richland	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Richland	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Richland	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Richland	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Richland	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
Richland	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Richland	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Richland	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Richland	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Richland	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Richland	231D	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Richland	234C2	Basco	L	M	W	L		M			9	150	3	0.49	0.235
Richland	234D2	Basco	L	M	W	L		M			16	100	3	0.49	0.464
Richland	235F	Keyesville	L	M	SE	VL	S	M			42.5	60	3	0.24	0.862
Richland	253C2	Greenridge	L	H	W	H		M			8	150	5	0.49	0.119
Richland	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Richland	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Richland	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Richland	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Richland	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Richland	264C2	Rockbridge	L	H	W	M		M			9	150	4	0.43	0.155
Richland	264D2	Rockbridge	L	H	W	M		M			16	100	4	0.43	0.305
Richland	270B2	Port Byron	L	H	W	VH		M			4	200	5	0.43	0.046
Richland	270C2	Port Byron	L	H	W	VH		M			9	150	5	0.43	0.124
Richland	284C2	Gillingham	S	S	W	L		M	p		9	150	4	0.32	0.115
Richland	284D2	Gillingham	S	S	W	L		M	p		16	100	4	0.32	0.227
Richland	293B2	Muscoda	S	S	W	L		M	p		3.5	200	4	0.28	0.032
Richland	293C2	Muscoda	S	S	W	L		M	p		9	150	4	0.28	0.101
Richland	293D2	Muscoda	S	S	W	L		M	p		16	100	4	0.28	0.199
Richland	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Richland	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Richland	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
Richland	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Richland	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Richland	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Richland	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Richland	424D2	Merit	L	H	W	M		M			16	100	5	0.43	0.244
Richland	424F	Merit	L	H	W	M		M			33	60	5	0.37	0.533
Richland	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Richland	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Richland	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Richland	435B2	ixmaruhanixé	L	H	W	M		M			3.5	200	4	0.37	0.043
Richland	435C2	ixmaruhanixé	L	H	W	M		M			9	150	4	0.37	0.133

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Richland	437A	Balmoral	L	H	MW	H		M			1	250	4	0.37	0.016
Richland	446A	Merimod	L	H	MW	M		M			1	250	5	0.43	0.015
Richland	446B2	Merimod	L	H	MW	M		M			4	250	5	0.43	0.05
Richland	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Richland	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Richland	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Richland	504A	Sparta	S	S	E	L		M	p		1	250	5	0.28	0.01
Richland	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Richland	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Richland	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Richland	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Richland	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
Richland	572B2	Windward	S	S	SE	L		M	p		4	200	5	0.32	0.034
Richland	572C2	Windward	S	S	SE	L		M	p		9	150	5	0.32	0.092
Richland	576B	Tintson	S	S	MW	L		M	p		3	200	5	0.05	0.003
Richland	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Richland	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Richland	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Richland	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Richland	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Richland	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Richland	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Richland	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Richland	743E2	Council	L	H	W	H		M			25	60	5	0.37	0.337
Rock	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Rock	AzA	Aztalan	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Rock	BIA	Billett	L	H	W	M		M	p		1	250	3	0.24	0.014
Rock	BIB	Billett	L	H	W	M		M	p		4	200	3	0.24	0.042
Rock	BmA	Billett variant	L	M	SP	L		M	w	w	1.5	250	3	0.15	0.01
Rock	Br	Brookston	L	M	VP	H		M	w	w	1	250	5	0.32	0.011
Rock	CaB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Rock	CaC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Rock	CaD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Rock	CaE	Casco	L	M	W	L		M			27.5	60	2	0.32	0.854
Rock	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Rock	Da	Darroch	L	H	SP	H		M		w	1	250	5	0.32	0.011
Rock	DcA	Dickman	S	S	W	L		M	p		1	250	3	0.17	0.01
Rock	DcB	Dickman	S	S	W	L		M	p		4	200	3	0.17	0.03
Rock	DcC2	Dickman	S	S	W	L		M	p		9	150	3	0.17	0.082
Rock	DrA	Dresden	L	H	W	M		M			1	250	3	0.32	0.018
Rock	DrB	Dresden	L	H	W	M		M			4	200	3	0.32	0.057
Rock	DrC2	Dresden	L	H	W	M		M			9	150	3	0.32	0.154
Rock	DrD2	Dresden	L	H	W	M		M			18.5	80	3	0.32	0.342
Rock	DuA	Durand	L	H	W	H		M			1	250	5	0.32	0.011
Rock	DuB2	Durand	L	H	W	H		M			4	200	5	0.32	0.034
Rock	DuC2	Durand	L	H	W	H		M			9	150	5	0.32	0.092
Rock	EdB2	Edmund	L	M	W	VL	S	M	r	r	4	200	1	0.28	0.148
Rock	EdC2	Edmund	L	M	W	VL	S	M	r	r	9	150	1	0.28	0.403

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rock	EdD2	Edmund	L	M	W	VL	S	M	r	r	16	100	1	0.28	0.795
Rock	EdE	Edmund	L	M	W	VL	S	M	r	r	27.5	60	1	0.28	1.495
Rock	EIA	Elburn	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Rock	EmA	Elburn	L	H	SP	M		M		w	1.5	250	4	0.37	0.019
Rock	EoA	Elburn	L	H	SP	VH		M		w	1.5	250	5	0.37	0.016
Rock	EvB	Eleva	L	M	W	L	S	M			4	200	3	0.24	0.042
Rock	EvC2	Eleva	L	M	W	L	S	M			9	150	3	0.24	0.115
Rock	EvD	Eleva	L	M	W	L	S	M			16	100	3	0.24	0.227
Rock	EvE	Eleva	L	M	W	L	S	M			27.5	60	3	0.24	0.427
Rock	FIA	Flagg	L	H	W	H		M			1	250	5	0.37	0.013
Rock	FIB	Flagg	L	H	W	H		M			4	200	5	0.37	0.039
Rock	GoA	Gotham	S	S	W	L		M	p		1	250	5	0.2	0.007
Rock	GoB	Gotham	S	S	W	L		M	p		4	200	5	0.2	0.021
Rock	GoC2	Gotham	S	S	W	L		M	p		9	150	5	0.2	0.058
Rock	GoD	Gotham	S	S	W	L		M	p		16	100	5	0.2	0.114
Rock	GpB2	iotham variar	S	S	SE	L		M			4	200	2	0.17	0.045
Rock	GpC2	iotham variar	S	S	SE	L		M			9	150	2	0.17	0.122
Rock	GrA	Griswold	L	H	W	M		M			1	250	5	0.32	0.011
Rock	GrB2	Griswold	L	H	W	M		M			4	200	5	0.32	0.034
Rock	GrC2	Griswold	L	H	W	M		M			9	150	5	0.32	0.092
Rock	GrD2	Griswold	L	H	W	M		M			16	100	5	0.32	0.182
Rock	Ha	Hayfield	L	H	SP	M		M		w	1	250	3	0.28	0.016
Rock	HeA	Hebron	L	H	W	H		M			1.5	250	5	0.43	0.018
Rock	Ho	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Rock	JaA	Jasper	L	H	W	H		M			1	250	5	0.24	0.008
Rock	JaB	Jasper	L	H	W	H		M			4	200	5	0.24	0.025
Rock	JuA	Juneau	L	H	MW	VH		M	w	w	1.5	250	5	0.49	0.021
Rock	KaA	Kane	L	H	SP	M		M			1.5	250	3	0.28	0.02
Rock	KdB	Kidder	L	H	W	M		M			4	200	5	0.28	0.03
Rock	KdC2	Kidder	L	H	W	M		M			9	150	5	0.28	0.081
Rock	KdD	Kidder	L	H	W	M		M			16	100	5	0.28	0.159
Rock	KeA	Kidder	L	H	W	M		M			1	250	5	0.49	0.017
Rock	KeB2	Kidder	L	H	W	M		M			4	200	5	0.49	0.052
Rock	KeC2	Kidder	L	H	W	M		M			9	150	5	0.49	0.141
Rock	KeD2	Kidder	L	H	W	M		M			16	100	5	0.49	0.278
Rock	KeE	Kidder	L	H	W	M		M			25	60	5	0.49	0.447
Rock	LkA	Locke	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Rock	LoA	Lorenzo	L	M	W	L		M			1	250	2	0.28	0.024
Rock	LoB	Lorenzo	L	M	W	L		M			4	200	2	0.28	0.074
Rock	LoC2	Lorenzo	L	M	W	L		M			9	150	2	0.28	0.202
Rock	LoD	Lorenzo	L	M	W	L		M			16	100	3	0.28	0.265
Rock	Ma	Mahalasville	L	M	VP	H		M	w	w	1	250	5	0.32	0.011
Rock	Mb	Mahalasville	L	M	VP	VH		M	w	w	1	250	5	0.37	0.013
Rock	Md	Marshan	L	M	VP	M		M	w	w	1	250	3	0.24	0.014
Rock	Me	Maumee	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Rock	Mf	Millington	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Rock	Na	Navan	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Rock	OgA	Ogle	L	H	W	H		M			2.5	200	5	0.32	0.019

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rock	OgB	Ogle	L	H	W	H		M			4.5	200	5	0.32	0.043
Rock	OoA	Oshtemo	L	H	W	M		M	p		1	250	4	0.24	0.01
Rock	OoB	Oshtemo	L	H	W	M		M	p		4	200	4	0.24	0.032
Rock	OoC2	Oshtemo	L	H	W	M		M	p		9	150	4	0.24	0.086
Rock	OoD2	Oshtemo	L	H	W	M		M	p		18.5	80	4	0.24	0.193
Rock	OsA	shtemo varia	L	M	W	L		M	p		1	250	4	0.2	0.008
Rock	OsB	shtemo varia	L	M	W	L		M	p		4	200	4	0.2	0.027
Rock	OsC2	shtemo varia	L	M	W	L		M	p		9	150	4	0.2	0.072
Rock	Ot	Otter	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Rock	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Rock	PeA	Pecatonica	L	H	MW	H		M			1	250	5	0.32	0.011
Rock	PeB2	Pecatonica	L	H	MW	H		M			4	200	5	0.32	0.034
Rock	PeC2	Pecatonica	L	H	W	H		M			9	150	5	0.32	0.092
Rock	PIA	Plano	L	H	W	H		M			1	250	5	0.37	0.013
Rock	PIB	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Rock	PIC2	Plano	L	H	W	H		M			9	150	5	0.37	0.107
Rock	PmA	Plano	L	H	W	H		M			1	250	4	0.37	0.016
Rock	PmB	Plano	L	H	W	H		M			4	200	4	0.37	0.049
Rock	PnA	Plano variant	L	H	MW	H		M			1	250	5	0.32	0.011
Rock	PnB	Plano variant	L	H	MW	H		M			4	200	5	0.32	0.034
Rock	RnB2	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Rock	RnC2	Ringwood	L	H	W	H		M			9	150	5	0.32	0.092
Rock	RpB	Rockton	L	M	W	L	S	M			4	200	2	0.24	0.064
Rock	RpC2	Rockton	L	M	W	L	S	M			9	150	2	0.24	0.173
Rock	RpD2	Rockton	L	M	W	L	S	M			16	100	2	0.24	0.341
Rock	RrC2	Lorenzo	L	M	W	L		M	p		9	150	2	0.28	0.202
Rock	RrC2	Rodman	L	M	E	VL		M	p		9	150	5	0.2	0.058
Rock	RrE	Lorenzo	L	M	W	L		M	p		25	60	2	0.28	0.638
Rock	RrE	Rodman	L	M	E	VL		M	p		25	60	5	0.2	0.182
Rock	RrF	Lorenzo	L	M	W	L		M	p		37.5	60	2	0.28	1.239
Rock	RrF	Rodman	L	M	E	VL		M	p		37.5	60	5	0.2	0.354
Rock	Rs	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Rock	RtB2	Rotamer	L	H	W	M		M			4	200	5	0.37	0.039
Rock	RtC2	Rotamer	L	H	W	M		M			9	150	5	0.37	0.107
Rock	RtD	Rotamer	L	H	W	M		M			16	100	5	0.37	0.21
Rock	RuE	Rotamer	L	H	W	M		M			25	60	5	0.37	0.337
Rock	RuE	otamer varia	L	H	W	M		M			25	60	5	0.28	0.255
Rock	RuF	Rotamer	L	H	W	M		M			37.5	60	5	0.37	0.655
Rock	RuF	otamer varia	L	H	W	M		M			37.5	60	5	0.28	0.496
Rock	SaA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Rock	SaB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Rock	SaC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Rock	SaD	St. Charles	L	H	W	H		M			16	100	5	0.43	0.244
Rock	SbA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Rock	SbB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Rock	SbC2	St. Charles	L	H	W	H		M			9	150	4	0.43	0.155
Rock	Se	Sebewa	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Rock	SkA	Sisson	L	H	W	H		M			1	250	5	0.37	0.013

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rock	SkB	Sisson	L	H	W	H		M			4	200	5	0.37	0.039
Rock	SkC2	Sisson	L	H	W	H		M			9	150	5	0.37	0.107
Rock	SoB	Sogn	L	M	SE	VL	S	M	r	r	4	200	1	0.24	0.127
Rock	SoC2	Sogn	L	M	SE	VL	S	M	r	r	9	150	1	0.24	0.346
Rock	SoD	Sogn	L	M	SE	VL	S	M	r	r	16	100	1	0.24	0.682
Rock	SoF	Sogn	L	M	SE	VL	S	M	r	r	37.5	60	1	0.24	2.124
Rock	TrA	Troxel	L	H	MW	H		M	w	w	1.5	250	5	0.32	0.013
Rock	WaA	Warsaw	L	H	W	M		M			1	250	3	0.32	0.018
Rock	WaB	Warsaw	L	H	W	M		M			4	200	3	0.32	0.057
Rock	WaC2	Warsaw	L	H	W	M		M			9	150	3	0.32	0.154
Rock	Wb	Watseka	S	S	SP	L		M		w	1	250	5	0.17	0.006
Rock	WcA	Wauconda	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Rock	WeA	Westville	L	H	W	H		M			1	250	5	0.24	0.008
Rock	WeB	Westville	L	H	W	H		M			4	200	5	0.24	0.025
Rock	WeC2	Westville	L	H	W	H		M			9	150	5	0.24	0.069
Rock	WfA	Westville	L	H	W	H		M			1	250	5	0.32	0.011
Rock	WfB2	Westville	L	H	W	H		M			4	200	5	0.32	0.034
Rock	WfC2	Westville	L	H	W	H		M			9	150	5	0.32	0.092
Rock	WhB2	Whalan	L	H	W	M		M			4	200	2	0.17	0.045
Rock	WhC2	Whalan	L	H	W	M		M			9	150	2	0.17	0.122
Rock	WIA	Whalan	L	H	W	M		M			1	250	2	0.32	0.027
Rock	WIB2	Whalan	L	H	W	M		M			4	200	2	0.32	0.085
Rock	WIC2	Whalan	L	H	W	M		M			9	150	2	0.32	0.23
Rock	WID2	Whalan	L	H	W	M		M			16	100	2	0.32	0.454
Rock	WnA	Winnebago	L	H	W	H		M			2.5	200	5	0.37	0.022
Rock	WnB2	Winnebago	L	H	W	H		M			4.5	200	5	0.37	0.05
Rock	WnC2	Winnebago	L	H	W	H		M			9	150	5	0.37	0.107
Rock	WoA	Worthen	L	H	W	VH		M	w	w	1.5	250	5	0.37	0.016
Rock	ZuA	Zurich	L	H	MW	H		M			1	250	5	0.43	0.015
Rock	ZuB	Zurich	L	H	MW	H		M			4	200	5	0.43	0.046
Rock	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
Rusk	1345B	Chequamegon	L	H	MW	M		F			4	200	4	0.55	0.073
Rusk	1345B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Rusk	160A	Oesterle	L	M	SP	L		F		w	1	250	3	0.24	0.014
Rusk	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Rusk	182C	Padus	L	M	W	L		F			11	150	5	0.24	0.093
Rusk	182D	Padus	L	M	W	L		F			23	80	5	0.24	0.22
Rusk	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Rusk	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Rusk	1956B	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Rusk	1957B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Rusk	1957C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Rusk	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Rusk	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Rusk	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Rusk	22A	Comstock	L	H	SP	H		F			2	200	5	0.43	0.022
Rusk	24A	Poskin	L	H	SP	M		F	w	w	2	250	3	0.43	0.037
Rusk	27A	Scott Lake	L	M	MW	L		F			2	150	3	0.24	0.018

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rusk	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Rusk	3078E	Ribhill	L	M	SE	L		F			28	60	2	0.32	0.88
Rusk	308B	Blackriver	L	H	MW	H		F			4	200	4	0.43	0.057
Rusk	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Rusk	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Rusk	315A	Rib	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Rusk	324A	Maplehurst	L	H	SP	H		F	w	w	2	250	4	0.49	0.032
Rusk	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Rusk	3336A	Fenander	L	M	P	M		F			1	250	5	0.37	0.013
Rusk	337A	Plover	L	H	SP	H		F			2	250	5	0.37	0.019
Rusk	33B	Chetek	L	M	SE	L		F	p		4	200	5	0.28	0.03
Rusk	33C	Chetek	L	M	SE	L		F			9	150	5	0.24	0.069
Rusk	33D	Chetek	L	M	SE	L		F			16	150	3	0.24	0.278
Rusk	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Rusk	3456A	Magnor	L	H	SP	H		F			2	250	4	0.43	0.028
Rusk	345B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Rusk	345B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Rusk	346E	Newot	L	M	W	L		F	p		30	60	4	0.43	0.662
Rusk	346E	Pence	L	M	SE	L		F	p		30	60	5	0.24	0.296
Rusk	3546C	Newood	L	H	MW	M		F	p		11	150	4	0.32	0.154
Rusk	3546C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Rusk	3556C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Rusk	3556C	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Rusk	3556C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Rusk	3569C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Rusk	3569C	Newood	L	H	MW	M		F			9	150	4	0.32	0.115
Rusk	3569C	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Rusk	3666B	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Rusk	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Rusk	383C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Rusk	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Rusk	38B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Rusk	38C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Rusk	38D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Rusk	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Rusk	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Rusk	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Rusk	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Rusk	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Rusk	412A	Rifle	O	M	VP			F	w	w	1	245	2	0.02	0.002
Rusk	412A	Tacoosh	O	M	VP			F	w	w	0.5	245	1	0.02	0.002
Rusk	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Rusk	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Rusk	415A	Greenwood	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Rusk	425B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Rusk	425C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Rusk	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Rusk	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rusk	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Rusk	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Rusk	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Rusk	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Rusk	43B	Antigo	L	H	W	M		F			4	200	3	0.49	0.087
Rusk	43C	Antigo	L	H	W	M		F			11	150	3	0.49	0.315
Rusk	43D	Antigo	L	H	W	M		F			23	80	3	0.49	0.75
Rusk	457B	Freeon	L	H	MW	M		F			4	200	4	0.55	0.073
Rusk	457C	Freeon	L	H	MW	M		F			9	150	4	0.55	0.198
Rusk	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Rusk	478C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Rusk	478C	Ribhill	L	M	SE	L		F			11	150	2	0.32	0.309
Rusk	48A	Brill	L	H	MW	M		F			1	250	3	0.43	0.024
Rusk	515A	Manitowish	S	S	MW	M		F			2	250	5	0.17	0.009
Rusk	520A	Annriver	L	M	VP	L		F	w	w	1	150	3	0.37	0.018
Rusk	527B	Padwood	L	H	MW	M		F			3	200	5	0.2	0.014
Rusk	527C	Padwood	L	H	MW	M		F			9	150	5	0.2	0.058
Rusk	537D	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Rusk	537D	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Rusk	537D	Newot	L	M	W	L		F			25	60	4	0.43	0.49
Rusk	543B	Anigon	L	H	W	M		F			4	200	3	0.43	0.076
Rusk	543C2	Anigon	L	H	W	M		F			9	150	3	0.43	0.206
Rusk	545C	Antigo	L	H	W	M		F			11	150	3	0.49	0.315
Rusk	545C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Rusk	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Rusk	560A	Worwood	L	H	SP	M		F			2	200	5	0.32	0.016
Rusk	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Rusk	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Rusk	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Rusk	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Rusk	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Rusk	594B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Rusk	594B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Rusk	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Rusk	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016
Rusk	59A	Almena	L	H	SP	H		F			2	200	5	0.37	0.018
Rusk	612A	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Rusk	612A	Ossmer	L	H	SP	M		F			2	200	3	0.37	0.031
Rusk	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Rusk	615C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Rusk	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Rusk	624A	Ossmer	L	H	SP	M		F		w	2	200	3	0.37	0.031
Rusk	632B	Aftad	L	H	MW	H		F			4	200	5	0.55	0.058
Rusk	632C	Aftad	L	H	MW	H		F			9	150	5	0.55	0.158
Rusk	637B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Rusk	637C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Rusk	63B	Crystal Lake	L	H	MW	VH		F			4	200	5	0.37	0.039
Rusk	63C	Crystal Lake	L	H	MW	VH		F			9	150	5	0.37	0.107



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rusk	63D	Crystal Lake	L	H	MW	VH		F			16	100	5	0.37	0.21
Rusk	642B	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Rusk	642B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Rusk	642B	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Rusk	648B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Rusk	651A	Slimlake	S	S	MW	L		F			2	250	4	0.24	0.016
Rusk	667B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Rusk	667C	Newood	L	H	MW	M		F			10	150	4	0.32	0.134
Rusk	675A	Robago	L	H	SP	M		F	w	w	2	200	5	0.37	0.018
Rusk	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Rusk	700B	Menahga	S	S	E	L		F	p		3	200	5	0.15	0.01
Rusk	700C	Menahga	S	S	E	L		F	p		9	150	5	0.15	0.043
Rusk	737D	Santiago	L	H	W	M		F			23	80	4	0.43	0.493
Rusk	737E	Santiago	L	H	W	M		F			35	80	4	0.43	0.983
Rusk	746D	Pence	L	M	SE	L		F	p		17.5	80	5	0.24	0.141
Rusk	746D	Sconsin	L	H	MW	M		F	p		4	200	3	0.37	0.065
Rusk	746D	Tawas	O	M	VP			F	p		0.5	250	1	0.02	0.002
Rusk	750B	Chequamegon	L	H	MW	M		F			4	200	4	0.55	0.073
Rusk	750C	Chequamegon	L	H	MW	M		F			11	100	4	0.55	0.217
Rusk	750D	Chequamegon	L	H	MW	M		F			23	80	4	0.55	0.631
Rusk	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Rusk	755A	Moppet	L	H	MW	M		F	w	w	2	150	3	0.2	0.015
Rusk	757B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Rusk	757B	Magnor	L	H	SP	H		F			2	200	4	0.43	0.027
Rusk	766A	Moppet	L	H	MW	M		F			2	150	3	0.2	0.015
Rusk	77A	Auburndale	L	M	P	H		F			1	150	5	0.32	0.01
Rusk	78C	Ribhill	L	M	SE	L		F			9	150	2	0.32	0.23
Rusk	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Rusk	817D	Alcona	L	H	W	H		F			23	80	5	0.28	0.257
Rusk	837E	Newot	L	M	W	L		F			30	60	4	0.43	0.662
Rusk	847B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Rusk	847C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Rusk	848A	Ribriver	L	H	MW	H		F		w	2	200	4	0.43	0.027
Rusk	9052A	Capitola	L	M	VP	L		F			1	250	3	0.37	0.021
Rusk	9052A	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Rusk	9052A	Lupton	O	M	VP			F			0.5	250	2	0.02	0.001
Rusk	917B	Annalake	L	H	MW	M		F			4	200	5	0.28	0.03
Rusk	917C	Annalake	L	H	MW	M		F			11	150	5	0.28	0.108
Rusk	923A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Rusk	923A	Cebana	L	M	VP	M		F			1	150	4	0.49	0.018
Rusk	933B	Cromwell	S	S	SE	L		F			4	200	5	0.2	0.021
Rusk	934A	Glenflora	L	M	VP	H		F	w	w	1	250	4	0.37	0.016
Rusk	948A	Billyboy	L	H	MW	M		F			2	200	3	0.37	0.031
Rusk	950A	Maincreek	L	H	SP	M		F			1	250	3	0.43	0.024
Rusk	950A	Sconsin	L	H	MW	M		F			2	250	3	0.37	0.032
Rusk	954A	Maincreek	L	H	SP	M		F			1	250	3	0.43	0.024
Rusk	956B	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Rusk	957B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Rusk	957C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Sauk	Ad	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sauk	ArA	Arenzville	L	H	MW	VH		M			1.5	250	5	0.49	0.021
Sauk	AtA	Atterberry	L	H	SP	H		M			1	250	5	0.43	0.015
Sauk	AtB	Atterberry	L	H	SP	H		M			4	200	5	0.43	0.046
Sauk	BaB	Baraboo	L	H	MW	M		M			4	200	2	0.49	0.13
Sauk	BaC	Baraboo	L	H	MW	M		M			8	200	2	0.49	0.343
Sauk	BbC	Baraboo	L	M	MW	L		M			8	200	2	0.37	0.259
Sauk	BbD	Baraboo	L	M	MW	L		M			17	250	2	0.37	0.916
Sauk	BcE	Baraboo	L	M	MW	L		M			36	60	2	0.37	1.534
Sauk	BdB	araboo variar	L	M	SP	L		M			4	200	2	0.37	0.098
Sauk	BeB	Bertrand	L	H	W	H		M			4	200	4	0.49	0.065
Sauk	BeC2	Bertrand	L	H	W	H		M			8	200	4	0.49	0.172
Sauk	BIB	Billett	L	H	W	M		M	p		4	200	3	0.24	0.042
Sauk	BIC2	Billett	L	H	W	M		M	p		8	150	3	0.24	0.097
Sauk	BID2	Billett	L	H	W	M		M	p		14	150	3	0.24	0.225
Sauk	BmA	Billett	L	H	MW	M		M	p		1.5	250	3	0.28	0.02
Sauk	BoB	Boone	S	S	E	VL		M	p		4	200	3	0.05	0.009
Sauk	BoC	Boone	S	S	E	VL		M	p		8	150	3	0.05	0.02
Sauk	BoD	Boone	S	S	E	VL		M	p		17	150	3	0.05	0.064
Sauk	BrA	Brems	S	S	MW	L		M	p		1.5	250	5	0.24	0.01
Sauk	BtB	Briggsville	L	H	W	H		M			4	200	5	0.43	0.046
Sauk	ChA	Chaseburg	L	H	MW	VH		M			1	200	5	0.43	0.014
Sauk	Co	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Sauk	CuA	Curran	L	H	SP	H		M			1.5	200	5	0.43	0.017
Sauk	DaA	Dakota	L	H	W	M		M			1	250	3	0.28	0.016
Sauk	DaB	Dakota	L	H	W	M		M			4	200	3	0.28	0.049
Sauk	DeA	Dells	L	H	SP	M		M			1.5	250	3	0.49	0.034
Sauk	DkB	Dickinson	L	M	SE	L		M	p		4	200	3	0.2	0.035
Sauk	DkC	Dickinson	L	M	SE	L		M	p		8	200	3	0.2	0.093
Sauk	EIB	Eleva	L	M	W	L		M			4	200	3	0.24	0.042
Sauk	EIC2	Eleva	L	M	W	L		M			8	200	3	0.24	0.112
Sauk	EID2	Eleva	L	M	W	L		M			14	150	3	0.24	0.225
Sauk	EIE	Eleva	L	M	W	L		M			22	100	3	0.24	0.382
Sauk	EmA	Eleva variant	L	M	SP	L		M			1.5	250	3	0.24	0.017
Sauk	EnB	Elkmound	L	M	W	VL	S	M	r	r	4	200	2	0.28	0.074
Sauk	EnC	Elkmound	L	M	W	VL	S	M	r	r	8	200	2	0.28	0.196
Sauk	EnD	Elkmound	L	M	W	VL	S	M	r	r	14	150	2	0.28	0.393
Sauk	Et	Ettrick	L	M	VP	VH		M	w	w	1	250	5	0.37	0.013
Sauk	FaB	Fayette	L	H	W	H		M			4	200	5	0.49	0.052
Sauk	FaC2	Fayette	L	H	W	H		M			8	200	5	0.49	0.137
Sauk	FaD2	Fayette	L	H	W	H		M			14	150	5	0.49	0.275
Sauk	FxB	Fox	L	H	W	M		M			4	200	3	0.37	0.065
Sauk	FxC2	Fox	L	H	W	M		M			8	200	3	0.37	0.173
Sauk	GaB	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Sauk	GaC2	Gale	L	H	W	M		M			8	200	3	0.49	0.229
Sauk	GaD2	Gale	L	H	W	M		M			14	150	3	0.49	0.459
Sauk	GaE	Gale	L	H	W	M		M			22	100	3	0.49	0.779

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sauk	GoB	Gotham	S	S	W	L		M	p		4	200	5	0.24	0.025
Sauk	GoC	Gotham	S	S	W	L		M	p		8	150	5	0.24	0.058
Sauk	GoD	Gotham	S	S	W	L		M	p		14	150	5	0.24	0.135
Sauk	Gr	Granby	S	S	VP	L		M	w	w	1	250	5	0.1	0.003
Sauk	Gv	Granby variant	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Sauk	Ho	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Sauk	JaA	Jackson	L	H	MW	H		M			1	250	4	0.49	0.021
Sauk	JaB	Jackson	L	H	MW	H		M			4	200	4	0.49	0.065
Sauk	KIA	Kendall	L	H	SP	H		M			1.5	250	5	0.43	0.018
Sauk	LfB	La Farge	L	H	W	M		M			4	200	3	0.49	0.087
Sauk	LfC2	La Farge	L	H	W	M		M			8	200	3	0.49	0.229
Sauk	LfD2	La Farge	L	H	W	M		M			14	150	3	0.49	0.459
Sauk	LfE	La Farge	L	H	W	M		M			22	100	3	0.49	0.779
Sauk	Mc	Marshan	L	M	VP	M		M	w	w	1	250	3	0.28	0.016
Sauk	MdB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Sauk	MdC2	McHenry	L	H	W	H		M			8	200	5	0.43	0.12
Sauk	MdD2	McHenry	L	H	W	H		M			14	150	5	0.43	0.242
Sauk	MdE	McHenry	L	H	W	H		M			22	100	5	0.43	0.41
Sauk	MsA	Mosel	L	H	SP	M		M			1.5	250	5	0.32	0.013
Sauk	NIB	Norden	L	M	W	L		M			4	200	3	0.43	0.076
Sauk	NIC2	Norden	L	M	W	L		M			8	200	3	0.43	0.201
Sauk	NID2	Norden	L	M	W	L		M			14	150	3	0.43	0.403
Sauk	NIE	Norden	L	M	W	L		M			22	100	3	0.43	0.684
Sauk	NrE	Eleva	L	M	W	L		M	r	r	20	100	3	0.24	0.326
Sauk	NrE	Norden	L	M	W	L		M	r	r	20	100	3	0.43	0.585
Sauk	Or	Orion	L	H	SP	VH		M			1	250	5	0.49	0.017
Sauk	Os	Ossian	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Sauk	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sauk	PcA	Pillot	L	H	W	H		M			1	250	3	0.37	0.021
Sauk	PcB	Pillot	L	H	W	H		M			4	200	3	0.37	0.065
Sauk	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.24	0.025
Sauk	PfBT	Plainfield	S	S	E	L		M	p		4	200	5	0.1	0.011
Sauk	PfC	Plainfield	S	S	E	L		M	p		8	200	5	0.24	0.067
Sauk	PfCT	Plainfield	S	S	E	L		M	p		9	150	5	0.1	0.029
Sauk	PfD	Plainfield	S	S	E	L		M	p		14	150	5	0.24	0.135
Sauk	PfDT	Plainfield	S	S	E	L		M	p		18	80	5	0.1	0.061
Sauk	RbB	Reedsburg	L	H	SP	M		M			4	200	4	0.49	0.065
Sauk	RhA	Richwood	L	H	W	H		M			1	250	4	0.43	0.018
Sauk	RhB	Richwood	L	H	W	H		M			4	200	4	0.43	0.057
Sauk	RmA	Rimer	S	S	SP	L		M		w	1.5	250	4	0.15	0.008
Sauk	RnB	Ringwood	L	H	W	H		M			4	200	5	0.32	0.034
Sauk	RnC2	Ringwood	L	H	W	H		M			8	200	5	0.32	0.09
Sauk	Ry	Rowley	L	H	SP	H		M			1	250	4	0.43	0.018
Sauk	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Sauk	ScC2	St. Charles	L	H	W	H		M			10	150	5	0.43	0.144
Sauk	ScD2	St. Charles	L	H	W	H		M			15	100	5	0.43	0.22
Sauk	SfA	Shiffer	L	H	SP	M		M			1.5	250	3	0.32	0.022
Sauk	ShA	Shiffer variant	L	M	SP	L		M			1.5	250	3	0.2	0.014

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sauk	SnB	Sisson	L	H	W	H		M			4	200	5	0.37	0.039
Sauk	SpB	Sparta	S	S	E	L		M	p		3.5	200	5	0.17	0.016
Sauk	SpC	Sparta	S	S	E	L		M	p		8	150	5	0.17	0.041
Sauk	St	Sparta variant	S	S	MW	L		M	p		1	250	5	0.17	0.006
Sauk	TaA	Tama	L	H	W	H		M			1	250	5	0.37	0.013
Sauk	TaB	Tama	L	H	W	H		M			4	200	5	0.37	0.039
Sauk	TaC2	Tama	L	H	W	H		M			8	200	5	0.37	0.104
Sauk	TeA	Tell	L	H	W	M		M			1	250	3	0.49	0.028
Sauk	TeB	Tell	L	H	W	M		M			4	200	3	0.49	0.087
Sauk	TeC2	Tell	L	H	W	M		M			8	200	3	0.49	0.229
Sauk	TeD2	Tell	L	H	W	M		M			14	150	3	0.49	0.459
Sauk	TvA	Toddville	L	H	MW	H		M			1	250	4	0.37	0.016
Sauk	TvB	Toddville	L	H	MW	H		M			4	200	4	0.37	0.049
Sauk	TwB	Tustin	S	S	W	M		M			4	200	4	0.15	0.02
Sauk	UfB	Urne	L	M	SE	L		M			4	200	3	0.32	0.057
Sauk	UfC2	Urne	L	M	SE	L		M			8	200	3	0.32	0.149
Sauk	UfD2	Urne	L	M	SE	L		M			14	150	3	0.32	0.3
Sauk	UfE	Urne	L	M	SE	L		M			22	100	3	0.32	0.509
Sauk	VaB	Valton	L	H	W	M		M			4	200	4	0.49	0.065
Sauk	VaC2	Valton	L	H	W	M		M			8	200	4	0.49	0.172
Sauk	VaD2	Valton	L	H	W	M		M			14	150	4	0.49	0.344
Sauk	VaE	Valton	L	H	W	M		M			22	100	4	0.49	0.584
Sauk	Wt	Watseka	S	S	SP	L		M	p		1	250	5	0.15	0.005
Sauk	WwB	Wildale	L	M	W	L		M			4	200	5	0.49	0.052
Sauk	WwC2	Wildale	L	M	W	L		M			8	200	5	0.49	0.137
Sauk	WwD2	Wildale	L	M	W	L		M			14	150	5	0.49	0.275
Sauk	WxB	Wyocena	L	H	W	M		M	p		4	200	5	0.28	0.03
Sauk	WxC2	Wyocena	L	H	W	M		M	p		8	200	5	0.28	0.078
Sauk	WxD2	Wyocena	L	H	W	M		M	p		14	150	5	0.28	0.157
Sauk	WxE	Wyocena	L	M	W	L		M	p		22	100	5	0.28	0.267
Sawyer	1070D	Cress	S	S	SE	L		F	p		21	80	2	0.24	0.474
Sawyer	1070D	Fremstadt	S	S	W	L		F	p		23	80	5	0.24	0.22
Sawyer	127D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Sawyer	127D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Sawyer	127E	Amery	L	M	W	M		F			33	60	5	0.24	0.346
Sawyer	127E	Rosholt	L	M	W	L		F			33	60	5	0.28	0.403
Sawyer	1345B	Shequamegor	L	M	MW	M		F			4	200	4	0.55	0.073
Sawyer	1345B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Sawyer	160A	Oesterle	L	M	SP	L		F	w		1	250	3	0.24	0.014
Sawyer	1633B	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Sawyer	1633B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Sawyer	1633B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Sawyer	1633C	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Sawyer	1633C	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Sawyer	1633C	Shanagolden	L	M	MW	L		F			9	150	4	0.28	0.101
Sawyer	1653B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Sawyer	1653B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Sawyer	1653B	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	1653C	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Sawyer	1653C	Stanberry	L	M	MW	L		F			9	150	4	0.32	0.115
Sawyer	1653C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Sawyer	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Sawyer	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Sawyer	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Sawyer	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Sawyer	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Sawyer	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Sawyer	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Sawyer	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Sawyer	217B	Karlin	S	S	SE	L		F	p		3	200	5	0.2	0.014
Sawyer	217C	Karlin	S	S	SE	L		F	p		9	150	5	0.2	0.058
Sawyer	22A	Comstock	L	M	SP	H		F			2	200	5	0.43	0.022
Sawyer	24A	Poskin	L	M	SP	M		F	w	w	2	250	3	0.43	0.037
Sawyer	27A	Scott Lake	L	M	MW	L		F			2	150	3	0.24	0.018
Sawyer	28B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Sawyer	28B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Sawyer	28C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Sawyer	28C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Sawyer	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Sawyer	3078E	Ribhill	L	M	SE	L		F			28	60	2	0.32	0.88
Sawyer	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Sawyer	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Sawyer	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Sawyer	3312B	Glendenning	L	M	SP	M		F			1	250	5	0.28	0.01
Sawyer	337A	Plover	L	M	SP	H		F			2	250	5	0.37	0.019
Sawyer	33B	Chetek	L	M	SE	L		F	p		4	200	5	0.28	0.03
Sawyer	33C	Chetek	L	M	SE	L		F			9	150	5	0.24	0.069
Sawyer	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Sawyer	3456A	Magnor	L	M	SP	H		F			2	250	4	0.43	0.028
Sawyer	345B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Sawyer	345B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Sawyer	346E	Newot	L	M	W	L		F	p		30	60	4	0.43	0.662
Sawyer	346E	Pence	L	M	SE	L		F	p		30	60	5	0.24	0.296
Sawyer	3546B	Newood	L	M	MW	M		F	p		4	150	4	0.32	0.038
Sawyer	3546B	Pence	L	M	SE	L		F	p		4	150	5	0.24	0.023
Sawyer	3546C	Newood	L	M	MW	M		F	p		11	150	4	0.32	0.154
Sawyer	3546C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Sawyer	3556C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Sawyer	3556C	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Sawyer	3556C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Sawyer	3666B	Pesabic	L	M	SP	M		F			2	200	4	0.43	0.027
Sawyer	380D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Sawyer	380D	Rosholt	L	M	W	L		F			21	80	5	0.28	0.221

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Sawyer	383C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Sawyer	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079
Sawyer	384B	Springstead	L	M	MW	L		F	p		3	250	3	0.24	0.03
Sawyer	38A	Rosholt	L	M	W	L		F			1	250	5	0.28	0.01
Sawyer	38B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Sawyer	38C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Sawyer	38D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Sawyer	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Sawyer	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Sawyer	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Sawyer	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	412A	Rifle	O	M	VP			F	w	w	1	245	2	0.02	0.002
Sawyer	412A	Tacoosh	O	M	VP			F	w	w	0.5	245	1	0.02	0.002
Sawyer	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	415A	Greenwood	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	425B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Sawyer	425C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Sawyer	42D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Sawyer	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Sawyer	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Sawyer	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Sawyer	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Sawyer	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Sawyer	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Sawyer	43B	Antigo	L	M	W	M		F			4	200	3	0.49	0.087
Sawyer	43C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Sawyer	43D	Antigo	L	M	W	M		F			23	80	3	0.49	0.75
Sawyer	441C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Sawyer	441C	Freeon	L	M	MW	H		F			11	100	4	0.49	0.194
Sawyer	442C	Greenwood	O	M	VP			F			1	250	2	0.02	0.002
Sawyer	442C	Haugen	L	M	MW	M		F			7	150	5	0.24	0.048
Sawyer	443D	Amery	L	M	W	M		F	w	w	25	80	5	0.24	0.253
Sawyer	443D	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Sawyer	445A	Kinross	L	M	P	L		F	w	w	1	250	5	0.02	0.001
Sawyer	457B	Freeon	L	M	MW	M		F			4	200	4	0.55	0.073
Sawyer	457C	Freeon	L	M	MW	M		F			9	150	4	0.55	0.198
Sawyer	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Sawyer	48A	Brill	L	M	MW	M		F			1	250	3	0.43	0.024
Sawyer	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	520A	Annriver	L	M	VP	M		F	w	w	1	150	3	0.37	0.018
Sawyer	527B	Padwood	L	M	MW	M		F			3	200	5	0.2	0.014
Sawyer	537D	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Sawyer	537D	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Sawyer	537D	Newot	L	M	W	L		F			25	60	4	0.43	0.49
Sawyer	538B	Butternut	L	M	MW	M		F			4	200	3	0.37	0.065
Sawyer	538C	Butternut	L	M	MW	M		F			11	150	3	0.37	0.238
Sawyer	542B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Sawyer	542C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Sawyer	543B	Anigon	L	M	W	M		F			4	200	3	0.43	0.076
Sawyer	543C2	Anigon	L	M	W	M		F			9	150	3	0.43	0.206
Sawyer	545C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Sawyer	545C	Freeon	L	M	MW	M		F			11	100	4	0.55	0.217
Sawyer	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Sawyer	560A	Worwood	L	M	SP	M		F			2	200	5	0.32	0.016
Sawyer	571C	Pelissier	L	M	E	VL		F	p		11	80	3	0.28	0.132
Sawyer	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Sawyer	574B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Sawyer	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Sawyer	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Sawyer	579B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Sawyer	582B	Keweenaw	S	S	W	L		F	p		3	200	5	0.15	0.01
Sawyer	582B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Sawyer	582B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Sawyer	582C	Keweenaw	S	S	W	L		F	p		11	150	5	0.15	0.058
Sawyer	582C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Sawyer	582C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Sawyer	582D	Keweenaw	S	S	W	L		F	p		23	80	5	0.15	0.138
Sawyer	582D	Padus	L	M	W	L		F	p		23	60	5	0.24	0.191
Sawyer	582D	Pence	S	S	SE	L		F	p		23	60	5	0.24	0.191
Sawyer	591A	Chinwhisker	S	S	MW	L		F	p		2	250	5	0.1	0.005
Sawyer	591A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Sawyer	594B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Sawyer	594B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Sawyer	594C	Lindquist	S	S	SE	L		F	p		11	100	5	0.15	0.047
Sawyer	594C	Vilas	S	S	E	L		F	p		11	100	5	0.05	0.016
Sawyer	594D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Sawyer	594D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Sawyer	612A	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Sawyer	612A	Ossmer	L	M	SP	M		F			2	200	3	0.37	0.031
Sawyer	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Sawyer	615C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Sawyer	615D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Sawyer	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Sawyer	624A	Ossmer	L	M	SP	M		F		w	2	200	3	0.37	0.031
Sawyer	632B	Aftad	L	M	MW	H		F			4	200	5	0.55	0.058
Sawyer	633F	Padus	L	M	W	L		F	p		38	60	5	0.24	0.433
Sawyer	633F	Pence	S	S	SE	L		F	p		38	60	5	0.24	0.433

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	637B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Sawyer	637C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Sawyer	638B	Torch	L	M	SP	M		F			2	250	3	0.37	0.032
Sawyer	63B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Sawyer	63C	Crystal Lake	L	M	MW	VH		F			9	150	5	0.37	0.107
Sawyer	63E	Crystal Lake	L	M	MW	VH		F			28	80	5	0.37	0.47
Sawyer	644B	Shanagolden	L	M	MW	L		F			4	200	3	0.28	0.049
Sawyer	644C	Shanagolden	L	M	MW	L		F			11	150	4	0.28	0.135
Sawyer	644D	Shanagolden	L	M	MW	L		F			23	80	4	0.28	0.321
Sawyer	648B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Sawyer	670B	Keweenaw	S	S	W	L		F	p		3	150	5	0.15	0.01
Sawyer	670B	Pence	S	S	SE	L		F	p		3	150	5	0.24	0.015
Sawyer	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Sawyer	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Sawyer	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Sawyer	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Sawyer	675A	Robago	L	M	SP	M		F	w	w	2	200	5	0.37	0.018
Sawyer	680B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Sawyer	680B	Stanberry	L	M	MW	L		F	p		4	200	4	0.32	0.042
Sawyer	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Sawyer	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016
Sawyer	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Sawyer	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Sawyer	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Sawyer	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Sawyer	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Sawyer	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Sawyer	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Sawyer	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Sawyer	730C	Glidden	L	M	W	M		F			11	150	3	0.43	0.277
Sawyer	733A	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Sawyer	737D	Santiago	L	M	W	M		F			23	80	4	0.43	0.493
Sawyer	737E	Santiago	L	M	W	M		F			35	80	4	0.43	0.983
Sawyer	738A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Sawyer	744B	Peeksville	L	M	SP	M		F			2	250	3	0.28	0.024
Sawyer	750B	Shequamegor	L	M	MW	M		F			4	200	4	0.55	0.073
Sawyer	750C	Shequamegor	L	M	MW	M		F			11	100	4	0.55	0.217
Sawyer	750D	Shequamegor	L	M	MW	M		F			23	80	4	0.55	0.631
Sawyer	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Sawyer	755A	Moppet	L	M	MW	M		F	w	w	2	150	3	0.2	0.015
Sawyer	757B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Sawyer	757B	Magnor	L	M	SP	H		F			2	200	4	0.43	0.027
Sawyer	766A	Moppet	L	M	MW	M		F			2	150	3	0.2	0.015
Sawyer	770B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Sawyer	770B	Shanagolden	L	M	MW	L		F	p		4	200	4	0.28	0.037
Sawyer	770C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Sawyer	770C	Shanagolden	L	M	MW	L		F	p		11	150	4	0.28	0.135
Sawyer	770D	Pence	L	M	SE	L		F	p		20	200	5	0.24	0.277



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	770D	Shanagolden	L	M	MW	L		F	p		20	200	4	0.28	0.404
Sawyer	771A	Lenroot	S	S	MW	VL		F	p		1	250	5	0.1	0.003
Sawyer	78C	Ribhill	L	M	SE	L		F			9	150	2	0.32	0.23
Sawyer	815A	Wormet	L	M	SP	L		F	w	w	2	250	3	0.1	0.009
Sawyer	817D	Alcona	L	M	W	H		F			23	80	5	0.28	0.257
Sawyer	830A	Spiderlake	L	M	MW	M		F		w	2	200	3	0.37	0.031
Sawyer	837E	Newot	L	M	W	L		F			30	60	4	0.43	0.662
Sawyer	846B	Pesabic	L	M	SP	M		F			2	200	4	0.32	0.02
Sawyer	847B	Newood	L	M	MW	M		F			4	200	4	0.32	0.042
Sawyer	847C	Newood	L	M	MW	M		F			11	150	4	0.32	0.154
Sawyer	847D	Newood	L	M	MW	M		F			23	80	4	0.32	0.367
Sawyer	853C	Frogcreek	L	M	MW	M		F			8	150	4	0.43	0.13
Sawyer	853C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Sawyer	853C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Sawyer	856B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Sawyer	857B	Frogcreek	L	M	MW	M		F			4	200	4	0.43	0.057
Sawyer	857C	Frogcreek	L	M	MW	M		F			10	150	4	0.43	0.181
Sawyer	869B	Beaverbay	L	M	MW	M		F			4	200	4	0.55	0.073
Sawyer	869C	Beaverbay	L	M	MW	M		F			11	150	4	0.55	0.265
Sawyer	869D	Beaverbay	L	M	MW	M		F			23	80	4	0.55	0.631
Sawyer	873B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Sawyer	873C	Stanberry	L	M	MW	L		F			11	150	4	0.32	0.154
Sawyer	873D	Stanberry	L	M	MW	L		F			23	80	4	0.32	0.367
Sawyer	874E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Sawyer	874E	Rubicon	S	S	E	L		F	p		30	60	5	0.02	0.025
Sawyer	9012B	Lindquist	S	S	SE	L		F	p		3	200	5	0.15	0.01
Sawyer	9012B	Sayner	S	S	E	L		F	p		3	300	5	0.15	0.012
Sawyer	9012C	Lindquist	S	S	SE	L		F	p		11	150	5	0.15	0.058
Sawyer	9012C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Sawyer	9012D	Lindquist	S	S	SE	L		F	p		23	80	5	0.15	0.138
Sawyer	9012D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Sawyer	9013A	Manitowish	S	S	MW	L		F			2	200	3	0.17	0.014
Sawyer	9013A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Sawyer	9050A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Sawyer	9050A	Fordum	L	M	P	M		F	w	w	0.5	250	3	0.37	0.014
Sawyer	9050A	Totagatic	L	M	P	L		F	w	w	0.5	250	5	0.32	0.007
Sawyer	9051A	Cable	L	M	P	M		F			1	250	4	0.43	0.018
Sawyer	9051A	Minocqua	L	M	P	L		F			1	250	3	0.49	0.028
Sawyer	9051A	Pleine	L	M	P	M		F			1	250	1	0.02	0.003
Sawyer	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Sawyer	9113B	Karlin	L	M	SE	L		F	p		3	200	5	0.2	0.014
Sawyer	9113B	Padus	L	M	W	L		F	p		3	200	5	0.24	0.017
Sawyer	9113C	Karlin	L	M	SE	L		F	p		11	150	5	0.2	0.077
Sawyer	9113C	Padus	L	M	W	L		F	p		11	150	5	0.24	0.093
Sawyer	9113D	Karlin	L	M	SE	L		F	p		23	150	5	0.2	0.252
Sawyer	9113D	Padus	L	M	W	L		F	p		23	80	5	0.24	0.22
Sawyer	9155A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Sawyer	9155A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sawyer	9155A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Sawyer	9155A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Sawyer	917B	Annalake	L	M	MW	M		F			4	200	5	0.28	0.03
Sawyer	917C	Annalake	L	M	MW	M		F			11	150	5	0.28	0.108
Sawyer	923A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Sawyer	923A	Cebana	L	M	VP	M		F			1	150	4	0.49	0.018
Sawyer	925C	Ishpeming	L	M	SE	VL	S	F	r	r	8	150	2	0.2	0.121
Sawyer	926A	Flink	S	S	SP	L		F			2	200	5	0.24	0.012
Sawyer	943D	Greenwood	O	M	VP			F			1	250	2	0.02	0.002
Sawyer	943D	Stanberry	L	M	MW	L		F			18	80	4	0.32	0.246
Sawyer	948A	Billyboy	L	M	MW	M		F			2	200	3	0.37	0.031
Sawyer	953B	Beaverbay	L	M	MW	M		F			4	200	4	0.55	0.073
Sawyer	953B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Sawyer	953B	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Sawyer	953C	Beaverbay	L	M	MW	M		F			11	150	4	0.55	0.265
Sawyer	953C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Sawyer	953C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Sawyer	956B	Magnor	L	M	SP	H		F			2	200	4	0.49	0.031
Sawyer	957B	Freeon	L	M	MW	M		F			4	150	4	0.55	0.065
Sawyer	957C	Freeon	L	M	MW	M		F			11	100	4	0.55	0.217
Sawyer	970C	Greenwood	O	M	VP			F	wp	w	1	250	2	0.02	0.002
Sawyer	970C	Keweenaw	L	M	W	L		F	wp	w	11	150	5	0.15	0.058
Sawyer	970C	Pence	L	M	SE	L		F	wp	w	11	150	5	0.24	0.093
Sawyer	970E	Greenwood	O	M	VP			F	wp	w	1	250	2	0.02	0.002
Sawyer	970E	Keweenaw	L	M	W	L		F	wp	w	30	80	5	0.15	0.213
Sawyer	970E	Pence	L	M	SE	L		F	wp	w	30	80	5	0.24	0.341
Sawyer	974C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Sawyer	974C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Sawyer	974C	Vilas	S	S	E	L		F	p		11	150	5	0.1	0.039
Sawyer	974D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Sawyer	974D	Sayner	S	S	E	L		F	p		23	80	5	0.15	0.138
Sawyer	974D	Vilas	S	S	E	L		F	p		23	80	5	0.1	0.092
Shawano	7201	Onaway	L	H	W	M		F			9	150	3	0.37	0.178
Shawano	7203	Onaway	L	H	W	M		F			27	60	3	0.32	0.553
Shawano	7204	Onaway	L	H	W	M		F			16	100	3	0.37	0.35
Shawano	7208	Onaway	L	H	W	M		F			4	200	3	0.32	0.057
Shawano	7208	Ossineke	L	H	MW	M		F			2	200	4	0.28	0.018
Shawano	7501	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Shawano	7601	Ossineke	L	H	MW	M		F			2	250	4	0.28	0.018
Shawano	7601	Solona	L	H	SP	H		F			2	250	5	0.32	0.017
Shawano	AfB	Alban	L	H	MW	M		F			4	200	5	0.37	0.039
Shawano	AgB	Alban variant	S	S	MW	M		F			4	200	5	0.24	0.025
Shawano	Ah	Angelica	L	M	P	H		F	w	w	1	250	5	0.37	0.013
Shawano	AtB	Antigo	L	H	W	M		F			3.5	200	3	0.49	0.075
Shawano	AuA	Au Gres	S	S	SP	L		F	w	w	1.5	250	5	0.02	0.001
Shawano	AxA	Au Gres variant	S	S	SP	L		F	w	w	1.5	250	5	0.24	0.01
Shawano	Ba	Bach	L	M	VP	H		M	w	w	1	250	5	0.43	0.015
Shawano	BrB	Boyer	L	M	W	L		M	p		3.5	200	3	0.2	0.031

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Shawano	Bs	Brevort	S	S	VP	H		F	w	w	1	250	5	0.15	0.005
Shawano	BtA	Briggsville	L	H	W	H		M			1	250	5	0.43	0.015
Shawano	BtB	Briggsville	L	H	W	H		M			4	200	5	0.43	0.046
Shawano	BuA	Brill	L	H	MW	M		F			1.5	250	3	0.37	0.026
Shawano	Co	Cormant	S	S	VP	L		F	w	w	0.5	250	5	0.2	0.004
Shawano	CrB	Cromwell	S	S	SE	L		F			3.5	200	2	0.28	0.064
Shawano	CrC	Cromwell	S	S	SE	L		F			9	150	2	0.28	0.202
Shawano	CrD	Cromwell	S	S	SE	L		F			16	100	2	0.28	0.398
Shawano	CtA	Croswell	S	S	MW	L		F	p		1.5	250	5	0.15	0.006
Shawano	EcD	Elderon	S	S	SE	VL		F	p		16	100	2	0.17	0.241
Shawano	EcD	Rosholt	L	M	W	L		F	p		16	100	5	0.24	0.136
Shawano	EcE	Elderon	S	S	SE	VL		F	p		27.5	60	2	0.17	0.454
Shawano	EcE	Rosholt	L	M	W	L		F	p		27.5	60	5	0.24	0.256
Shawano	FpB	Fairport	L	H	W	M		F			3.5	200	2	0.28	0.064
Shawano	FpC	Fairport	L	H	W	M		F			10.5	150	2	0.28	0.252
Shawano	Fu	Fordum	L	M	P	M		F	w	w	1	250	3	0.24	0.014
Shawano	IsA	Iosco	S	S	SP	M		F	w	w	1.5	250	5	0.05	0.002
Shawano	KaB	Kennan	L	H	W	M		F			3.5	200	5	0.28	0.026
Shawano	KaC	Kennan	L	H	W	M		F			9	150	5	0.28	0.081
Shawano	KaD	Kennan	L	H	W	M		F			16	100	5	0.28	0.159
Shawano	KaE	Kennan	L	H	W	M		F			25	60	5	0.28	0.255
Shawano	LvB	orenzo variar	L	M	W	L		F			3.5	200	3	0.17	0.026
Shawano	LvC	orenzo variar	L	M	W	L		F			10.5	150	3	0.17	0.102
Shawano	Lx	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Shawano	MaA	Mahtomedi	S	S	E	L		F	p		1	250	5	0.1	0.003
Shawano	MaA	Menahga	S	S	E	L		F	p		1	250	5	0.2	0.007
Shawano	MaB	Mahtomedi	S	S	E	L		F	p		4	200	5	0.1	0.011
Shawano	MaB	Menahga	S	S	E	L		F	p		4	200	5	0.2	0.021
Shawano	MaC	Mahtomedi	S	S	E	L		F	p		9	150	5	0.1	0.029
Shawano	MaC	Menahga	S	S	E	L		F	p		9	150	5	0.2	0.058
Shawano	MaD	Mahtomedi	S	S	E	L		F	p		21	80	5	0.1	0.079
Shawano	MaD	Menahga	S	S	E	L		F	p		21	80	5	0.2	0.158
Shawano	McA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Shawano	Mk	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Shawano	Mk	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Shawano	MnA	Menahga	S	S	E	L		F	p		1	250	5	0.2	0.007
Shawano	MnB	Menahga	S	S	E	L		F	p		4	200	5	0.2	0.021
Shawano	MnC	Menahga	S	S	E	L		F	p		9	150	5	0.2	0.058
Shawano	MnD	Menahga	S	S	E	L		F	p		21	80	5	0.2	0.158
Shawano	MsB	Menominee	S	S	W	M		F			3.5	200	5	0.17	0.016
Shawano	MsC	Menominee	S	S	W	M		F			9	150	5	0.17	0.049
Shawano	MsD	Menominee	S	S	W	M		F			16	100	5	0.17	0.097
Shawano	Mu	Minocqua	L	M	P	L		F	w	w	1	250	3	0.43	0.024
Shawano	ObA	Oesterle	L	M	SP	L		F	w	w	1.5	250	3	0.37	0.026
Shawano	OfB	Onaway	L	M	W	L		F			4	200	3	0.32	0.057
Shawano	OfC2	Onaway	L	M	W	L		F			9	150	3	0.37	0.178
Shawano	PvA	Plover	L	H	SP	H		F			1.5	250	5	0.37	0.016
Shawano	RmD	Rosholt varian	L	M	W	L	S	F	r	r	18.5	80	2	0.43	0.69

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Shawano	RoA	Rosholt	L	M	W	L		F	p		1	250	5	0.24	0.008
Shawano	RoB	Rosholt	L	M	W	L		F	p		4	200	5	0.24	0.025
Shawano	RoC	Rosholt	L	M	W	L		F	p		9	150	5	0.24	0.069
Shawano	RoD	Rosholt	L	M	W	L		F	p		16	100	5	0.24	0.136
Shawano	RpB	Elderon	S	S	SE	VL		F	p		4	200	2	0.17	0.045
Shawano	RpB	Rosholt	L	M	W	L		F	p		4	200	5	0.24	0.025
Shawano	RpC	Elderon	S	S	SE	VL		F	p		9	200	2	0.17	0.141
Shawano	RpC	Rosholt	L	M	W	L		F	p		9	200	5	0.24	0.08
Shawano	RrD	Rosholt	L	M	W	L		F	pr	r	18.5	80	5	0.24	0.154
Shawano	RsA	Rousseau	S	S	MW	L		F	p		1	250	5	0.24	0.008
Shawano	RsB	Rousseau	S	S	MW	L		F	p		4	200	5	0.24	0.025
Shawano	RuB	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Shawano	RuC	Rubicon	S	S	E	L		F	p		9	150	5	0.02	0.006
Shawano	RuD	Rubicon	S	S	E	L		F	p		16	100	5	0.02	0.011
Shawano	SaA	Salter variant	L	H	MW	H		F			1	250	5	0.43	0.015
Shawano	SaB	Salter variant	L	H	MW	H		F			4	200	5	0.43	0.046
Shawano	SaC	Salter variant	L	H	W	H		F			9	150	5	0.43	0.124
Shawano	ScA	Scott Lake	L	H	MW	M		F			1.5	250	3	0.37	0.026
Shawano	Sd	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Shawano	Sdi	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Shawano	SfB	Shawano	S	S	E	L		F	p		3.5	200	5	0.32	0.029
Shawano	SfC	Shawano	S	S	E	L		F	p		9	150	5	0.32	0.092
Shawano	SfD	Shawano	S	S	E	L		F	p		16	100	5	0.32	0.182
Shawano	SgB	Briggsville	L	H	W	H		M	p		4	200	5	0.43	0.046
Shawano	SgB	Shawano	S	S	E	L		F	p		4	200	5	0.32	0.034
Shawano	SgC	Briggsville	L	H	W	H		M	p		9	150	5	0.43	0.124
Shawano	SgC	Shawano	S	S	E	L		F	p		9	150	5	0.32	0.092
Shawano	ShA	Shiocton	L	H	SP	H		F	w	w	1.5	250	5	0.43	0.018
Shawano	SkA	Shiocton variant	L	H	SP	H		F	w	w	1.5	250	5	0.37	0.016
Shawano	SoA	Solona	L	H	SP	M		F	w	w	1.5	250	5	0.32	0.013
Shawano	TIB	Tilleda	L	H	W	M		F			3.5	200	5	0.28	0.026
Shawano	TIC2	Tilleda	L	H	W	M		F			9	150	5	0.28	0.081
Shawano	TID	Tilleda	L	H	W	M		F			16	100	5	0.28	0.159
Shawano	TvB	Tilleda variant	L	H	W	M		F			4	200	3	0.28	0.049
Shawano	TvC2	Tilleda variant	L	H	W	M		F			9	150	3	0.28	0.134
Shawano	WaA	Wainola	S	S	SP	L		F	w	w	1.5	250	5	0.02	0.001
Shawano	Wh	Wheatley	S	S	P	L		F	w	w	1	250	4	0.15	0.006
Sheboygan	Ag	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sheboygan	Ak	Adrian	O	H	VP			M	wp	w	1	250	1	0.02	0.003
Sheboygan	Ak	Granby	S	S	VP	L		M	wp	w	1	250	5	0.15	0.005
Sheboygan	Ak	Oakville	S	S	MW	L		M	wp	w	1	250	5	0.15	0.005
Sheboygan	Ba	Barry	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Sheboygan	Be	Bellevue	L	H	MW	H		M	w	w	1	250	5	0.37	0.013
Sheboygan	Bf	Bellevue variant	L	M	W	L		M	w	w	1	250	3	0.28	0.016
Sheboygan	Bk	Boots	O	H	VP			M	w	w	1	250	2	0.02	0.002
Sheboygan	BmB	Boyer	S	S	W	L		M	p		4	200	4	0.17	0.023
Sheboygan	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.17	0.061
Sheboygan	CeA	Casco	L	M	SE	L		M			1	250	2	0.32	0.027

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sheboygan	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Sheboygan	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Sheboygan	CrC	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Sheboygan	CrC	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Sheboygan	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Sheboygan	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Sheboygan	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Sheboygan	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Sheboygan	CrF	Casco	L	M	SE	L		M	p		37.5	60	2	0.32	1.416
Sheboygan	CrF	Rodman	L	M	E	VL		M	p		37.5	60	2	0.2	0.885
Sheboygan	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Sheboygan	Ed	Edwards	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sheboygan	Ev	Elvers	L	M	VP	L		M	w	w	1	250	5	0.49	0.017
Sheboygan	FaA	Fabius	L	M	SP	L		M			1.5	250	2	0.28	0.029
Sheboygan	FsA	Fox	L	H	W	M		M			1	250	3	0.43	0.024
Sheboygan	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Sheboygan	FsC2	Fox	L	H	W	M		M			9	150	3	0.43	0.206
Sheboygan	Gb	Granby	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Sheboygan	Gg	Granby varian	L	M	P	L		M	w	w	1	250	2	0.37	0.031
Sheboygan	HeA	Hebron	L	H	W	H		M			1	250	5	0.43	0.015
Sheboygan	HeB	Hebron	L	H	W	H		M			4	200	5	0.43	0.046
Sheboygan	HfA	Hebron varian	L	H	MW	M		M			1	250	5	0.28	0.01
Sheboygan	HfB	Hebron varian	L	H	MW	M		M			4	200	5	0.28	0.03
Sheboygan	HmB2	Hochheim	L	H	W	M		M			4	200	3	0.43	0.076
Sheboygan	HmC2	Hochheim	L	H	W	H		M			9	150	3	0.49	0.235
Sheboygan	HmD2	Hochheim	L	H	W	M		M			16	100	1	0.49	1.392
Sheboygan	HmE	Hochheim	L	H	W	M		M			25	60	5	0.37	0.337
Sheboygan	HsC2	Casco	L	M	W	L		M			9	150	2	0.32	0.23
Sheboygan	HsC2	Hochheim	L	H	W	M		M			9	150	5	0.37	0.107
Sheboygan	HsC2	Sisson	L	H	W	H		M			9	150	5	0.43	0.124
Sheboygan	HsD2	Casco	L	M	W	L		M			16	100	2	0.32	0.454
Sheboygan	HsD2	Hochheim	L	H	W	M		M			16	100	5	0.37	0.21
Sheboygan	HsD2	Sisson	L	H	W	H		M			16	100	5	0.43	0.244
Sheboygan	HsE	Casco	L	M	W	L		M			25	60	2	0.32	0.73
Sheboygan	HsE	Hochheim	L	H	W	M		M			25	60	5	0.37	0.337
Sheboygan	HsE	Sisson	L	H	W	H		M			25	60	5	0.43	0.392
Sheboygan	HtB	Hochheim	L	H	W	M		M			3.5	200	5	0.37	0.034
Sheboygan	HtB	Knowles	L	M	W	L	S	M			3.5	200	2	0.49	0.113
Sheboygan	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Sheboygan	JuA	Juneau	L	H	MW	H		M	w	w	1.5	250	5	0.49	0.021
Sheboygan	KIA	Kendall	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Sheboygan	KnA	Kewaunee	L	H	W	M		M			1	250	3	0.49	0.028
Sheboygan	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Sheboygan	KpB2	Kewaunee	L	H	W	M		M			4	200	3	0.37	0.065
Sheboygan	KpC2	Kewaunee	L	H	W	M		M			9	150	3	0.37	0.178
Sheboygan	KpD2	Kewaunee	L	H	W	M		M			16	100	3	0.37	0.35
Sheboygan	KsC3	Kewaunee	L	H	W	M		M			9	150	2	0.28	0.202
Sheboygan	KsD3	Kewaunee	L	H	W	M		M			16	100	1	0.28	0.795

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Sheboygan	KuA	Kibbie	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Sheboygan	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Sheboygan	MbA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Sheboygan	MgA	Martinton	L	H	SP	H		M		w	1.5	250	5	0.32	0.013
Sheboygan	MkA	Matherton	L	H	SP	M		M		w	1.5	250	3	0.37	0.026
Sheboygan	Mo	Montgomery	L	M	VP	H		M	w	w	1	250	5	0.32	0.011
Sheboygan	MsA	Mosel	L	H	SP	M		M			1.5	250	5	0.32	0.013
Sheboygan	Mz	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sheboygan	Na	Navan	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Sheboygan	NnA	Nenno	L	H	SP	M		M		w	1	250	5	0.37	0.013
Sheboygan	NnB	Nenno	L	H	SP	M		M		w	4	200	5	0.37	0.039
Sheboygan	OaB	Oakville	S	S	MW	L		M	p		3	200	5	0.15	0.01
Sheboygan	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.15	0.043
Sheboygan	Ot	Otter	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Sheboygan	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sheboygan	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Sheboygan	Py	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Sheboygan	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Sheboygan	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Sheboygan	ShA	Saylesville	L	H	W	H		M			1	250	5	0.43	0.015
Sheboygan	ShB	Saylesville	L	H	W	H		M			4	200	5	0.43	0.046
Sheboygan	SkC2	Saylesville	L	H	W	H		M			9	150	5	0.37	0.107
Sheboygan	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Sheboygan	SrA	Sisson	L	H	W	H		M			1	250	5	0.43	0.015
Sheboygan	SrB	Sisson	L	H	W	H		M			4	200	5	0.43	0.046
Sheboygan	SrC2	Sisson	L	H	W	H		M			9	150	5	0.43	0.124
Sheboygan	ThA	Theresa	L	H	W	M		M			1	250	3	0.49	0.028
Sheboygan	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Sheboygan	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Sheboygan	Wa	Wasepi	L	M	SP	L		M		w	1	250	4	0.2	0.008
Sheboygan	WbA	Waymor	L	H	W	M		M			1	250	5	0.43	0.015
Sheboygan	WbB	Waymor	L	H	W	M		M			4	200	5	0.43	0.046
Sheboygan	WbC2	Waymor	L	H	W	M		M			8	150	5	0.43	0.104
Sheboygan	We	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Sheboygan	YhA	Yahara	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Sheboygan	ZuA	Zurich	L	H	MW	H		M			1	250	5	0.43	0.015
Sheboygan	ZuB	Zurich	L	H	MW	H		M			4	200	5	0.43	0.046
St. Croix	AdA	Adolph	L	M	VP	M		F			1	250	5	0.32	0.011
St. Croix	AlB	Amery	L	M	W	L		F			4	200	3	0.32	0.057
St. Croix	AlC2	Amery	L	M	W	L		F			9	150	3	0.32	0.154
St. Croix	AlD2	Amery	L	M	W	L		F			18.5	80	3	0.32	0.342
St. Croix	AmB	Amery	L	M	W	L		F			4	200	3	0.43	0.076
St. Croix	AmC2	Amery	L	M	W	L		F			9	150	3	0.43	0.206
St. Croix	AmD2	Amery	L	M	W	L		F			16	100	3	0.43	0.407
St. Croix	AmE2	Amery	L	M	W	L		F			25	60	3	0.43	0.654
St. Croix	AnC2	Amery	L	M	W	L		F			9	150	3	0.32	0.154
St. Croix	AnC2	Cromwell	S	S	SE	L		F			9	150	2	0.28	0.202
St. Croix	AnD2	Amery	L	M	W	L		F			18.5	80	3	0.32	0.342

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
St. Croix	AnD2	Cromwell	S	S	SE	L		F			18.5	80	2	0.28	0.449
St. Croix	AoA	Antigo	L	H	W	M		F			1	250	3	0.49	0.028
St. Croix	AoB	Antigo	L	H	W	M		F			4	200	3	0.49	0.087
St. Croix	ApC2	Arland	L	M	W	L		F			9	150	3	0.28	0.134
St. Croix	ApD2	Arland	L	M	W	L		F			18.5	80	3	0.28	0.3
St. Croix	ApF	Arland	L	M	W	L		F			30	60	3	0.28	0.575
St. Croix	AsB	Arland	L	H	W	M		F			4	200	3	0.49	0.087
St. Croix	AsC2	Arland	L	H	W	M		F			9	150	3	0.49	0.235
St. Croix	AuA	Auburndale	L	M	P	H		F			1.5	250	5	0.37	0.016
St. Croix	BnB	Boone	S	S	E	VL	S	M	p		4	200	3	0.28	0.049
St. Croix	BnC	Boone	S	S	E	VL	S	M	p		9	150	3	0.28	0.134
St. Croix	BnD	Boone	S	S	E	VL	S	M	p		16	100	3	0.28	0.265
St. Croix	BpA	Brill	L	H	MW	M		F			1.5	250	3	0.43	0.03
St. Croix	BrB	Burkhardt	S	S	E	L		M	p		3.5	200	2	0.24	0.055
St. Croix	BrC2	Burkhardt	S	S	E	L		M	p		9	150	2	0.24	0.173
St. Croix	BxB	Burkhardt	L	M	E	L		M	p		4	200	2	0.24	0.064
St. Croix	BxB	Sattre	L	H	W	M		M	p		4	200	3	0.28	0.049
St. Croix	BxC2	Burkhardt	L	M	E	L		M	p		9	150	2	0.24	0.173
St. Croix	BxC2	Sattre	L	H	W	M		M	p		9	150	3	0.32	0.154
St. Croix	BxD2	Burkhardt	L	M	E	L		M	p		21	80	2	0.24	0.474
St. Croix	BxD2	Sattre	L	H	W	M		M	p		13	100	3	0.32	0.218
St. Croix	CoC2	Chetek	L	M	SE	L		F			9	150	5	0.24	0.069
St. Croix	CoC2	Onamia	L	H	W	M		F			9	150	3	0.43	0.206
St. Croix	CoD2	Chetek	L	M	SE	L		F			16	100	5	0.24	0.136
St. Croix	CoD2	Onamia	L	H	W	M		F			16	100	3	0.43	0.407
St. Croix	CoE	Chetek	L	M	SE	L		F			25	60	5	0.24	0.219
St. Croix	CoE	Onamia	L	H	W	M		F			25	60	3	0.43	0.654
St. Croix	CyA	Clyde	L	M	VP	H		M	w	w	1.5	250	5	0.32	0.013
St. Croix	DaA	Dakota	L	H	W	M		M			1	250	3	0.24	0.014
St. Croix	DaB	Dakota	L	H	W	M		M			4	200	3	0.24	0.042
St. Croix	DcC2	Dakota	L	H	W	M		M			9	150	3	0.24	0.115
St. Croix	DcC2	Pillot	L	H	W	H		M			9	150	3	0.37	0.178
St. Croix	DeB	Derinda	L	M	MW	M	S	M		w	4	200	3	0.43	0.076
St. Croix	DeC2	Derinda	L	M	MW	M	S	M		w	9	150	3	0.43	0.206
St. Croix	DfB	Derinda varian	L	H	SP	M		M			3.5	200	4	0.43	0.049
St. Croix	DkB	Dickman	S	S	W	L		M	p		4	200	2	0.15	0.04
St. Croix	Du	Duellman varian	S	S	SP	L		F	w	w	1	250	5	0.15	0.005
St. Croix	EmE	Emmert	S	S	E	VL		F	p		23.5	80	5	0.17	0.162
St. Croix	FdA	Floyd	L	H	SP	H		M	w	w	1.5	250	5	0.32	0.013
St. Croix	FnB	Freeon	L	M	MW	L		F			4	200	5	0.49	0.052
St. Croix	FoB	Freeon	L	H	MW	H		F			4	200	5	0.49	0.052
St. Croix	FoC2	Freeon	L	H	MW	H		F			9	150	5	0.49	0.141
St. Croix	GoB	Gotham	S	S	W	L		M	p		4	200	5	0.32	0.034
St. Croix	GoC	Gotham	S	S	W	L		M	p		9	150	5	0.32	0.092
St. Croix	HaA	Halder	L	H	SP	M		F	w	w	1.5	250	3	0.43	0.03
St. Croix	HeB	Hesch	L	H	W	M		M			4	200	5	0.28	0.03
St. Croix	HeC2	Hesch	L	H	W	M		M			9	150	5	0.28	0.081
St. Croix	HeD2	Hesch	L	H	W	M		M			16	100	5	0.28	0.159

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
St. Croix	HrB	Hubbard	S	S	E	L		F	p		3	200	5	0.1	0.007
St. Croix	HsB	Hubbard	S	S	SE	M		F	p		3	200	5	0.1	0.007
St. Croix	HsC	Hubbard	S	S	SE	M		F	p		9	150	5	0.1	0.029
St. Croix	HuA	Huntsville	L	H	MW	VH		M		w	1.5	250	5	0.37	0.016
St. Croix	JeA	Jewett	L	H	W	M		F			1	250	5	0.43	0.015
St. Croix	JeB	Jewett	L	H	W	M		F			4	200	5	0.43	0.046
St. Croix	JeC2	Jewett	L	H	W	M		F			9	150	5	0.43	0.124
St. Croix	JsA	Jewett	L	H	W	M		F			1	250	4	0.43	0.018
St. Croix	JsB	Jewett	L	H	W	M		F			4	200	4	0.43	0.057
St. Croix	LcA	Lawler	L	H	SP	M		M	w	w	1.5	250	3	0.32	0.022
St. Croix	MaB	Magnor	L	M	SP	L		F			3.5	200	4	0.49	0.056
St. Croix	NcB	Nickin	L	H	W	M		F			4	200	3	0.37	0.065
St. Croix	NcC2	Nickin	L	H	W	M		F			9	150	3	0.37	0.178
St. Croix	NnD2	Nickin	L	H	W	M		F			16	100	3	0.32	0.303
St. Croix	OmB	Onamia	L	H	W	M		F			4	200	3	0.43	0.076
St. Croix	OmC2	Onamia	L	H	W	M		F			9	150	3	0.43	0.206
St. Croix	OnC2	Antigo	L	H	W	M		F			9	150	3	0.49	0.235
St. Croix	OnC2	Onamia	L	H	W	M		F			9	150	3	0.43	0.206
St. Croix	OnD2	Antigo	L	H	W	M		F			18.5	80	3	0.49	0.524
St. Croix	OnD2	Onamia	L	H	W	M		F			18.5	80	3	0.43	0.46
St. Croix	OrA	Orion	L	H	SP	VH		M		w	1.5	250	5	0.49	0.021
St. Croix	OtB	Otterholt	L	H	W	H		F			4	200	5	0.49	0.052
St. Croix	OtC	Otterholt	L	H	W	H		F			9	150	5	0.49	0.141
St. Croix	OtD2	Otterholt	L	H	W	H		F			16	100	5	0.49	0.278
St. Croix	PIA	Pillot	L	H	W	H		M			1.5	250	3	0.37	0.026
St. Croix	PmB	Plainfield	S	S	E	L		M	p		4	200	5	0.24	0.025
St. Croix	PmC	Plainfield	S	S	E	L		M	p		9	150	5	0.24	0.069
St. Croix	PmD	Plainfield	S	S	E	L		M	p		16	100	5	0.24	0.136
St. Croix	PoB	Port Byron	L	H	W	VH		M			4	200	5	0.32	0.034
St. Croix	PoC	Port Byron	L	H	W	VH		M			9	150	5	0.32	0.092
St. Croix	PoD	Port Byron	L	H	W	VH		M			16	100	5	0.32	0.182
St. Croix	ReB	Renova	L	H	W	H		M			4	200	5	0.37	0.039
St. Croix	ReC2	Renova	L	H	W	H		M			9	150	5	0.37	0.107
St. Croix	RgC2	Renova	L	H	W	M		M			8	150	5	0.37	0.09
St. Croix	RgD2	Renova	L	H	W	M		M			16	100	5	0.37	0.21
St. Croix	RhA	Rib	L	M	P	M		F	w	w	1.5	250	3	0.37	0.026
St. Croix	RnB	Ritchey	L	M	W	L	S	M	r	r	4	200	1	0.37	0.196
St. Croix	RnC2	Ritchey	L	M	W	L	S	M	r	r	9	150	1	0.37	0.533
St. Croix	RnD2	Ritchey	L	M	W	L	S	M	r	r	16	100	1	0.37	1.051
St. Croix	RoE	Ritchey	L	M	W	L	S	M	r	r	27.5	60	1	0.37	1.976
St. Croix	RpB	Rockton	L	H	W	M		M			4	200	2	0.28	0.074
St. Croix	RpC2	Rockton	L	H	W	M		M			9	150	2	0.28	0.202
St. Croix	RpD2	Rockton	L	H	W	M		M			16	100	2	0.28	0.398
St. Croix	SaB	Santiago	L	H	W	H		F			4	200	5	0.43	0.046
St. Croix	SaC2	Santiago	L	H	W	H		F			9	150	5	0.43	0.124
St. Croix	ScC2	Antigo	L	H	W	M		F			9	150	3	0.49	0.235
St. Croix	ScC2	Santiago	L	H	W	H		F			9	150	5	0.43	0.124
St. Croix	ScD2	Antigo	L	H	W	M		F			18.5	80	3	0.49	0.524



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
St. Croix	ScD2	Santiago	L	H	W	H		F			18.5	80	5	0.43	0.276
St. Croix	ShA	Sattre	L	H	W	M		M			1	250	3	0.28	0.016
St. Croix	ShB	Sattre	L	H	W	M		M			4	200	3	0.28	0.049
St. Croix	ShC2	Sattre	L	H	W	M		M			9	150	3	0.32	0.154
St. Croix	SIA	Sattre	L	H	W	M		M			1	250	3	0.37	0.021
St. Croix	SIB	Sattre	L	H	W	M		M			4	200	3	0.37	0.065
St. Croix	Sm	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
St. Croix	SrA	Skyberg	L	H	SP	H		M	w	w	1.5	250	5	0.37	0.016
St. Croix	VaB	Vlasaty	L	H	MW	M		M			4	200	5	0.43	0.046
St. Croix	VaC2	Vlasaty	L	H	MW	M		M			9	150	5	0.43	0.124
St. Croix	WhB	Whalan	L	H	W	M		M			4	200	2	0.43	0.114
St. Croix	WhC2	Whalan	L	H	W	M		M			9	150	2	0.43	0.31
St. Croix	WhD2	Whalan	L	H	W	M		M			18.5	80	2	0.43	0.69
Taylor	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Taylor	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Taylor	182D	Padus	L	M	W	L		F			23	80	3	0.24	0.367
Taylor	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02
Taylor	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Taylor	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Taylor	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Taylor	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Taylor	22A	Comstock	L	H	SP	H		F			2	200	5	0.43	0.022
Taylor	24A	Poskin	L	H	SP	M		F	w	w	2	250	3	0.43	0.037
Taylor	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Taylor	308B	Blackriver	L	H	MW	H		F			4	200	4	0.43	0.057
Taylor	315A	Rib	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Taylor	324A	Maplehurst	L	H	SP	H		F	w	w	2	250	4	0.49	0.032
Taylor	337A	Plover	L	H	SP	H		F			2	250	5	0.37	0.019
Taylor	3456A	Magnor	L	H	SP	H		F			2	250	4	0.43	0.028
Taylor	345B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Taylor	345B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Taylor	346E	Newot	L	M	W	L		F	p		30	60	4	0.43	0.662
Taylor	346E	Pence	L	M	SE	L		F	p		30	60	5	0.24	0.296
Taylor	3525C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Taylor	3525C	Padus	L	M	W	L		F			11	150	5	0.24	0.093
Taylor	3525C	Padwood	L	H	MW	M		F			11	150	5	0.2	0.077
Taylor	3546C	Newood	L	H	MW	M		F	p		11	150	4	0.32	0.154
Taylor	3546C	Pence	L	M	SE	L		F	p		11	150	5	0.24	0.093
Taylor	3556C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Taylor	3556C	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Taylor	3556C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Taylor	355B	Loyal	L	H	MW	M		F			4	200	4	0.49	0.065
Taylor	355C	Loyal	L	H	MW	M		F			9	150	4	0.49	0.176
Taylor	3561A	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Taylor	3561A	Worcester	L	M	SP	L		F			2	200	3	0.24	0.02
Taylor	3561A	Worwood	L	H	SP	M		F			2	200	5	0.32	0.016
Taylor	3569C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Taylor	3569C	Newood	L	H	MW	M		F			9	150	4	0.32	0.115

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Taylor	3569C	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Taylor	356A	Withee	L	H	SP	M		F			2	250	4	0.43	0.028
Taylor	357A	Marshfield	L	M	P	M		F			1	250	5	0.43	0.015
Taylor	3666B	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Taylor	3863C	Antigo	L	H	W	M		F			11	150	3	0.49	0.315
Taylor	3863C	Crystal Lake	L	H	MW	VH		F			11	150	5	0.37	0.143
Taylor	3863C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Taylor	408A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Taylor	408A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Taylor	414A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Taylor	414A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Taylor	43B	Antigo	L	H	W	M		F			4	200	3	0.49	0.087
Taylor	43C	Antigo	L	H	W	M		F			11	150	3	0.49	0.315
Taylor	43D	Antigo	L	H	W	M		F			23	80	3	0.49	0.75
Taylor	457B	Freeon	L	H	MW	M		F			4	200	4	0.55	0.073
Taylor	457C	Freeon	L	H	MW	M		F			9	150	4	0.55	0.198
Taylor	48B	Brill	L	H	MW	M		F			4	200	3	0.43	0.076
Taylor	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Taylor	525B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Taylor	525B	Padwood	L	H	MW	M		F			4	200	5	0.2	0.021
Taylor	525B	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Taylor	527B	Padwood	L	H	MW	M		F			3	200	5	0.2	0.014
Taylor	537D	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Taylor	537D	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Taylor	537D	Newot	L	M	W	L		F			25	60	4	0.43	0.49
Taylor	545C	Antigo	L	H	W	M		F			11	150	3	0.49	0.315
Taylor	545C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Taylor	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Taylor	560A	Worwood	L	H	SP	M		F			2	200	5	0.32	0.016
Taylor	571E	Pelissier	L	M	E	VL		F	p		30	60	5	0.28	0.345
Taylor	57B	Spencer	L	H	MW	H		F			4	200	5	0.43	0.046
Taylor	59A	Almena	L	H	SP	H		F			2	200	5	0.37	0.018
Taylor	612A	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Taylor	612A	Ossmer	L	H	SP	M		F			2	200	3	0.37	0.031
Taylor	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Taylor	624A	Ossmer	L	H	SP	M		F		w	2	200	3	0.37	0.031
Taylor	632B	Aftad	L	H	MW	H		F			4	200	5	0.55	0.058
Taylor	637B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Taylor	637C	Newood	L	H	MW	M		F			11	150	4	0.32	0.154
Taylor	63B	Crystal Lake	L	H	MW	VH		F			4	200	5	0.37	0.039
Taylor	63C	Crystal Lake	L	H	MW	VH		F			9	150	5	0.37	0.107
Taylor	63D	Crystal Lake	L	H	MW	VH		F			16	100	5	0.37	0.21
Taylor	63E	Crystal Lake	L	H	MW	VH		F			28	80	5	0.37	0.47
Taylor	642B	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Taylor	642B	Newood	L	H	MW	M		F			4	200	4	0.32	0.042
Taylor	642B	Pesabic	L	H	SP	M		F			2	200	4	0.43	0.027
Taylor	648B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Taylor	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Taylor	737D	Santiago	L	H	W	M		F			23	80	4	0.43	0.493
Taylor	748A	Brander	L	H	MW	M		F		w	2	200	3	0.43	0.036
Taylor	755A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Taylor	755A	Moppet	L	H	MW	M		F	w	w	2	150	3	0.2	0.015
Taylor	757B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Taylor	757B	Magnor	L	H	SP	H		F			2	200	4	0.43	0.027
Taylor	766A	Moppet	L	H	MW	M		F			2	150	3	0.2	0.015
Taylor	77A	Auburndale	L	M	P	H		F			1	150	5	0.32	0.01
Taylor	822A	Comstock	L	H	SP	H		F			2	200	5	0.43	0.022
Taylor	822A	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Taylor	822A	Ossmer	L	H	SP	M		F			2	200	3	0.37	0.031
Taylor	837E	Newot	L	M	W	L		F			30	60	4	0.43	0.662
Taylor	848A	Ribriver	L	H	MW	H		F		w	2	200	4	0.43	0.027
Taylor	863B	Crystal Lake	L	H	MW	VH		F			4	200	5	0.37	0.039
Taylor	863B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Taylor	863B	Sconsin	L	H	MW	M		F			4	200	3	0.37	0.065
Taylor	9052A	Capitola	L	M	VP	L		F			1	250	3	0.37	0.021
Taylor	9052A	Cathro	O	M	VP			F			0.5	250	1	0.02	0.002
Taylor	9052A	Lupton	O	M	VP			F			0.5	250	2	0.02	0.001
Taylor	9055A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Taylor	9060D	Pelissier	L	M	E	VL		F	p		33	60	5	0.28	0.403
Taylor	9071B	Freeon	L	H	MW	M		F			8	150	4	0.55	0.166
Taylor	9077C	Freeon	L	H	MW	M		F			15	100	4	0.49	0.314
Taylor	9078A	Freeon	L	H	MW	M		F			3	150	4	0.49	0.039
Taylor	9078A	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Taylor	9078A	Ossmer	L	H	SP	M		F			2	200	3	0.37	0.031
Taylor	9081C	Newot	L	M	W	L		F			20	80	4	0.32	0.292
Taylor	9082B	Newood	L	H	MW	M		F			8	150	4	0.2	0.06
Taylor	9083A	Crystal Lake	L	H	MW	VH		F			3	200	5	0.37	0.026
Taylor	9083B	Crystal Lake	L	H	MW	VH		F			8	150	5	0.37	0.09
Taylor	9086A	Freeon	L	H	MW	M		F			3	200	4	0.49	0.043
Taylor	9087C	Crystal Lake	L	H	MW	VH		F			15	100	5	0.37	0.189
Taylor	9087C	Freeon	L	H	MW	M		F			13	100	4	0.49	0.25
Taylor	9087C	Newot	L	M	W	L		F			15	100	4	0.32	0.205
Taylor	9088A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Taylor	9088A	Newood	L	H	MW	M		F			4	200	4	0.2	0.027
Taylor	9089B	Lupton	O	M	VP			F			0.5	200	2	0.02	0.001
Taylor	9089B	Newood	L	H	MW	M		F			6	150	4	0.2	0.041
Taylor	9090C	Lupton	O	M	VP			F			0.5	150	2	0.02	0.001
Taylor	9090C	Newood	L	H	MW	M		F			8	150	4	0.2	0.06
Taylor	9090C	Newot	L	M	W	L		F			23	80	4	0.32	0.367
Taylor	9092D	Newot	L	M	W	L		F			33	60	4	0.32	0.576
Taylor	9093C	Padus	L	M	W	L		F	p		20	80	5	0.24	0.175
Taylor	9093C	Pence	S	S	SE	L		F	p		20	80	5	0.24	0.175
Taylor	9096C	Lupton	O	M	VP			F			0.5	150	2	0.02	0.001
Taylor	9096C	Newot	L	M	W	L		F			23	80	4	0.32	0.367
Taylor	9096C	Pesabic	L	M	SP	L		F			2	200	4	0.28	0.018
Taylor	9097B	Newood	L	H	MW	M		F			8	150	4	0.2	0.06

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Taylor	9097B	Padus	L	M	W	L		F			8	150	5	0.24	0.058
Taylor	9098A	Oesterle	L	M	SP	L		F		w	2	200	3	0.43	0.036
Taylor	9099B	Antigo	L	H	W	M		F			8	150	4	0.55	0.166
Taylor	9197C	Pelissier	L	M	E	VL		F	p		20	80	5	0.28	0.204
Taylor	923A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Taylor	923A	Cebana	L	M	VP	M		F			1	150	4	0.49	0.018
Taylor	956B	Magnor	L	H	SP	H		F			2	200	4	0.49	0.031
Taylor	957B	Freeon	L	H	MW	M		F			4	150	4	0.55	0.065
Taylor	957C	Freeon	L	H	MW	M		F			11	100	4	0.55	0.217
Trempealeau	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Trempealeau	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Trempealeau	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Trempealeau	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Trempealeau	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Trempealeau	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Trempealeau	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Trempealeau	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Trempealeau	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Trempealeau	1224F	Boone	S	S	E	VL		M	p		33	60	3	0.05	0.12
Trempealeau	1224F	Elevasil	L	M	W	L		M	p		33	60	3	0.2	0.48
Trempealeau	1234C2	Bilson	L	H	W	M		M			9	150	3	0.28	0.134
Trempealeau	1234C2	Elevasil	L	M	SE	L		M			9	150	3	0.24	0.115
Trempealeau	1254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Trempealeau	1254D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Trempealeau	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Trempealeau	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Trempealeau	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Trempealeau	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Trempealeau	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Trempealeau	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Trempealeau	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Trempealeau	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Trempealeau	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Trempealeau	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Trempealeau	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Trempealeau	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Trempealeau	1715D2	Council	L	H	W	H		M			16	100	5	0.43	0.244
Trempealeau	1715D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Trempealeau	1715E2	Council	L	H	W	H		M			22	80	5	0.43	0.367
Trempealeau	1715E2	Seaton	L	H	W	VH		M			22	80	5	0.49	0.418
Trempealeau	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
Trempealeau	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Trempealeau	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Trempealeau	207A	Hoop	L	H	SP	M		M		w	1.5	200	3	0.37	0.025
Trempealeau	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Trempealeau	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Trempealeau	213B2	Hixton	L	H	W	M		M			4	200	3	0.49	0.087
Trempealeau	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Trempealeau	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Trempealeau	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Trempealeau	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Trempealeau	224B	Elevasil	L	M	W	L		M			4	200	3	0.24	0.042
Trempealeau	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Trempealeau	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Trempealeau	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Trempealeau	233B	Boone	S	S	E	VL		M	p		3	200	3	0.05	0.006
Trempealeau	233C	Boone	S	S	E	VL		M	p		11	150	3	0.05	0.032
Trempealeau	233E	Boone	S	S	E	VL		M	p		22	60	3	0.05	0.062
Trempealeau	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Trempealeau	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Trempealeau	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Trempealeau	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Trempealeau	255B2	Urne	L	M	W	L		M			4	200	3	0.24	0.042
Trempealeau	255C2	Urne	L	M	W	L		M			9	150	3	0.24	0.115
Trempealeau	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Trempealeau	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Trempealeau	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602
Trempealeau	270C2	Port Byron	L	H	W	VH		M			9	150	5	0.43	0.124
Trempealeau	301A	Pillot	L	H	W	H		M			1	195	3	0.43	0.023
Trempealeau	301B	Pillot	L	H	W	H		M			4	200	3	0.43	0.076
Trempealeau	306A	Whitehall	L	H	MW	M		M			2	250	3	0.37	0.032
Trempealeau	30A	Adder	O	H	VP			M	w	w	1	250	1	0.02	0.003
Trempealeau	312A	Festina	L	H	W	VH		M			1	250	5	0.43	0.015
Trempealeau	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Trempealeau	312C2	Festina	L	H	W	VH		M			9	150	5	0.43	0.124
Trempealeau	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Trempealeau	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Trempealeau	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Trempealeau	328A	Rowley	L	H	SP	H		M		w	2	200	4	0.37	0.023
Trempealeau	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Trempealeau	336B	Toddville	L	H	MW	H		M			4	200	5	0.43	0.046
Trempealeau	367A	Denrock	L	H	SP	M		M		w	1	250	3	0.43	0.024
Trempealeau	379A	Zwingle	L	M	P	M		M	w	w	1	250	4	0.43	0.018
Trempealeau	382B	Bertrand	L	H	W	H		M			4	200	4	0.49	0.065
Trempealeau	382C2	Bertrand	L	H	W	H		M			9	150	4	0.49	0.176
Trempealeau	386A	Jackson	L	H	MW	H		M			1	250	4	0.43	0.018
Trempealeau	386B	Jackson	L	H	MW	H		M			4	200	4	0.43	0.057
Trempealeau	400A	Kato	L	M	P	M		M	w	w	1	250	3	0.32	0.018
Trempealeau	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Trempealeau	403B	Dakota	L	H	W	M		M			4	200	3	0.37	0.065
Trempealeau	40A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Trempealeau	40A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Trempealeau	420A	Bilson	L	H	W	M		M	p		1	250	3	0.28	0.016
Trempealeau	420B	Bilson	L	H	W	M		F	p		4	200	3	0.28	0.049
Trempealeau	420C	Bilson	L	H	W	M		F	p		9	150	3	0.28	0.134
Trempealeau	423A	Meridian	L	H	W	M		M			1	250	3	0.43	0.024

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Trempealeau	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Trempealeau	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Trempealeau	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Trempealeau	424C2	Merit	L	H	W	M		M			9	150	5	0.43	0.124
Trempealeau	424D2	Merit	L	H	W	M		M			16	100	5	0.43	0.244
Trempealeau	428A	Shiffer	L	H	SP	M		M		w	1	250	3	0.32	0.018
Trempealeau	429A	Lows	L	M	P	M		F	w	w	1	250	3	0.28	0.016
Trempealeau	433A	Forkhorn	L	M	W	L		M	p		1	250	3	0.24	0.014
Trempealeau	433B	Forkhorn	L	M	W	L		M	p		4	200	3	0.24	0.042
Trempealeau	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Trempealeau	433D2	Forkhorn	L	M	W	L		M	p		16	100	3	0.24	0.227
Trempealeau	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Trempealeau	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Trempealeau	434D2	Bilson	L	H	W	M		M	p		16	100	5	0.24	0.136
Trempealeau	448A	Sooner	L	H	SP	M		M		w	1	250	5	0.43	0.015
Trempealeau	456A	Bilmod	L	H	MW	M		M	p		1	250	5	0.24	0.008
Trempealeau	474A	Dickinson	L	M	SE	L		M	p		1	250	3	0.2	0.011
Trempealeau	474B	Dickinson	L	M	SE	L		M	p		4	200	3	0.2	0.035
Trempealeau	490A	Dickinson	L	M	SE	L		M	p		1.5	250	3	0.24	0.017
Trempealeau	492A	Trempealeau	L	H	W	M		M			1.5	200	3	0.32	0.021
Trempealeau	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Trempealeau	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Trempealeau	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Trempealeau	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Trempealeau	502D	Chelsea	S	S	E	L		M	p		22	60	5	0.15	0.111
Trempealeau	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Trempealeau	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Trempealeau	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Trempealeau	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Trempealeau	551A	Impact	S	S	E	L		M	p		1	250	5	0.05	0.002
Trempealeau	551B	Impact	S	S	E	L		M	p		4	200	5	0.05	0.005
Trempealeau	556A	Mindoro	S	S	MW	L		M	p		1	250	5	0.05	0.002
Trempealeau	561B	Tarr	S	S	E	L		M	p		4	200	5	0.05	0.005
Trempealeau	561C	Tarr	S	S	E	L		M	p		11	150	5	0.05	0.019
Trempealeau	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Trempealeau	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
Trempealeau	566A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Trempealeau	568A	Majik	S	S	SP	L		M		w	1	250	5	0.17	0.006
Trempealeau	569A	Newlang	L	M	P	L		M	w	w	1	250	5	0.1	0.003
Trempealeau	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
Trempealeau	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Trempealeau	622A	Worthen	L	H	W	VH		M			1	300	5	0.37	0.013
Trempealeau	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Trempealeau	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Trempealeau	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Trempealeau	649A	Wallkill	L	M	P	L		M	w	w	2	250	5	0.37	0.019
Trempealeau	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Trempealeau	658A	Northbend	L	H	SP	H		M		w	1	250	3	0.37	0.021

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Trempealeau	666A	Absco	S	S	MW	L		M	p		1	250	5	0.15	0.005
Trempealeau	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Trempealeau	679A	Ettrick	L	M	P	H		M	w	w	1	250	4	0.37	0.016
Trempealeau	741B	Sebbo	L	H	MW	H		M			4	200	5	0.32	0.034
Trempealeau	9A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Trempealeau	9A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Vernon	104C2	Lindstrom	L	H	W	VH		M			9	150	5	0.32	0.092
Vernon	104D2	Lindstrom	L	H	W	VH		M			16	100	5	0.32	0.182
Vernon	1125F	Dorerton	L	M	W	L		M			45	60	3	0.32	1.255
Vernon	1125F	Elbaville	L	M	W	L		M			38	60	3	0.37	1.114
Vernon	1130F	Dunbarton	L	M	W	L	S	M	r	r	45	60	1	0.43	5.061
Vernon	1130F	Lacrescent	L	H	W	M		M	r	r	45	60	2	0.28	1.648
Vernon	1145F	Gaphill	L	M	W	L		M	p		45	60	4	0.2	0.588
Vernon	1145F	Rockbluff	S	S	E	L		M	p		45	60	4	0.17	0.5
Vernon	114B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Vernon	114C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Vernon	1155F	Bellechester	S	S	E	VL		M	pr	r	75	60	4	0.05	0.299
Vernon	1155F	Brodale	L	M	E	L		M	pr	r	70	60	2	0.32	3.518
Vernon	115B2	Seaton	L	H	W	VH		M			4	200	5	0.49	0.052
Vernon	115C2	Seaton	L	H	W	VH		M			9	150	5	0.49	0.141
Vernon	115D2	Seaton	L	H	W	VH		M			16	100	5	0.49	0.278
Vernon	115E2	Seaton	L	H	W	VH		M			25	60	5	0.49	0.447
Vernon	116C2	Churchtown	L	H	W	VH		M			9	150	5	0.49	0.141
Vernon	116D2	Churchtown	L	H	W	VH		M			16	100	5	0.49	0.278
Vernon	116E2	Churchtown	L	H	W	VH		M			25	80	5	0.49	0.516
Vernon	117E2	Brownchurch	L	H	W	H		M			25	80	5	0.2	0.211
Vernon	122B2	Newhouse	L	H	W	H		M			4	200	5	0.49	0.052
Vernon	123C2	Blackhammer	L	H	W	H		M			9	150	5	0.49	0.141
Vernon	123D2	Blackhammer	L	H	W	H		M			16	100	5	0.49	0.278
Vernon	125B2	Pepin	L	H	W	H		M			4	200	4	0.49	0.065
Vernon	125C2	Pepin	L	H	W	H		M			9	150	4	0.49	0.176
Vernon	125D2	Pepin	L	H	W	H		M			16	100	4	0.49	0.348
Vernon	125E2	Pepin	L	H	W	H		M			25	60	4	0.49	0.559
Vernon	126B	Barremills	L	H	MW	VH		M			3	200	5	0.43	0.03
Vernon	128B2	Ashdale	L	H	W	H		M			4	200	4	0.37	0.049
Vernon	128C2	Ashdale	L	H	W	H		M			9	150	4	0.37	0.133
Vernon	128D2	Ashdale	L	H	W	H		M			16	125	4	0.37	0.293
Vernon	130D2	Dodgeville	L	H	W	M		M			16	125	3	0.43	0.454
Vernon	132B2	Brinkman	L	H	MW	VH		M			4	200	5	0.43	0.046
Vernon	132C2	Brinkman	L	H	MW	VH		M			9	150	5	0.49	0.141
Vernon	133B2	Valton	L	H	W	M		M			4	200	4	0.49	0.065
Vernon	133C2	Valton	L	H	W	M		M			9	150	4	0.49	0.176
Vernon	133D2	Valton	L	H	W	M		M			16	100	4	0.49	0.348
Vernon	134B2	Lamoille	L	H	W	M		M			4	150	3	0.49	0.077
Vernon	134C2	Lamoille	L	H	W	M		M			9	150	3	0.49	0.235
Vernon	134D2	Lamoille	L	H	W	M		M			16	100	3	0.49	0.464
Vernon	137B	Mickle	L	H	MW	VH		M			4	200	5	0.43	0.046
Vernon	137C	Mickle	L	H	MW	VH		M			9	150	5	0.43	0.124

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Vernon	140B	Reedsburg	L	H	SP	M		M		w	4	200	3	0.49	0.087
Vernon	144B2	NewGlarus	L	H	W	M		M			4	200	3	0.49	0.087
Vernon	144C2	NewGlarus	L	H	W	M		M			9	150	3	0.49	0.235
Vernon	144D2	NewGlarus	L	H	W	M		M			16	100	3	0.49	0.464
Vernon	144E2	NewGlarus	L	H	W	M		M			25	60	3	0.49	0.745
Vernon	161C2	Fivepoints	L	M	W	L		M			9	150	2	0.49	0.353
Vernon	161D2	Fivepoints	L	M	W	L		M			16	100	2	0.49	0.696
Vernon	161E	Fivepoints	L	M	W	L		M			25	60	2	0.49	1.117
Vernon	163E2	Elbaville	L	H	W	M		M			25	60	4	0.43	0.49
Vernon	1648A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Vernon	1648A	Northbend	L	H	SP	M		M	w	w	1	250	3	0.37	0.021
Vernon	164D	Elizabeth	L	M	SE	VL	S	M	r	r	16	100	1	0.37	1.051
Vernon	164E	Elizabeth	L	M	SE	VL	S	M	r	r	25	60	1	0.37	1.687
Vernon	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Vernon	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Vernon	1743F	Council	L	H	W	H		M			35	60	5	0.37	0.586
Vernon	1743F	Elevasil	L	M	W	L		M			45	60	3	0.2	0.785
Vernon	1743F	Norden	L	M	W	L		M			45	60	3	0.37	1.452
Vernon	201E	Boone	S	S	E	VL		M	p		22	60	3	0.1	0.123
Vernon	202D2	Lambeau	L	H	W	H		M			16	100	4	0.49	0.348
Vernon	20A	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Vernon	20A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Vernon	213C2	Hixton	L	H	W	M		M			9	150	3	0.49	0.235
Vernon	213D2	Hixton	L	H	W	M		M			16	100	3	0.49	0.464
Vernon	213E2	Hixton	L	H	W	M		M			25	60	3	0.49	0.745
Vernon	214B2	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Vernon	214C2	Gale	L	H	W	M		M			9	150	3	0.49	0.235
Vernon	214D2	Gale	L	H	W	M		M			16	100	3	0.49	0.464
Vernon	214E2	Gale	L	H	W	M		M			25	60	3	0.49	0.745
Vernon	21A	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Vernon	224C2	Elevasil	L	M	W	L		M			9	150	3	0.24	0.115
Vernon	224D2	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Vernon	224E2	Elevasil	L	M	W	L		M			25	60	3	0.24	0.365
Vernon	231D	Elevasil	L	M	W	L		M			16	100	3	0.24	0.227
Vernon	234C2	Basco	L	M	W	L		M			9	150	3	0.49	0.235
Vernon	234D2	Basco	L	M	W	L		M			16	100	3	0.49	0.464
Vernon	235F	Keyesville	L	M	SE	VL	S	M			42.5	60	3	0.24	0.862
Vernon	253B2	Greenridge	L	H	W	H		M			3	200	5	0.49	0.034
Vernon	253C2	Greenridge	L	H	W	H		M			8	150	5	0.49	0.119
Vernon	253D2	Greenridge	L	H	W	H		M			16	100	5	0.49	0.278
Vernon	254B2	Norden	L	H	W	M		M			4	200	3	0.49	0.087
Vernon	254C2	Norden	L	H	W	M		M			9	150	3	0.49	0.235
Vernon	254D2	Norden	L	H	W	M		M			16	100	3	0.49	0.464
Vernon	254E2	Norden	L	H	W	M		M			25	60	3	0.49	0.745
Vernon	254F	Norden	L	M	W	L		M			38	60	3	0.37	1.114
Vernon	255D2	Urne	L	M	W	L		M			16	100	3	0.24	0.227
Vernon	255E2	Urne	L	M	W	L		M			25	60	3	0.24	0.365
Vernon	255F	Urne	L	M	W	L		M			38	60	3	0.2	0.602



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Vernon	260B2	Mt. Carroll	L	H	W	VH		M			4	200	5	0.43	0.046
Vernon	260C2	Mt. Carroll	L	H	W	VH		M			9	150	5	0.43	0.124
Vernon	261B2	Port Byron	L	H	W	VH		M			4	200	5	0.43	0.046
Vernon	264C2	Rockbridge	L	H	W	M		M			9	150	4	0.43	0.155
Vernon	264D2	Rockbridge	L	H	W	M		M			16	100	4	0.43	0.305
Vernon	270A	Port Byron	L	H	W	VH		M			1	250	5	0.37	0.013
Vernon	312A	Festina	L	H	W	VH		M			1	250	5	0.43	0.015
Vernon	312B2	Festina	L	H	W	VH		M			4	200	5	0.43	0.046
Vernon	313D2	Plumcreek	L	H	W	H		M			16	100	5	0.43	0.244
Vernon	313F	Plumcreek	L	H	W	M		M			33	60	5	0.37	0.533
Vernon	316B2	Ella	L	H	MW	H		M			2	250	5	0.43	0.022
Vernon	316C2	Ella	L	H	MW	H		M			9	150	5	0.43	0.124
Vernon	318A	Bearpen	L	H	SP	H		M			1	250	5	0.43	0.015
Vernon	326B2	Medary	L	H	MW	H		M			3	200	3	0.49	0.057
Vernon	326F	Medary	L	H	MW	H		M			30	60	3	0.37	0.76
Vernon	336A	Toddville	L	H	MW	H		M			1	250	5	0.43	0.015
Vernon	336B	Toddville	L	H	MW	H		M			4	200	5	0.43	0.046
Vernon	343B	Worthen	L	H	W	M		M			4	200	5	0.37	0.039
Vernon	343C	Worthen	L	H	W	M		M			9	150	5	0.37	0.107
Vernon	403A	Dakota	L	H	W	M		M			1	250	3	0.37	0.021
Vernon	413A	Rasset	L	H	W	M		M	p		1	250	3	0.24	0.014
Vernon	413B	Rasset	L	H	W	M		M	p		4	200	5	0.2	0.021
Vernon	423B2	Meridian	L	H	W	M		M			4	200	3	0.43	0.076
Vernon	423C2	Meridian	L	H	W	M		M			9	150	3	0.43	0.206
Vernon	424B	Merit	L	H	W	M		M			3	200	5	0.43	0.03
Vernon	424C2	Merit	L	H	W	M		M			9	150	5	0.43	0.124
Vernon	424F	Merit	L	H	W	M		M			33	60	5	0.37	0.533
Vernon	433C2	Forkhorn	L	M	W	L		M	p		9	150	3	0.24	0.115
Vernon	434B	Bilson	L	H	W	M		M	p		3	200	5	0.24	0.017
Vernon	434C2	Bilson	L	H	W	M		M	p		9	150	5	0.24	0.069
Vernon	501A	Finchford	S	S	E	L		M	p		1	250	5	0.1	0.003
Vernon	501B	Finchford	S	S	E	L		M	p		4	200	5	0.1	0.011
Vernon	502B2	Chelsea	S	S	E	L		M	p		4	200	5	0.15	0.016
Vernon	502C2	Chelsea	S	S	E	L		M	p		11	150	5	0.15	0.058
Vernon	506A	Komro	S	S	MW	L		M	p		1	250	5	0.1	0.003
Vernon	508A	Farrington	S	S	SP	L		M		w	1	250	5	0.1	0.003
Vernon	511C	Plainfield	S	S	E	L		M	p		11	150	5	0.05	0.019
Vernon	511F	Plainfield	S	S	E	L		M	p		38	60	5	0.05	0.09
Vernon	561F	Tarr	S	S	E	L		M	p		30	60	5	0.05	0.062
Vernon	562B	Gosil	S	S	SE	L		M	p		3	200	5	0.24	0.017
Vernon	562C	Gosil	S	S	SE	L		M	p		9	150	5	0.24	0.069
Vernon	572B2	Windward	S	S	SE	L		M	p		4	200	5	0.32	0.034
Vernon	572C2	Windward	S	S	SE	L		M	p		9	150	5	0.32	0.092
Vernon	572D	Windward	S	S	SE	L		M	p		18	100	5	0.32	0.22
Vernon	601C	Beavercreek	L	H	W	M		M	p		8	150	5	0.32	0.077
Vernon	606A	Huntsville	L	H	MW	VH		M			1	250	5	0.37	0.013
Vernon	616B	Chaseburg	L	H	W	VH		M			3	200	5	0.49	0.034
Vernon	622B	Worthen	L	H	W	VH		M			4	200	5	0.37	0.039

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Vernon	626A	Arenzville	L	H	MW	VH		M			2	250	5	0.49	0.025
Vernon	628A	Orion	L	H	SP	VH		M		w	1	250	5	0.49	0.017
Vernon	629A	Ettrick	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Vernon	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Vernon	676A	Kickapoo	L	H	MW	M		M			2	250	5	0.28	0.015
Vernon	739A	Root	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Vernon	743C2	Council	L	H	W	H		M			9	150	5	0.37	0.107
Vernon	743D2	Council	L	H	W	H		M			16	100	5	0.37	0.21
Vernon	743E2	Council	L	H	W	H		M			25	60	5	0.37	0.337
Vilas	Au	Au Gres	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Vilas	CaA	Cable	L	M	VP	M		F	w	w	1.5	250	4	0.37	0.019
Vilas	ChB	Champion	L	M	MW	L		F			3.5	200	3	0.49	0.075
Vilas	ChC	Champion	L	M	MW	L		F			13	100	3	0.49	0.333
Vilas	CrA	Croswell	S	S	MW	L		F	p		1.5	250	5	0.05	0.002
Vilas	CsA	Croswell	S	S	MW	L		F	p		1.5	250	5	0.05	0.002
Vilas	FeB	Alcona	L	M	W	M		F			3	200	5	0.24	0.017
Vilas	FeB	Fence	L	M	MW	H		F			3	200	5	0.49	0.034
Vilas	FeC	Alcona	L	M	W	M		F			10.5	150	5	0.24	0.086
Vilas	FeC	Fence	L	M	W	H		F			10.5	150	5	0.49	0.176
Vilas	Ga	Gaastra	L	M	SP	H		F	w	w	1	250	5	0.37	0.013
Vilas	GoB	Fence	L	M	MW	H		F	p		3	200	5	0.49	0.034
Vilas	GoB	Gogebic	L	M	MW	L		F	p		3	200	4	0.24	0.021
Vilas	GoB	Pence	L	M	W	L		F	p		3	200	5	0.24	0.017
Vilas	GoC	Fence	L	M	W	H		F	p		9	150	5	0.49	0.141
Vilas	GoC	Gogebic	L	M	MW	L		F	p		9	150	4	0.24	0.086
Vilas	GoC	Pence	L	M	W	L		F	p		9	150	5	0.24	0.069
Vilas	GpD	Gogebic	L	M	W	L		F	p		22.5	80	4	0.24	0.266
Vilas	GpD	Pence	S	S	W	L		F	p		22.5	80	5	0.24	0.213
Vilas	KaB	Karlin	S	S	SE	L		F	p		3	200	3	0.24	0.028
Vilas	KaC	Karlin	S	S	SE	L		F	p		10.5	150	3	0.24	0.144
Vilas	KbB	Keweenaw	S	S	MW	L		F			3	200	3	0.24	0.028
Vilas	KbC	Keweenaw	S	S	W	L		F			10.5	150	3	0.24	0.144
Vilas	KbD	Keweenaw	S	S	W	L		F			22.5	80	3	0.24	0.354
Vilas	KeB	Karlin	S	S	SE	L		F	p		3	200	3	0.24	0.028
Vilas	KeB	Keweenaw	S	S	MW	L		F	p		3	200	3	0.24	0.028
Vilas	KeC	Karlin	S	S	SE	L		F	p		10.5	150	3	0.24	0.144
Vilas	KeC	Keweenaw	S	S	W	L		F	p		10.5	150	3	0.24	0.144
Vilas	KnD	Keweenaw	S	S	W	L		F	p		22.5	80	3	0.24	0.354
Vilas	KnD	Sayner	S	S	E	VL		F	p		22.5	80	5	0.24	0.213
Vilas	Kr	Kinross	S	S	VP	VL		F	w	w	1	250	5	0.05	0.002
Vilas	Lo	Dawson	O	M	VP			F	w	w	1	250	1	0.02	0.003
Vilas	Lo	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Vilas	MaA	Manitowish	S	S	MW	L		F			1.5	250	5	0.2	0.008
Vilas	MoA	Monico	L	M	SP	M		F	w	w	1.5	250	5	0.37	0.016
Vilas	PaB	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Vilas	PaC	Padus	L	M	W	L		F			10.5	150	3	0.24	0.144
Vilas	PaD	Padus	L	M	W	L		F			20	80	3	0.24	0.292
Vilas	PeC	Padus	L	M	W	L		F	p		10.5	150	3	0.24	0.144

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Vilas	PeC	Pence	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Vilas	PeD	Padus	L	M	W	L		F	p		25	60	3	0.24	0.365
Vilas	PeD	Pence	S	S	W	L		F	p		25	60	5	0.24	0.219
Vilas	PnB	Pence	S	S	W	L		F	p		3	200	5	0.24	0.017
Vilas	PnC	Pence	S	S	W	L		F	p		10.5	150	5	0.24	0.086
Vilas	PnD	Pence	S	S	W	L		F	p		20	80	5	0.24	0.175
Vilas	RoB	Rubicon	S	S	E	L		F	p		3	200	5	0.02	0.001
Vilas	RoC	Rubicon	S	S	E	L		F	p		10.5	150	5	0.05	0.018
Vilas	RoD	Rubicon	S	S	E	L		F	p		22.5	80	5	0.05	0.044
Vilas	SaB	Rubicon	S	S	E	L		F	p		3	200	5	0.05	0.003
Vilas	SaB	Sayner	S	S	E	VL		F	p		3	200	5	0.24	0.017
Vilas	SaC	Rubicon	S	S	E	L		F	p		10.5	150	5	0.05	0.018
Vilas	SaC	Sayner	S	S	E	VL		F	p		10.5	150	5	0.24	0.086
Vilas	SaD	Rubicon	S	S	E	L		F	p		25	60	5	0.05	0.046
Vilas	SaD	Sayner	S	S	E	VL		F	p		25	60	5	0.24	0.219
Vilas	Se	Markey	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Vilas	Se	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Vilas	Wv	orcester variat	S	S	SP	L		F	w	w	1	250	2	0.2	0.017
Walworth	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Walworth	AzA	Aztalan	L	H	SP	H		M		w	2	250	5	0.2	0.01
Walworth	BpB	Boyer	L	M	W	L		M	p		4	200	5	0.17	0.018
Walworth	BpC2	Boyer	S	S	W	L		M	p		9	150	5	0.17	0.049
Walworth	CeB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Walworth	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Walworth	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Walworth	CfC3	Casco	L	M	W	L		M			9	150	2	0.37	0.266
Walworth	CfD3	Casco	L	M	W	L		M			16	100	2	0.37	0.525
Walworth	CkD2	Casco	L	M	W	L		M			16	100	2	0.37	0.525
Walworth	CkD2	Fox	L	H	W	M		M			16	100	5	0.28	0.159
Walworth	CiC2	Casco	L	M	W	L		M			9	150	2	0.43	0.31
Walworth	CiC2	Fox	L	H	W	M		M			9	150	5	0.37	0.107
Walworth	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Walworth	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Walworth	CrE2	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Walworth	CrE2	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Walworth	CtB	Chelsea	S	S	E	L		M	p		3.5	200	5	0.02	0.002
Walworth	CtE	Chelsea	S	S	E	L		M	p		18	80	5	0.02	0.012
Walworth	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Walworth	CyA	Conover	L	H	SP	M		M		w	2	250	5	0.43	0.022
Walworth	DdA	Dodge	L	H	W	H		M			1	250	5	0.43	0.015
Walworth	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Walworth	Dt	Drummer	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Walworth	EbA	Elburn	L	H	SP	H		M		w	2	250	5	0.28	0.015
Walworth	EgA	Elburn	L	H	SP	M		M		w	2	250	5	0.32	0.017
Walworth	FgA	Flagg	L	H	W	H		M			1	250	5	0.43	0.015
Walworth	FgB	Flagg	L	H	W	H		M			4	200	5	0.43	0.046
Walworth	FIA	Flagg variant	L	H	SP	H		M			1.5	250	5	0.43	0.018
Walworth	FmB	Fox	L	H	W	M		M			3.5	200	5	0.17	0.016

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Walworth	FmC2	Fox	L	H	W	M		M			9	150	3	0.17	0.082
Walworth	FoB	Fox	L	H	W	M		M			4	200	3	0.28	0.049
Walworth	FoC2	Fox	L	H	W	M		M			9	150	3	0.28	0.134
Walworth	FsA	Fox	L	H	W	M		M			1	250	3	0.37	0.021
Walworth	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Walworth	FsC2	Fox	L	H	W	M		M			9	150	3	0.37	0.178
Walworth	GsB	Griswold	L	H	W	M		M			4	200	5	0.24	0.025
Walworth	GsC2	Griswold	L	H	W	M		M			9	150	5	0.24	0.069
Walworth	GsD2	Griswold	L	H	W	M		M			16	100	5	0.24	0.136
Walworth	GwA	riswold variat	L	H	SP	M		M			1.5	250	5	0.28	0.012
Walworth	HeB	Hebron	L	H	W	H		M			3.5	200	5	0.37	0.034
Walworth	HfE	Hennepin	L	H	W	M		M			27.5	60	5	0.28	0.299
Walworth	HfE	Miami	L	H	W	M		M			27.5	60	5	0.37	0.395
Walworth	Ht	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Walworth	JuA	Juneau	L	H	W	H		M	w	w	2	250	5	0.49	0.025
Walworth	KIA	Kendall	L	H	SP	H		M		w	2	250	5	0.43	0.022
Walworth	KwB	Knowles	L	M	W	L	S	M			3.5	200	2	0.43	0.099
Walworth	KyA	nowles variar	L	H	SP	M		M		w	1	250	3	0.43	0.024
Walworth	LyB	Lorenzo	L	M	W	L		M			4	200	3	0.24	0.042
Walworth	LyC2	Lorenzo	L	M	W	L		M			9	150	3	0.24	0.115
Walworth	LzD2	Lorenzo	L	M	W	L		M	p		16	100	3	0.24	0.227
Walworth	LzD2	Rodman	L	M	E	VL		M	p		16	100	2	0.24	0.341
Walworth	MgA	Martinton	L	H	SP	H		M		w	2	250	5	0.37	0.019
Walworth	MmA	Matherton	L	H	SP	M		M		w	2	250	3	0.32	0.028
Walworth	MpB	McHenry	L	H	W	H		M			4	200	5	0.37	0.039
Walworth	MpB2	McHenry	L	H	W	H		M			4	200	5	0.37	0.039
Walworth	MpC	McHenry	L	H	W	H		M			9	150	5	0.37	0.107
Walworth	MpC2	McHenry	L	H	W	H		M			9	150	5	0.37	0.107
Walworth	MuA	Metea	S	S	W	M		M			1	250	5	0.28	0.01
Walworth	MuB	Metea	S	S	W	M		M			4	200	5	0.28	0.03
Walworth	MvB	Miami	L	H	W	M		M			4	200	5	0.28	0.03
Walworth	MwC2	Miami	L	H	W	H		M			9	150	5	0.32	0.092
Walworth	MwD2	Miami	L	H	W	H		M			16	100	5	0.32	0.182
Walworth	MxB	Miami	L	H	W	M		M			4	200	5	0.37	0.039
Walworth	MxC2	Miami	L	H	W	M		M			9	150	5	0.37	0.107
Walworth	MxD2	Miami	L	H	W	M		M			16	100	5	0.37	0.21
Walworth	MxE2	Miami	L	H	W	M		M			27.5	60	5	0.37	0.395
Walworth	MyA	Miami	L	H	W	H		M			1	250	5	0.43	0.015
Walworth	MyB	Miami	L	H	W	H		M			4	200	5	0.43	0.046
Walworth	MyC	Miami	L	H	W	H		M			9	150	5	0.43	0.124
Walworth	MyC2	Miami	L	H	W	H		M			9	150	5	0.43	0.124
Walworth	MzfA	Mundelein	L	H	SP	H		M	w	w	2	250	5	0.37	0.019
Walworth	Na	Navan	L	M	P	M		M	w	w	1	250	5	0.37	0.013
Walworth	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Walworth	PeA	Pecatonica	L	H	W	H		M			1	250	5	0.37	0.013
Walworth	PeB	Pecatonica	L	H	W	H		M			4	200	5	0.37	0.039
Walworth	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Walworth	PsA	Plano	L	H	W	H		M			1	250	5	0.37	0.013

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Walworth	P5B	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Walworth	P5C	Plano	L	H	W	H		M			9	150	5	0.37	0.107
Walworth	PtA	Plano	L	H	W	H		M			1	250	4	0.37	0.016
Walworth	PtB	Plano	L	H	W	H		M			4	200	4	0.37	0.049
Walworth	PtC2	Plano	L	H	W	H		M			9	150	5	0.32	0.092
Walworth	RaA	Radford	L	H	SP	VH		M		w	1.5	250	5	0.32	0.013
Walworth	RsF	Casco	L	M	W	L		M	p		37.5	60	5	0.37	0.655
Walworth	RsF	Rodman	L	M	E	VL		M	p		37.5	60	2	0.24	1.062
Walworth	Ru	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Walworth	Rv	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Walworth	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Walworth	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Walworth	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Walworth	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Walworth	ShA	Saylesville	L	H	W	H		M			1	250	3	0.43	0.024
Walworth	ShB	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Walworth	Sm	Sebewa	L	M	P	M		M	w	w	1.5	250	3	0.28	0.02
Walworth	TxA	Troxel	L	H	MW	H		M	w	w	1.5	250	5	0.37	0.016
Walworth	Wa	Walkill	L	M	VP	L		M	w	w	1.5	250	5	0.28	0.012
Walworth	WeA	Warsaw	L	H	W	M		M			1	250	3	0.28	0.016
Walworth	WhA	Warsaw	L	H	W	M		M			1	250	3	0.32	0.018
Walworth	WhB	Warsaw	L	H	W	M		M			4	200	3	0.32	0.057
Walworth	WhC2	Warsaw	L	H	W	M		M			9	150	3	0.32	0.154
Walworth	WvB2	Westville	L	H	W	H		M			4	200	5	0.43	0.046
Walworth	WvC2	Westville	L	H	W	H		M			9	150	5	0.43	0.124
Washburn	100B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Washburn	100C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Washburn	100D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Washburn	1070C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Washburn	1070C	Fremstadt	S	S	W	L		F	p		10	150	5	0.24	0.081
Washburn	1070D	Cress	S	S	SE	L		F	p		21	80	2	0.24	0.474
Washburn	1070D	Fremstadt	S	S	W	L		F	p		23	80	5	0.24	0.22
Washburn	1080B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Washburn	1080B	Spoonerhill	S	S	MW	L		F			4	200	5	0.24	0.025
Washburn	127D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Washburn	127D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Washburn	127E	Amery	L	M	W	M		F			33	60	5	0.24	0.346
Washburn	127E	Rosholt	L	M	W	L		F			33	60	5	0.28	0.403
Washburn	156B	Magnor	L	M	SP	H		F			2	250	4	0.49	0.032
Washburn	157B	Freeon	L	M	MW	H		F			4	200	4	0.49	0.065
Washburn	157C	Freeon	L	M	MW	H		F			9	150	4	0.49	0.176
Washburn	160A	Oesterle	L	M	SP	L		F		w	1	250	3	0.24	0.014
Washburn	1653C	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Washburn	1653C	Stanberry	L	M	MW	L		F			9	150	4	0.32	0.115
Washburn	1653C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Washburn	182B	Padus	L	M	W	L		F			3	200	3	0.28	0.033
Washburn	182C	Padus	L	M	W	L		F			11	150	3	0.24	0.154
Washburn	192A	Worcester	L	M	SP	L		F		w	2	200	3	0.24	0.02

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washburn	193A	Minocqua	L	M	P	L		F	w	w	1	150	3	0.49	0.024
Washburn	215B	Pence	S	S	SE	L		F	p		3	200	5	0.24	0.017
Washburn	215C	Pence	S	S	SE	L		F	p		11	150	5	0.24	0.093
Washburn	215D	Pence	S	S	SE	L		F	p		23	80	5	0.24	0.22
Washburn	22A	Comstock	L	M	SP	H		F			2	200	5	0.43	0.022
Washburn	24A	Poskin	L	M	SP	M		F	w	w	2	250	3	0.43	0.037
Washburn	27A	Scott Lake	L	M	MW	L		F			2	150	3	0.24	0.018
Washburn	28B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Washburn	28B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Washburn	28C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Washburn	28C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Washburn	3011A	Barronett	L	M	P	H		F			1	250	5	0.37	0.013
Washburn	3125A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Washburn	3126A	Wurtsmith	S	S	MW	L		F	p		2	250	5	0.17	0.009
Washburn	315A	Rib	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Washburn	3276A	Au Gres	L	M	SP	L		F	w	w	2	250	5	0.15	0.008
Washburn	3312B	Glendenning	L	M	SP	M		F			1	250	5	0.28	0.01
Washburn	3336A	Fenander	L	M	P	M		F			1	250	5	0.37	0.013
Washburn	337A	Plover	L	M	SP	H		F			2	250	5	0.37	0.019
Washburn	33B	Chetek	L	M	SE	L		F	p		4	200	5	0.28	0.03
Washburn	33C	Chetek	L	M	SE	L		F			9	150	5	0.24	0.069
Washburn	3403A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	3403A	Dawson	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	3403A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	3424C	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Washburn	3424C	Magroc	L	M	SP	M		F	r	r	2	250	3	0.49	0.042
Washburn	3424C	Stinnett	L	M	SP	H		F	r	r	2	250	4	0.43	0.028
Washburn	3446A	Newson	L	M	VP	L		F	w	w	1	250	5	0.17	0.006
Washburn	3448B	Grettum	S	S	MW	L		F	p		3	200	5	0.1	0.007
Washburn	3448C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Washburn	3516A	Slimlake	S	S	MW	L		F			2	250	5	0.24	0.012
Washburn	3629B	Perida	S	S	MW	L		F	p		2	200	4	0.15	0.009
Washburn	368B	Cress	S	S	SE	L		F	p		4	200	2	0.24	0.064
Washburn	368B	Mahtomedi	S	S	E	VL		F	p		4	200	5	0.1	0.011
Washburn	368C	Cress	S	S	SE	L		F	p		9	150	2	0.24	0.173
Washburn	368C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Washburn	368D	Cress	S	S	SE	L		F	p		20	80	2	0.24	0.438
Washburn	368D	Mahtomedi	S	S	E	VL		F	p		20	80	5	0.1	0.073
Washburn	371A	Croswell	S	S	MW	L		F	p		2	250	5	0.05	0.003
Washburn	380B	Cress	S	S	SE	L		F			4	200	2	0.24	0.064
Washburn	380B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Washburn	380C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Washburn	380C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Washburn	380D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Washburn	380D	Rosholt	L	M	W	L		F			21	80	5	0.28	0.221
Washburn	383B	Mahtomedi	S	S	E	VL		F	p		3	200	5	0.1	0.007
Washburn	383C	Mahtomedi	S	S	E	VL		F	p		9	150	5	0.1	0.029
Washburn	383D	Mahtomedi	S	S	E	VL		F	p		21	80	5	0.1	0.079

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washburn	38A	Rosholt	L	M	W	L		F			1	250	5	0.28	0.01
Washburn	38B	Rosholt	L	M	W	L		F			4	200	5	0.28	0.03
Washburn	38C	Rosholt	L	M	W	L		F			9	150	5	0.28	0.081
Washburn	38D	Rosholt	L	M	W	L		F			16	100	5	0.28	0.159
Washburn	396B	Friendship	S	S	MW	L		F	p		1	250	5	0.02	0.001
Washburn	396B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Washburn	396B	Wurtsmith	S	S	MW	L		F	p		1	250	5	0.02	0.001
Washburn	397A	Perchlake	S	S	SP	L		F	w	w	1	250	5	0.17	0.006
Washburn	399B	Grayling	S	S	E	VL		F	p		3	200	5	0.02	0.001
Washburn	399C	Grayling	S	S	E	VL		F	p		9	150	5	0.02	0.006
Washburn	399D	Grayling	S	S	E	VL		F	p		21	80	5	0.02	0.016
Washburn	3A	Ausable	L	M	VP	VL		F	w	w	1	250	1	0.02	0.003
Washburn	3A	Bowstring	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	3A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Washburn	405A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	405A	Lupton	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	405A	Tawas	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	406A	Loxley	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	407A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Washburn	407A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	410A	Cathro	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	410A	Seelyeville	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	412A	Rifle	O	M	VP			F	w	w	1	245	2	0.02	0.002
Washburn	412A	Tacoosh	O	M	VP			F	w	w	0.5	245	1	0.02	0.002
Washburn	415A	Greenwood	O	M	VP			F	w	w	0.5	250	2	0.02	0.001
Washburn	42D	Amery	L	M	W	M		F			16	100	5	0.24	0.136
Washburn	439B	Graycalm	S	S	SE	L		F	p		3	200	5	0.2	0.014
Washburn	439B	Menahga	S	S	E	L		F	p		3	200	5	0.02	0.001
Washburn	439C	Graycalm	S	S	SE	L		F	p		9	150	5	0.2	0.058
Washburn	439C	Menahga	S	S	E	L		F	p		9	150	5	0.02	0.006
Washburn	439D	Graycalm	S	S	SE	L		F	p		21	80	5	0.2	0.158
Washburn	439D	Menahga	S	S	E	L		F	p		21	80	5	0.02	0.016
Washburn	43B	Antigo	L	M	W	M		F			4	200	3	0.49	0.087
Washburn	43C	Antigo	L	M	W	M		F			11	150	3	0.49	0.315
Washburn	43D	Antigo	L	M	W	M		F			23	80	3	0.49	0.75
Washburn	441C	Cathro	O	M	VP			F			0.5	150	1	0.02	0.002
Washburn	441C	Freeon	L	M	MW	H		F			11	100	4	0.49	0.194
Washburn	442C	Greenwood	O	M	VP			F			1	250	2	0.02	0.002
Washburn	442C	Haugen	L	M	MW	M		F			7	150	5	0.24	0.048
Washburn	443D	Amery	L	M	W	M		F	w	w	25	80	5	0.24	0.253
Washburn	443D	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Washburn	461A	Bowstring	O	M	VP			F	w	w	1	250	1	0.02	0.003
Washburn	484A	Beseman	O	M	VP			F	w	w	0.5	250	1	0.02	0.002
Washburn	484A	Greenwood	O	M	VP			F	w	w	1	250	2	0.02	0.002
Washburn	48A	Brill	L	M	MW	M		F			1	250	3	0.43	0.024
Washburn	495B	Grettum	S	S	MW	L		F	p		4	200	5	0.1	0.011
Washburn	495B	Karlsborg	S	S	MW	L		F	p		4	200	4	0.1	0.013
Washburn	495B	Perida	S	S	MW	L		F	p		4	200	4	0.15	0.02

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washburn	495C	Grettum	S	S	MW	L		F	p		9	150	5	0.1	0.029
Washburn	495C	Karlsborg	S	S	MW	L		F	p		9	150	4	0.1	0.036
Washburn	495C	Perida	S	S	MW	L		F	p		9	150	4	0.15	0.054
Washburn	495D	Grettum	S	S	MW	L		F	p		21	80	5	0.1	0.079
Washburn	495D	Karlsborg	S	S	MW	L		F	p		21	80	4	0.1	0.099
Washburn	495D	Perida	S	S	MW	L		F	p		21	80	4	0.15	0.148
Washburn	497A	Meenon	S	S	SP	L		F			2	250	4	0.1	0.007
Washburn	515A	Manitowish	S	S	MW	L		F			2	250	5	0.17	0.009
Washburn	521A	Dody	L	M	VP	L		F			1	250	4	0.1	0.004
Washburn	524E	Frogcreek	L	M	MW	M		F	r	r	8	150	4	0.43	0.13
Washburn	524E	Metonga	L	M	W	L		F	r	r	33	60	2	0.43	1.548
Washburn	542B	Haugen	L	M	MW	M		F			4	200	5	0.24	0.025
Washburn	542C	Haugen	L	M	MW	M		F			9	150	5	0.24	0.069
Washburn	543B	Anigon	L	M	W	M		F			4	200	3	0.43	0.076
Washburn	543C2	Anigon	L	M	W	M		F			9	150	3	0.43	0.206
Washburn	544F	Mahtomedi	S	S	E	VL		F	p		38	60	5	0.1	0.181
Washburn	544F	Menahga	S	S	E	L		F	p		38	60	5	0.02	0.036
Washburn	555A	Fordum	L	M	P	M		F	w	w	1	150	3	0.37	0.018
Washburn	574B	Sayner	S	S	E	L		F	p		3	200	5	0.15	0.01
Washburn	574C	Sayner	S	S	E	L		F	p		11	150	5	0.15	0.058
Washburn	574E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Washburn	579B	Parkfalls	L	M	SP	L		F			2	250	3	0.28	0.024
Washburn	615B	Cress	S	S	SE	L		F			3	200	2	0.24	0.042
Washburn	615C	Cress	S	S	SE	L		F			9	150	2	0.24	0.173
Washburn	615D	Cress	S	S	SE	L		F			21	80	2	0.24	0.474
Washburn	623A	Capitola	L	M	VP	L		F			1	150	3	0.37	0.018
Washburn	624A	Ossmer	L	M	SP	M		F		w	2	200	3	0.37	0.031
Washburn	632A	Aftad	L	M	MW	H		F			1	250	5	0.43	0.015
Washburn	632B	Aftad	L	M	MW	H		F			4	200	5	0.55	0.058
Washburn	632C	Aftad	L	M	MW	H		F			9	150	5	0.55	0.158
Washburn	633F	Padus	L	M	W	L		F	p		38	60	5	0.24	0.433
Washburn	633F	Pence	S	S	SE	L		F	p		38	60	5	0.24	0.433
Washburn	63A	Crystal Lake	L	M	MW	VH		F			1	250	5	0.37	0.013
Washburn	63B	Crystal Lake	L	M	MW	VH		F			4	200	5	0.37	0.039
Washburn	63C	Crystal Lake	L	M	MW	VH		F			9	150	5	0.37	0.107
Washburn	63E	Crystal Lake	L	M	MW	VH		F			28	80	5	0.37	0.47
Washburn	648B	Sconsin	L	M	MW	M		F			4	200	3	0.37	0.065
Washburn	64A	Totagatic	L	M	P	L		F	w	w	1	250	5	0.24	0.008
Washburn	64A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.1	0.005
Washburn	670C	Keweenaw	S	S	W	L		F	p		11	100	5	0.15	0.047
Washburn	670C	Pence	S	S	SE	L		F	p		11	100	5	0.24	0.076
Washburn	670E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Washburn	670E	Pence	S	S	SE	L		F	p		30	60	5	0.24	0.296
Washburn	671B	Spoonerhill	S	S	MW	L		F			4	200	5	0.24	0.025
Washburn	680B	Pence	L	M	SE	L		F	p		4	200	5	0.24	0.025
Washburn	680B	Stanberry	L	M	MW	L		F	p		4	200	4	0.32	0.042
Washburn	683A	Tipler	L	M	MW	L		F			2	200	4	0.2	0.012
Washburn	69B	Keweenaw	S	S	W	L		F	p		4	200	5	0.15	0.016



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washburn	69B	Sayner	S	S	E	L		F	p		4	200	5	0.15	0.016
Washburn	69B	Vilas	S	S	E	L		F	p		4	200	5	0.05	0.005
Washburn	69C	Keweenaw	S	S	W	L		F	p		10	150	5	0.15	0.05
Washburn	69C	Sayner	S	S	E	L		F	p		10	150	5	0.15	0.05
Washburn	69C	Vilas	S	S	E	L		F	p		10	150	5	0.05	0.017
Washburn	69E	Keweenaw	S	S	W	L		F	p		30	60	5	0.15	0.185
Washburn	69E	Sayner	S	S	E	L		F	p		30	60	5	0.15	0.185
Washburn	69E	Vilas	S	S	E	L		F	p		30	60	5	0.05	0.062
Washburn	706A	Totagatic	S	S	P	L		F	w	w	1	250	5	0.28	0.01
Washburn	706A	Winterfield	S	S	SP	L		F	w	w	2	250	5	0.37	0.019
Washburn	724A	Rib	L	M	P	M		F	wr	wr	1	250	3	0.37	0.021
Washburn	726B	Sissabagama	S	S	MW	L		F	p		3	200	5	0.15	0.01
Washburn	733A	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Washburn	74B	Vilas	S	S	E	L		F	p		3	200	5	0.05	0.003
Washburn	74C	Vilas	S	S	E	L		F	p		11	150	5	0.05	0.019
Washburn	74D	Vilas	S	S	E	L		F	p		23	80	5	0.05	0.046
Washburn	771A	Lenroot	S	S	MW	VL		F	p		1	250	5	0.1	0.003
Washburn	827A	Scoba	L	M	MW	L		F			2	250	3	0.24	0.021
Washburn	853C	Frogcreek	L	M	MW	M		F			8	150	4	0.43	0.13
Washburn	853C	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Washburn	853C	Wozny	L	M	VP	H		F			1	250	4	0.55	0.023
Washburn	856B	Stinnett	L	M	SP	H		F			2	250	4	0.43	0.028
Washburn	857B	Frogcreek	L	M	MW	M		F			4	200	4	0.43	0.057
Washburn	857C	Frogcreek	L	M	MW	M		F			10	150	4	0.43	0.181
Washburn	873B	Stanberry	L	M	MW	L		F			4	200	4	0.32	0.042
Washburn	873C	Stanberry	L	M	MW	L		F			11	150	4	0.32	0.154
Washburn	873D	Stanberry	L	M	MW	L		F			23	80	4	0.32	0.367
Washburn	905A	Cublake	S	S	MW	L		F	p		2	200	5	0.15	0.008
Washburn	926A	Flink	S	S	SP	L		F			2	200	5	0.24	0.012
Washburn	943D	Greenwood	O	M	VP			F			1	250	2	0.02	0.002
Washburn	943D	Stanberry	L	M	MW	L		F			18	80	4	0.32	0.246
Washburn	948A	Billyboy	L	M	MW	M		F			2	200	3	0.37	0.031
Washburn	970C	Greenwood	O	M	VP			F	wp	w	1	250	2	0.02	0.002
Washburn	970C	Keweenaw	L	M	W	L		F	wp	w	11	150	5	0.15	0.058
Washburn	970C	Pence	L	M	SE	L		F	wp	w	11	150	5	0.24	0.093
Washburn	970E	Greenwood	O	M	VP			F	wp	w	1	250	2	0.02	0.002
Washburn	970E	Keweenaw	L	M	W	L		F	wp	w	30	80	5	0.15	0.213
Washburn	970E	Pence	L	M	SE	L		F	wp	w	30	80	5	0.24	0.341
Washington	Ak	Adrian	O	H	P			M	w	w	1	250	1	0.02	0.003
Washington	AtA	Ashkum	L	M	P	M		M	w	w	0.5	150	5	0.2	0.004
Washington	AzA	Aztalan	L	H	SP	H		M		w	1	250	2	0.28	0.024
Washington	AzB	Aztalan	L	H	SP	H		M		w	4	200	2	0.28	0.074
Washington	BmB	Boyer	S	S	W	L		M	p		4	200	4	0.15	0.02
Washington	BmC	Boyer	S	S	W	L		M	p		9	150	4	0.15	0.054
Washington	BnA	Boyer	L	M	W	L		M	p		1	250	3	0.15	0.008
Washington	BnB	Boyer	L	M	W	L		M	p		4	200	3	0.15	0.026
Washington	BrC2	Boyer	L	M	W	L		M	p		9	150	4	0.15	0.054
Washington	BrE2	Boyer	L	M	W	L		M	p		21	80	3	0.15	0.197

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washington	BsA	Brookston	L	M	P	H		M	w	w	1.5	250	5	0.32	0.013
Washington	CcB2	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Washington	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Washington	CeA	Casco	L	M	SE	L		M			1	250	2	0.32	0.027
Washington	CeB2	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Washington	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Washington	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Washington	CkC2	Casco	L	M	W	L		M			9	150	2	0.32	0.23
Washington	CkC2	Fox	L	H	W	M		M			9	150	4	0.28	0.101
Washington	CrC2	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Washington	CrC2	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Washington	CrD2	Casco	L	M	SE	L		M	p		16	100	2	0.32	0.454
Washington	CrD2	Rodman	L	M	E	VL		M	p		16	100	2	0.2	0.284
Washington	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Washington	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Washington	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Washington	DaA	Barroch variar	L	H	SP	H		M		w	1.5	250	5	0.2	0.008
Washington	DdA	Dodge	L	H	W	H		M			1	250	5	0.43	0.015
Washington	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Washington	DsA	Dresden	L	H	W	M		M			2	250	4	0.32	0.021
Washington	Dt	Drummer	L	M	P	H		M	w	w	1	250	4	0.32	0.014
Washington	FaA	Fabius	L	M	SP	L		M			2	250	3	0.32	0.028
Washington	FsA	Fox	L	H	W	M		M			1	250	4	0.37	0.016
Washington	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Washington	GfA	Granby	S	S	VP	L		M	w	w	1.5	250	2	0.15	0.016
Washington	GrA	Grays	L	H	MW	H		M	w	w	1	250	5	0.37	0.013
Washington	GrB	Grays	L	H	MW	H		M			4	200	5	0.37	0.039
Washington	HeA	Hebron	L	H	W	H		M			1	250	5	0.37	0.013
Washington	HeB	Hebron	L	H	W	H		M			4	200	5	0.37	0.039
Washington	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Washington	HmB2	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Washington	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Washington	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Washington	HmE	Hochheim	L	H	W	M		M			25	60	2	0.37	0.844
Washington	HnA	Hochheim	L	H	W	M		M			1	250	2	0.37	0.031
Washington	HoC3	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Washington	HoD3	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Washington	HrD	Hennepin	L	H	W	M		M			16	100	5	0.2	0.114
Washington	HrD	Hochheim	L	H	W	M		M			16	100	2	0.32	0.454
Washington	HrE	Hennepin	L	H	W	M		M			25	60	5	0.2	0.182
Washington	HrE	Hochheim	L	H	W	M		M			25	60	2	0.32	0.73
Washington	HrF	Hennepin	L	H	W	M		M			37.5	60	5	0.2	0.354
Washington	HrF	Hochheim	L	H	W	M		M			37.5	60	2	0.32	1.416
Washington	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Washington	Hv	Houghton varia	O	H	VP			M	w	w	1	250	2	0.02	0.002
Washington	JuA	Juneau	L	H	W	H		M	w	w	2	250	5	0.49	0.025
Washington	KIA	Kendall	L	H	SP	H		M		w	2	250	5	0.43	0.022
Washington	Km	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washington	KwB	Knowles	L	M	W	L	S	M			3.5	200	2	0.43	0.099
Washington	KwC2	Knowles	L	M	W	L	S	M			9	150	2	0.43	0.31
Washington	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Washington	MgA	Martinton	L	H	SP	H		M		w	2	250	5	0.28	0.015
Washington	MmA	Matherton	L	M	SP	L		M		w	2	250	3	0.37	0.032
Washington	MoA	Mayville	L	H	MW	H		M			1	250	3	0.43	0.024
Washington	MoB	Mayville	L	H	MW	H		M			4	200	3	0.43	0.076
Washington	MtA	Mequon	L	H	SP	H		M		w	2	250	5	0.43	0.022
Washington	Mzb	Montgomery	L	M	P			M	w	w	1	250	5	0.24	0.008
Washington	MzfA	Mundelein	L	H	SP	H		M		w	2	250	5	0.32	0.017
Washington	MzkA	Mussey	L	M	P	L		M	w	w	1.5	250	5	0.28	0.012
Washington	NnA	Nenno	L	H	SP	M		M		w	2	250	2	0.37	0.048
Washington	Ot	Otter	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Washington	OuB	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Washington	OuB2	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Washington	OuC2	Ozaukee	L	H	W	H		M			9	150	3	0.43	0.206
Washington	OuD2	Ozaukee	L	H	W	H		M			16	100	3	0.43	0.407
Washington	OuE	Ozaukee	L	H	W	H		M			27.5	60	3	0.43	0.765
Washington	Pc	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Washington	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Washington	RaA	Radford	L	H	SP	VH		M		w	1.5	250	5	0.43	0.018
Washington	RkB	Ritchey	L	M	W	VL	S	M	r	r	4	200	1	0.37	0.196
Washington	RkC2	Ritchey	L	M	W	VL	S	M	r	r	9	150	1	0.37	0.533
Washington	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Washington	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Washington	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Washington	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Washington	ShA	Saylesville	L	H	W	H		M			1	250	3	0.43	0.024
Washington	ShB	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Washington	Sm	Sebewa	L	M	P	L		M	w	w	1	250	4	0.32	0.014
Washington	SrB	Sisson	L	H	W	H		M			4	200	5	0.2	0.021
Washington	SrC2	Sisson	L	H	W	H		M			9	150	5	0.2	0.058
Washington	SrD2	Sisson	L	H	W	H		M			16	100	5	0.2	0.114
Washington	SvA	Casco	L	M	W	L		M			1	250	2	0.37	0.031
Washington	SvA	Hochheim	L	H	W	M		M			1	250	2	0.37	0.031
Washington	SvA	Sisson	L	H	W	H		M			1	250	5	0.43	0.015
Washington	SvB2	Casco	L	M	W	L		M			4	200	2	0.32	0.085
Washington	SvB2	Hochheim	L	H	W	M		M			4	200	2	0.37	0.098
Washington	SvB2	Sisson	L	H	W	H		M			4	200	5	0.43	0.046
Washington	SvC2	Casco	L	M	W	L		M			9	150	2	0.32	0.23
Washington	SvC2	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Washington	SvC2	Sisson	L	H	W	H		M			9	150	5	0.32	0.092
Washington	SvD2	Casco	L	M	W	L		M			16	100	2	0.32	0.454
Washington	SvD2	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Washington	SvD2	Sisson	L	H	W	H		M			16	100	5	0.32	0.182
Washington	SvE	Casco	L	M	W	L		M			25	60	2	0.32	0.73
Washington	SvE	Hochheim	L	H	W	M		M			25	60	2	0.28	0.638
Washington	SvE	Sisson	L	H	W	H		M			25	60	5	0.2	0.182

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Washington	ThA	Theresa	L	H	W	M		M			1	250	3	0.49	0.028
Washington	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Washington	ThB2	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Washington	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Washington	VsA	Virgil	L	H	SP	H		M		w	1.5	250	4	0.37	0.019
Washington	Wa	Wallkill	L	M	P	L		M	w	w	1.5	250	5	0.32	0.013
Washington	WmA	Wasepi	L	M	SP	L		M		w	2	250	4	0.2	0.013
Washington	YrA	Yahara	L	H	SP	H		M		w	2	250	5	0.37	0.019
Washington	ZuA	Zurich	L	H	W	H		M			1	250	5	0.43	0.015
Washington	ZuB	Zurich	L	H	W	H		M			4	200	5	0.43	0.046
Washington	ZuB2	Zurich	L	H	W	H		M			4	200	5	0.43	0.046
Washington	ZuC2	Zurich	L	H	W	H		M			9	150	5	0.43	0.124
Waukesha	Ac	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	AsA	Ashkum	L	M	P	M		M	w	w	0.5	150	5	0.2	0.004
Waukesha	AzA	Aztalan	L	H	SP	H		M			1	250	3	0.24	0.014
Waukesha	AzB	Aztalan	L	H	SP	H		M			4	200	3	0.24	0.042
Waukesha	BIA	Blount	L	H	SP	M		M			2	250	5	0.37	0.019
Waukesha	BmB	Boyer	S	S	W	L		M	p		3.5	200	4	0.15	0.017
Waukesha	BmC2	Boyer	S	S	W	L		M	p		9	150	4	0.15	0.054
Waukesha	BnB	Boyer	L	M	W	L		M	p		3.5	200	3	0.15	0.023
Waukesha	BsA	Brookston	L	M	VP	H		M	w	w	1.5	250	5	0.32	0.013
Waukesha	CcB	Casco	L	M	SE	L		M			4	200	2	0.28	0.074
Waukesha	CcC2	Casco	L	M	SE	L		M			9	150	2	0.28	0.202
Waukesha	CcD2	Casco	L	M	W	L		M			16	100	2	0.24	0.341
Waukesha	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Waukesha	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Waukesha	CeD2	Casco	L	M	SE	L		M			16	100	2	0.32	0.454
Waukesha	CfC3	Casco	L	M	W	VL		M			9	150	2	0.28	0.202
Waukesha	CrC2	Casco	L	M	SE	L		M	p		9	150	2	0.32	0.23
Waukesha	CrC2	Rodman	L	M	E	VL		M	p		9	150	2	0.2	0.144
Waukesha	CrD	Casco	L	M	W	L		M	p		16	100	2	0.32	0.454
Waukesha	CrD	Rodman	L	M	E	VL		M	p		16	100	5	0.24	0.136
Waukesha	CrE	Casco	L	M	SE	L		M	p		25	60	2	0.32	0.73
Waukesha	CrE	Rodman	L	M	E	VL		M	p		25	60	2	0.2	0.456
Waukesha	CrF	Casco	L	M	SE	L		M	p		37.5	60	2	0.32	1.416
Waukesha	CrF	Rodman	L	M	E	VL		M	p		37.5	60	2	0.2	0.885
Waukesha	CtB	Chelsea	S	S	E	L		M	p		3.5	200	5	0.05	0.005
Waukesha	CtD	Chelsea	S	S	E	L		M	p		13	100	5	0.05	0.02
Waukesha	Cw	Colwood	L	M	P	H		M	w	w	1	250	5	0.32	0.011
Waukesha	DdA	Dodge	L	H	W	H		M			1	250	5	0.43	0.015
Waukesha	DdB	Dodge	L	H	W	H		M			4	200	5	0.43	0.046
Waukesha	Dt	Drummer	L	M	P	H		M	w	w	1	250	4	0.32	0.014
Waukesha	EsA	Elliott	L	H	SP	M		M			2	250	5	0.28	0.015
Waukesha	FaA	Fabius	L	M	SP	L		M		w	2	250	3	0.32	0.028
Waukesha	FmA	Fox	L	H	W	M		M			1	250	4	0.24	0.01
Waukesha	FmB	Fox	L	H	W	M		M			4	200	4	0.24	0.032
Waukesha	FmC2	Fox	L	H	W	M		M			9	150	4	0.24	0.086
Waukesha	FnB	Fox	L	H	W	M		M			4	200	5	0.24	0.025

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Waukesha	FoA	Fox	L	H	W	M		M			1	250	4	0.37	0.016
Waukesha	FoB	Fox	L	H	W	M		M			4	200	4	0.37	0.049
Waukesha	FoC2	Fox	L	H	W	M		M			9	150	4	0.37	0.133
Waukesha	FsA	Fox	L	H	W	M		M			1	250	4	0.43	0.018
Waukesha	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Waukesha	FsC2	Fox	L	H	W	M		M			9	150	4	0.43	0.155
Waukesha	FtB	Fox	L	H	W	M		M			4	200	5	0.43	0.046
Waukesha	Gd	Gilford	L	M	VP	M		M	w	w	1	250	3	0.24	0.014
Waukesha	Gf	Granby	S	S	VP	L		M	w	w	1	250	2	0.15	0.013
Waukesha	GrA	Grays	L	H	W	H		M			1	250	5	0.43	0.015
Waukesha	GrB	Grays	L	H	W	H		M			4	200	5	0.43	0.046
Waukesha	GtB	Griswold	L	H	W	M		M			4	200	5	0.37	0.039
Waukesha	GtC2	Griswold	L	H	W	M		M			9	150	5	0.37	0.107
Waukesha	GwB	riswold variat	L	H	SP	M		M			4	200	5	0.32	0.034
Waukesha	HeA	Hebron	L	H	W	H		M			1	250	5	0.43	0.015
Waukesha	HeB	Hebron	L	H	W	H		M			4	200	5	0.43	0.046
Waukesha	HeC2	Hebron	L	H	W	H		M			9	150	5	0.43	0.124
Waukesha	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Waukesha	HmB2	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Waukesha	HmC2	Hochheim	L	H	W	M		M			9	150	2	0.32	0.23
Waukesha	HmD2	Hochheim	L	H	W	M		M			16	100	2	0.37	0.525
Waukesha	HmE2	Hochheim	L	H	W	M		M			25	60	2	0.37	0.844
Waukesha	HoC3	Hochheim	L	H	W	M		M			9	150	2	0.28	0.202
Waukesha	HoD3	Hochheim	L	H	W	M		M			16	100	2	0.28	0.398
Waukesha	HoE3	Hochheim	L	H	W	M		M			25	60	2	0.28	0.638
Waukesha	HtA	Houghton	O	H	VP			M	w	w	0.5	250	2	0.02	0.001
Waukesha	HtB	Houghton	O	H	VP			M	w	w	1.5	250	2	0.02	0.002
Waukesha	JuA	Juneau	L	H	W	H		M			2	250	5	0.49	0.025
Waukesha	KeA	Kane	L	H	SP	M		M			2	250	3	0.28	0.024
Waukesha	KIA	Kendall	L	H	SP	H		M			2	250	5	0.43	0.022
Waukesha	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Waukesha	KnC2	Kewaunee	L	H	W	M		M			9	150	3	0.43	0.206
Waukesha	KwA	Knowles	L	M	W	L	S	M			1	250	2	0.43	0.037
Waukesha	KwB	Knowles	L	M	W	L	S	M			4	200	2	0.43	0.114
Waukesha	LmB	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Waukesha	Lo	Lawson	L	H	SP	H		M			1	250	5	0.37	0.013
Waukesha	LyB2	Lorenzo	L	M	W	L		M			4	200	3	0.24	0.042
Waukesha	LyC2	Lorenzo	L	M	W	L		M			9	150	3	0.24	0.115
Waukesha	LyD2	Lorenzo	L	M	W	L		M			16	100	3	0.24	0.227
Waukesha	MaA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Waukesha	MeB	Markham	L	H	MW	H		M			4	200	5	0.37	0.039
Waukesha	MgA	Martinton	L	H	SP	H		M			2	250	5	0.28	0.015
Waukesha	MhA	Matherton	L	M	SP	L		M		w	2	250	3	0.15	0.013
Waukesha	MmA	Matherton	L	H	SP	M		M		w	2	250	3	0.32	0.028
Waukesha	MoA	Mayville	L	H	MW	H		M			1	250	3	0.49	0.028
Waukesha	MoB	Mayville	L	H	MW	H		M			4	200	3	0.49	0.087
Waukesha	MtA	Mequon	L	H	SP	H		M			2	250	5	0.37	0.019
Waukesha	MvB	Miami	L	H	W	M		M			4	200	5	0.24	0.025

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Waukesha	MvC2	Miami	L	H	W	M		M			9	150	5	0.24	0.069
Waukesha	MxC2	Miami	L	H	W	M		M			4	200	5	0.37	0.039
Waukesha	MxC2	Miami	L	H	W	M		M			9	150	5	0.37	0.107
Waukesha	MxD2	Miami	L	H	W	M		M			16	100	5	0.37	0.21
Waukesha	MxE	Miami	L	H	W	M		M			25	60	5	0.37	0.337
Waukesha	Mzb	Montgomery	L	M	VP	H		M	w	w	1	250	5	0.2	0.007
Waukesha	MzdB	Morley	L	H	W	M		M			4	200	5	0.37	0.039
Waukesha	MzdB2	Morley	L	H	W	M		M			4	200	5	0.37	0.039
Waukesha	MzdC2	Morley	L	H	W	M		M			9	150	5	0.37	0.107
Waukesha	MzdD2	Morley	L	H	W	M		M			16	100	5	0.37	0.21
Waukesha	MzfA	Mundelein	L	H	SP	H		M			2	250	5	0.32	0.017
Waukesha	Mzg	Muskego	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	Mzk	Mussey	L	M	P	L		M	w	w	1	250	5	0.24	0.008
Waukesha	Na	Navan	L	M	P	M		M	w	w	1	250	5	0.37	0.013
Waukesha	Oc	Ogden	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	OmB	Oshtemo	S	S	W	L		M	p		3.5	200	4	0.2	0.023
Waukesha	OnB	Oshtemo	L	H	W	M		M	p		3.5	200	4	0.28	0.032
Waukesha	OuB	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Waukesha	OuB2	Ozaukee	L	H	W	H		M			4	200	3	0.43	0.076
Waukesha	OuC2	Ozaukee	L	H	W	H		M			9	150	3	0.43	0.206
Waukesha	OuD2	Ozaukee	L	H	W	H		M			16	100	3	0.43	0.407
Waukesha	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	Ph	Pella	L	M	P	VH		M	w	w	1	250	5	0.32	0.011
Waukesha	Pm	Pella variant	L	M	P	L	S	M	w	w	1	250	2	0.37	0.031
Waukesha	PrA	Pistakee	L	H	SP	VH		M			2	250	5	0.49	0.025
Waukesha	RkB	Ritchey	L	M	W	L	S	M	r	r	3.5	200	1	0.32	0.147
Waukesha	RkC2	Ritchey	L	M	W	L	S	M	r	r	9	150	1	0.32	0.461
Waukesha	RkE	Ritchey	L	M	W	L	S	M	r	r	21	80	1	0.32	1.264
Waukesha	RIA	Ritchey varian	L	M	SP	L	S	M			2	250	2	0.37	0.048
Waukesha	Ru	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	Rv	Rollin	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waukesha	SaA	St. Charles	L	H	W	H		M			2	250	4	0.17	0.011
Waukesha	ScA	St. Charles	L	H	W	VH		M			1	250	5	0.37	0.013
Waukesha	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Waukesha	SeA	St. Charles	L	H	W	H		M			1	250	4	0.37	0.016
Waukesha	SeB	St. Charles	L	H	W	H		M			4	200	4	0.43	0.057
Waukesha	Sg	Sawmill varian	L	M	P	H		M	w	w	1	250	5	0.37	0.013
Waukesha	ShA	Saylesville	L	H	W	H		M			1	250	3	0.43	0.024
Waukesha	ShB	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Waukesha	ShB2	Saylesville	L	H	W	H		M			4	200	3	0.43	0.076
Waukesha	ShC2	Saylesville	L	H	W	H		M			9	150	3	0.43	0.206
Waukesha	Sm	Sebewa	L	M	P	M		M	w	w	1	250	3	0.37	0.021
Waukesha	ThA	Theresa	L	H	W	M		M			1	250	3	0.49	0.028
Waukesha	ThB	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Waukesha	ThB2	Theresa	L	H	W	M		M			4	200	3	0.49	0.087
Waukesha	ThC2	Theresa	L	H	W	M		M			9	150	3	0.49	0.235
Waukesha	VsA	Virgil	L	H	SP	H		M			1.5	250	4	0.37	0.019
Waukesha	Wa	Wallkill	L	M	VP	M		M	w	w	1.5	250	5	0.32	0.013

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Waukesha	WdB	Warsaw	L	H	W	M		M			4	200	3	0.15	0.026
Waukesha	WeA	Warsaw	L	H	W	M		M			1	250	3	0.24	0.014
Waukesha	WeB	Warsaw	L	H	W	M		M			4	200	3	0.24	0.042
Waukesha	WeC2	Warsaw	L	H	W	M		M			9	150	3	0.24	0.115
Waukesha	WhA	Warsaw	L	H	W	M		M			1	250	3	0.28	0.016
Waukesha	WmA	Wasepi	L	M	SP	L		M			2	250	4	0.2	0.013
Waupaca	Ax	Angelica	L	M	P	H		F	w	w	1	250	5	0.37	0.013
Waupaca	BoB	Borth	L	M	MW	L		M	w	w	2.5	200	3	0.17	0.017
Waupaca	BrB	Borth	L	M	MW	L		M	w	w	2.5	200	3	0.17	0.017
Waupaca	BxA	Borth	L	M	MW	L		M			1.5	250	3	0.17	0.012
Waupaca	BxA	Meehan	S	S	SP	L		F			1.5	250	5	0.1	0.004
Waupaca	BxA	Nebago	S	S	SP	M		M			1.5	250	5	0.1	0.004
Waupaca	Cm	Cathro	O	M	VP			F	w	w	1	250	1	0.02	0.003
Waupaca	Cm	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Waupaca	EcC	Elderon	S	S	SE	VL		F	p		9	150	5	0.1	0.029
Waupaca	EcC	Rosholt	L	M	W	L		F	p		9	150	5	0.24	0.069
Waupaca	EcD	Elderon	S	S	SE	VL		F	p		18	80	5	0.1	0.061
Waupaca	EcD	Rosholt	L	M	W	L		F	p		18	80	5	0.24	0.147
Waupaca	Fa	Fordum	L	M	P	M		F	w	w	1	250	3	0.32	0.018
Waupaca	HnB	Hortonville	L	H	W	H		M			4	200	5	0.32	0.034
Waupaca	HrC2	Hortonville	L	H	W	H		M			9	165	5	0.37	0.112
Waupaca	HrD2	Hortonville	L	H	W	H		M			15	150	5	0.43	0.269
Waupaca	KbB	Kennan	L	H	W	M		F			4	200	5	0.17	0.018
Waupaca	KbC	Kennan	L	H	W	M		F			9	200	5	0.17	0.056
Waupaca	KbD	Kennan	L	H	W	M		F			18	150	5	0.17	0.143
Waupaca	KrB	Kranski	S	S	SE	L		M	p		4	200	5	0.24	0.025
Waupaca	KrC	Kranski	S	S	SE	L		M	p		9	150	5	0.24	0.069
Waupaca	KrD	Kranski	S	S	SE	L		M	p		15	150	5	0.24	0.15
Waupaca	Lx	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Waupaca	Mh	Meehan	S	S	SP	L		F		w	1	250	5	0.1	0.003
Waupaca	MIA	Meehan	S	S	SP	L		F	w	w	1.5	250	5	0.1	0.004
Waupaca	Mp	Menasha	L	M	P	M		M	w	w	1	250	5	0.24	0.008
Waupaca	MrB	Military	S	S	W	L	S	M			5.5	150	3	0.28	0.069
Waupaca	Ms	Minocqua	L	M	P	M		F	w	w	1	250	3	0.2	0.011
Waupaca	Ne	Nebago	S	S	SP	M		M			1	250	5	0.1	0.003
Waupaca	NhA	Neenah	L	H	SP	M		M			1.5	250	5	0.24	0.01
Waupaca	OeA	Oesterle	L	M	SP	L		F		w	1.5	250	3	0.15	0.01
Waupaca	OsB	Oshkosh	L	H	W	M		M			4	250	5	0.37	0.043
Waupaca	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.15	0.005
Waupaca	PfAT	Plainfield	S	S	E	L		M	p		1	250	5	0.1	0.003
Waupaca	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.15	0.016
Waupaca	PfBT	Plainfield	S	S	E	L		M	p		4	200	5	0.1	0.011
Waupaca	PfC	Plainfield	S	S	E	L		M	p		9	150	5	0.15	0.043
Waupaca	PfCT	Plainfield	S	S	E	L		M	p		9	150	5	0.1	0.029
Waupaca	PfD	Plainfield	S	S	E	L		M	p		18	150	5	0.15	0.126
Waupaca	PfDT	Plainfield	S	S	E	L		M	p		18	80	5	0.1	0.061
Waupaca	PIB	Plainfield	S	S	E	L		M	p		4	200	5	0.17	0.018
Waupaca	PmA	Plainfield	S	S	MW	L		M	p		1.5	250	5	0.17	0.007

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Waupaca	Pt	Poy	L	M	P	L		M			1	250	3	0.24	0.014
Waupaca	RfA	Richford	S	S	SE	L		M	p		1	250	5	0.15	0.005
Waupaca	RfB	Richford	S	S	SE	L		M	p		4	200	5	0.15	0.016
Waupaca	RfC	Richford	S	S	SE	L		M	p		9	150	5	0.15	0.043
Waupaca	Rm	Roscommon	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Waupaca	RoA	Rosholt	L	M	W	L		F	p		1	250	5	0.24	0.008
Waupaca	RoB	Rosholt	L	M	W	L		F	p		4	200	5	0.24	0.025
Waupaca	RoC	Rosholt	L	M	W	L		F	p		9	150	5	0.24	0.069
Waupaca	RoD	Rosholt	L	M	W	L		F	p		15	150	5	0.24	0.15
Waupaca	RrB	Rosholt	L	M	W	L		F	pr	r	6	150	5	0.24	0.039
Waupaca	RsA	Rousseau	S	S	MW	L		F	p		1.5	250	5	0.24	0.01
Waupaca	Sb	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Waupaca	Sbi	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Waupaca	SfB	Shawano	S	S	E	L		F	p		4	200	5	0.28	0.03
Waupaca	SfC	Shawano	S	S	E	L		F	p		9	150	5	0.28	0.081
Waupaca	SfD	Shawano	S	S	E	L		F	p		15	150	5	0.28	0.175
Waupaca	SyA	Symco	L	H	SP	H		M		w	1.5	250	5	0.24	0.01
Waupaca	TIB	Tilleda	L	H	W	H		F			4	200	5	0.37	0.039
Waupaca	TIC2	Tilleda	L	H	W	H		F			9	150	5	0.37	0.107
Waupaca	TuB	Tustin	S	S	W	L		M			4	200	4	0.1	0.013
Waupaca	Wa	Wainola	S	S	SP	L		F		w	1	250	5	0.2	0.007
Waupaca	Wd	Waupaca	L	M	P	M		F			1	250	2	0.49	0.042
Waupaca	WeA	Wega	L	H	SP	M		F			1.5	250	5	0.49	0.021
Waupaca	WhB	Whalan	L	H	W	M		M			4	200	3	0.32	0.057
Waupaca	WhC2	Whalan	L	H	W	M		M			9	150	3	0.32	0.154
Waupaca	WvB	Whalan varian	S	S	W	L	S	M			4	200	3	0.28	0.049
Waupaca	ZzB	Zurich	L	H	MW	H		M			4	200	5	0.43	0.046
Waushara	Ad	Adrian	O	H	VP			M	w	w	0.5	250	1	0.02	0.002
Waushara	Be	Belleville	S	S	P	M		M	w	w	1	250	5	0.1	0.003
Waushara	Bt	Billett	L	H	W	M		M	p		1	250	3	0.24	0.014
Waushara	ByB	Boyer	S	S	W	L		M	p		4	200	4	0.2	0.027
Waushara	ByC	Boyer	S	S	W	L		M	p		9	150	4	0.2	0.072
Waushara	BzD	Boyer	S	S	W	L		M	p		16	100	4	0.2	0.142
Waushara	BzD	Mecosta	S	S	SE	L		M	p		16	100	5	0.1	0.057
Waushara	CoB	Coloma	S	S	E	L		M	p		4	200	5	0.15	0.016
Waushara	CoC	Coloma	S	S	E	L		M	p		9	150	5	0.15	0.043
Waushara	CoD	Coloma	S	S	E	L		M	p		21	80	5	0.15	0.118
Waushara	FkA	Fisk	S	S	SP	M		M		w	1.5	250	5	0.15	0.006
Waushara	HnB	Hortonville	L	H	W	H		M			4	200	5	0.32	0.034
Waushara	HrC2	Hortonville	L	H	W	H		M			9	165	5	0.37	0.112
Waushara	Hu	Houghton	O	H	VP			M	w	w	0.5	250	2	0.02	0.001
Waushara	Hw	Houghton	O	H	VP			M	w	w	0.5	250	2	0.02	0.001
Waushara	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Waushara	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.37	0.065
Waushara	Ks	Kingsville	S	S	P	L		M	w	w	1	250	5	0.1	0.003
Waushara	Le	Leola	S	S	SP	L		M		w	1	250	5	0.15	0.005
Waushara	MbA	Manawa	L	H	SP	H		M		w	1.5	250	3	0.43	0.03
Waushara	MoA	Meehan	S	S	SP	L		F		w	1.5	250	5	0.1	0.004



County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Waushara	MrA	Morocco	S	S	SP	L		M		w	1.5	250	5	0.05	0.002
Waushara	NeA	Nebago	S	S	SP	M		M			1.5	250	5	0.24	0.01
Waushara	OkB	Okee	S	S	SE	M		M	p		4	200	4	0.1	0.013
Waushara	OkC	Okee	S	S	SE	M		M	p		9	150	4	0.1	0.036
Waushara	OkD	Okee	S	S	SE	M		M	p		16	100	4	0.1	0.071
Waushara	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waushara	PbA	Pearl	S	S	MW	L		M	p		1.5	250	5	0.2	0.008
Waushara	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.02	0.001
Waushara	PfAT	Plainfield	S	S	E	L		M	p		1	250	5	0.05	0.002
Waushara	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.02	0.002
Waushara	PfBT	Plainfield	S	S	E	L		M	p		4	200	5	0.05	0.005
Waushara	PfC	Plainfield	S	S	E	L		M	p		8	150	5	0.02	0.005
Waushara	PfCT	Plainfield	S	S	E	L		M	p		10	150	5	0.05	0.017
Waushara	PfDT	Plainfield	S	S	E	L		M	p		23	80	5	0.05	0.046
Waushara	PIB	Plainfield	S	S	E	L		M	p		4	200	5	0.02	0.002
Waushara	PmA	Plainfield	S	S	MW	L		M	p		1.5	250	5	0.02	0.001
Waushara	Pt	Poy	L	M	P	M		M			1	250	3	0.17	0.01
Waushara	Py	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Waushara	RfA	Richford	S	S	SE	L		M	p		1	250	5	0.15	0.005
Waushara	RfB	Richford	S	S	SE	L		M	p		4	200	5	0.15	0.016
Waushara	RfC	Richford	S	S	SE	L		M	p		9	150	5	0.15	0.043
Waushara	RfD	Richford	S	S	SE	L		M	p		16	100	5	0.15	0.085
Waushara	SaB	Salter	L	H	MW	H		M			4	200	5	0.49	0.052
Waushara	Sp	Sparta	S	S	E	L		M	p		1	250	5	0.15	0.005
Waushara	SwA	Symco	S	S	SP	M		M		w	1.5	250	5	0.32	0.013
Waushara	SyA	Symco	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Waushara	TuB	Tustin	S	S	W	M		M			4	200	4	0.1	0.013
Waushara	Wm	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Waushara	YaA	Yahara	L	H	SP	H		M		w	1.5	250	5	0.37	0.016
Waushara	ZtA	Zittau	L	M	SP	L		M		w	1.5	250	3	0.2	0.014
Waushara	ZvA	Zittau variant	L	H	SP	H		M		w	1.5	250	5	0.17	0.007
Winnebago	Ak	Adrian	O	H	VP			M	w	w	1	250	1	0.02	0.003
Winnebago	AtA	Atterberry	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Winnebago	BoB	Borth	L	M	MW	L		M			2.5	200	3	0.24	0.024
Winnebago	BrB	Brems	S	S	MW	L		M		w	2.5	200	5	0.1	0.006
Winnebago	CeB	Casco	L	M	SE	L		M			4	200	2	0.32	0.085
Winnebago	CeC2	Casco	L	M	SE	L		M			9	150	2	0.32	0.23
Winnebago	Ed	Edwards	O	H	VP			M	w	w	1	250	1	0.02	0.003
Winnebago	EID2	Eleva	L	M	W	VL	S	M		r	14	100	3	0.43	0.328
Winnebago	FkA	Fisk	S	S	SP	M		M		w	1.5	250	5	0.24	0.01
Winnebago	FsB	Fox	L	H	W	M		M			4	200	3	0.32	0.057
Winnebago	FsC2	Fox	L	H	W	M		M			9	150	4	0.49	0.176
Winnebago	GnB	Grellton	L	H	W	H		M			4	200	5	0.28	0.03
Winnebago	HmB	Hochheim	L	H	W	M		M			4	200	2	0.32	0.085
Winnebago	HoB	Hortonville	S	S	W	M		M			4	200	5	0.37	0.039
Winnebago	HoC2	Hortonville	S	S	W	M		M			9	150	5	0.37	0.107
Winnebago	HrB	Hortonville	L	H	W	H		M			4	200	5	0.43	0.046
Winnebago	HrC2	Hortonville	L	H	W	H		M			9	140	5	0.43	0.12

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Winnebago	Hu	Houghton	O	H	VP			M	w	w	1	250	2	0.02	0.002
Winnebago	Hw	Houghton	O	H	VP			M	w	w	0.5	250	2	0.02	0.001
Winnebago	KaB	Kaukauna	L	H	MW	H		M	w	w	2.5	200	5	0.37	0.022
Winnebago	Ke	Keowns	L	M	P	M		M	w	w	1	250	5	0.32	0.011
Winnebago	KmB	Kewaunee	S	S	W	M		M			4	200	5	0.28	0.03
Winnebago	KnB	Kewaunee	L	H	W	M		M			4	200	3	0.55	0.097
Winnebago	KoC2	Kewaunee	L	H	W	M		M			9	150	3	0.37	0.178
Winnebago	KpB	Kidder	S	S	W	M		M			4	200	5	0.28	0.03
Winnebago	KpC2	Kidder	S	S	W	M		M			9	150	5	0.28	0.081
Winnebago	KrB	Kidder	L	H	W	M		M			4	200	5	0.49	0.052
Winnebago	KrC2	Kidder	L	H	W	M		M			10.5	150	5	0.49	0.176
Winnebago	Ks	Kingsville	S	S	VP	L		M	w	w	1	250	5	0.15	0.005
Winnebago	KwB	Knowles	L	H	W	M		M			4	200	2	0.49	0.13
Winnebago	KwC2	Knowles	L	H	W	M		M			9	150	2	0.49	0.353
Winnebago	KyA	Korobago	L	H	SP	M		M			1.5	250	5	0.49	0.021
Winnebago	LmA	Lamartine	L	H	SP	M		M			1.5	250	5	0.32	0.013
Winnebago	LrB	LeRoy	L	H	W	M		M			4	200	3	0.43	0.076
Winnebago	LrC2	LeRoy	L	H	W	M		M			9	150	3	0.43	0.206
Winnebago	LvB	Lomira	L	H	W	H		M			4	200	4	0.49	0.065
Winnebago	LzB	orenzo variar	L	H	MW	M		M			5	200	5	0.32	0.049
Winnebago	MaA	Manawa	L	H	SP	M		M			1.5	250	3	0.37	0.026
Winnebago	MhB	McHenry	L	H	W	H		M			4	200	5	0.43	0.046
Winnebago	MhC2	McHenry	L	H	W	H		M			9	150	5	0.43	0.124
Winnebago	Mn	Menasha	L	M	P	M		M	w	w	1	250	5	0.15	0.005
Winnebago	MoA	Morocco	S	S	SP	L		M		w	1.5	250	5	0.32	0.013
Winnebago	MtA	Mosel	L	H	SP	H		M			1.5	250	5	0.43	0.018
Winnebago	Na	Navan	L	M	P	H		M			1	250	5	0.32	0.011
Winnebago	NeA	Nebago	S	S	SP	M		M			1.5	250	5	0.1	0.004
Winnebago	Ng	nebago varian	S	S	VP	L		M			1	250	4	0.15	0.006
Winnebago	NhA	Neenah	L	H	SP	M		M			1.5	250	5	0.43	0.018
Winnebago	NnA	Nenno	L	H	SP	M		M		w	1.5	250	5	0.32	0.013
Winnebago	OaB	Oakville	S	S	W	L		M	p		4	200	5	0.1	0.011
Winnebago	OaC	Oakville	S	S	W	L		M	p		9	150	5	0.1	0.029
Winnebago	OmB	Omro	L	H	W	M		M			4	200	4	0.28	0.037
Winnebago	Os	Ossian	L	M	P	VH		M	w	w	1	250	5	0.37	0.013
Winnebago	Pa	Palms	O	H	VP			M	w	w	1	250	1	0.02	0.003
Winnebago	Psb	Plano	L	H	W	H		M			4	200	5	0.37	0.039
Winnebago	Pt	Poy	L	M	P	M		M			1	250	3	0.28	0.016
Winnebago	Pu	Poygan	L	M	P	L		M	w	w	1	250	5	0.32	0.011
Winnebago	PzB	Puchyan	S	S	MW	H		M			4	200	5	0.28	0.03
Winnebago	RhB	Ritchey	L	M	W	L	S	M	r	r	4	200	1	0.43	0.228
Winnebago	RhC2	Ritchey	L	M	W	L	S	M	r	r	9	150	1	0.43	0.619
Winnebago	RhD2	Ritchey	L	M	W	L	S	M	r	r	21	80	1	0.43	1.699
Winnebago	ScB	St. Charles	L	H	W	VH		M			4	200	5	0.43	0.046
Winnebago	TuB	Tustin	S	S	W	M		M			4	200	4	0.1	0.013
Winnebago	We	Wauseon	L	M	VP	H		M			1	250	4	0.28	0.012
Winnebago	WfB	Whalan	S	S	W	L		M			5	200	2	0.28	0.106
Winnebago	WhB	Whalan	L	H	W	M		M			4	200	2	0.43	0.114

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Winnebago	WhC2	Whalan	L	H	W	M		M			9	150	2	0.43	0.31
Winnebago	Wm	Willette	O	H	VP			M	w	w	1	250	1	0.02	0.003
Winnebago	WnB	Winneconne	L	H	MW	M		M			2.5	200	5	0.32	0.019
Winnebago	YaA	Yahara	L	H	SP	H		M		w	1.5	250	5	0.43	0.018
Winnebago	ZtA	Zittau	L	H	SP	M		M		w	1.5	250	3	0.32	0.022
Wood	1009A	Meehan	S	S	SP	L		F	w	w	1	250	5	0.05	0.002
Wood	1009A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Wood	11A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	1218A	Ironrun	S	S	SP	L		F	wp	w	2	250	5	0.05	0.003
Wood	1218A	Ponycreek	S	S	P	L		F	wp	w	1	250	5	0.05	0.002
Wood	1519A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	1519A	Ponycreek	L	M	VP	L		F	w	w	1	250	5	0.05	0.002
Wood	1548A	Majik	S	S	SP	L		F	w	w	1	250	5	0.1	0.003
Wood	1548A	Ponycreek	S	S	P	L		F	w	w	1	250	5	0.05	0.002
Wood	1599A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	1599A	Ponycreek	L	M	P	L		F	w	w	1	250	5	0.05	0.002
Wood	15A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Wood	1658A	Alganssee	L	M	SP	L		M	w	w	1	250	5	0.24	0.008
Wood	1658A	Kalmarville	L	M	P	M		M	w	w	1	250	4	0.37	0.016
Wood	17A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	218A	Ironrun	S	S	SP	L		F	p		1	250	5	0.05	0.002
Wood	25A	Dawsil	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	37A	Loxley	O	M	VP			F	w	w	1	250	2	0.02	0.002
Wood	40A	Markey	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	40A	Seelyeville	O	M	VP			F	w	w	1	250	2	0.02	0.002
Wood	4A	Dawson	O	M	VP			F	w	w	1	250	1	0.02	0.003
Wood	4A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Wood	516A	Aldo	S	S	MW	L		M	p		1	250	5	0.05	0.002
Wood	518A	Rockdam	S	S	MW	L		F	p		2	250	5	0.05	0.003
Wood	519A	Ponycreek	L	M	VP	L		F	wp	w	1	250	5	0.05	0.002
Wood	547A	Aldo	S	S	MW	L		F	p		1	200	5	0.05	0.002
Wood	588A	Meehan	S	S	SP	L		F		w	1	250	5	0.15	0.005
Wood	589A	Newson	S	S	P	L		F	w	w	1	250	5	0.15	0.005
Wood	596A	Tint	S	S	MW	L		M	p		1	250	5	0.05	0.002
Wood	656A	Scotah	S	S	MW	L		M	p		1	250	5	0.2	0.007
Wood	Af	Altdorf	L	M	P	H		F	w	w	1	100	5	0.37	0.01
Wood	AnA	Antigo	L	H	W	M		F			1	100	3	0.37	0.016
Wood	Ca	Cathro	O	M	VP			F	w	w	1	150	1	0.02	0.003
Wood	Da	Dancy	L	M	P	M		F	w	w	1	100	5	0.24	0.006
Wood	Do	Dolph	L	H	SP	M		F	w	w	1	200	3	0.49	0.026
Wood	DvA	Dunnville	L	M	W	L		F	p		2	200	5	0.24	0.012
Wood	DwA	Dunnville	L	M	W	L		F	p		2	200	3	0.37	0.031
Wood	EaB	Eaupleine	L	H	W	M		F			4	200	3	0.43	0.076
Wood	EaC	Eaupleine	L	H	W	M		F			8	150	3	0.43	0.173
Wood	EbB	upleine varia	L	H	W	M		F			4	200	4	0.28	0.037
Wood	EcB	upleine varia	L	H	W	H		F			4	200	4	0.37	0.049
Wood	EdB	upleine varia	L	M	W	L		F			4	200	3	0.43	0.076
Wood	EdC	upleine varia	L	M	W	L		F			8	150	3	0.43	0.173

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Wood	EeB	Eleva	L	M	W	L		M			4	125	3	0.24	0.035
Wood	EeC	Eleva	L	M	W	L		M			8	100	3	0.24	0.079
Wood	EkB	Elkmound	L	M	W	VL	S	M	r	r	4	150	2	0.24	0.056
Wood	EkC	Elkmound	L	M	W	VL	S	M	r	r	8	125	2	0.24	0.133
Wood	EkD2	Elkmound	L	M	W	VL	S	M	r	r	16	75	2	0.24	0.295
Wood	Em	Elm Lake	S	S	P	L		F	w	w	1	125	3	0.15	0.007
Wood	FeB	Fenwood	L	H	W	M		F			4	200	3	0.43	0.076
Wood	FeC	Fenwood	L	H	W	M		F			8	150	3	0.43	0.173
Wood	FeD	Fenwood	L	H	W	M		F			16	75	3	0.43	0.353
Wood	FfB	Fenwood	L	H	W	M		F			4	200	3	0.37	0.065
Wood	FfC	Fenwood	L	H	W	M		F			8	150	3	0.37	0.149
Wood	FfD	Fenwood	L	H	W	M		F			16	75	3	0.37	0.303
Wood	GaB	Gale	L	H	W	M		M			4	200	3	0.49	0.087
Wood	GaC	Gale	L	H	W	M		M			8	150	3	0.49	0.198
Wood	GuB	Guenther	S	S	W	M		F			4	200	5	0.24	0.025
Wood	HsB	Hiles	L	M	MW	L	S	F			4	200	3	0.43	0.076
Wood	HsC	Hiles	L	M	MW	L	S	F			8	150	3	0.43	0.173
Wood	HuB	Humbird	S	S	MW	L		F			4	200	3	0.28	0.049
Wood	HwB	Humbird	L	M	MW	L		F			4	200	3	0.28	0.049
Wood	KeA	Kert	L	H	SP	M		F			2	200	4	0.43	0.027
Wood	Ma	Mann	L	M	VP	M		F	w	w	1	250	5	0.37	0.013
Wood	MbB	Marathon	L	H	W	M		F			4	250	3	0.43	0.083
Wood	Mc	Markey	O	M	VP			F	w	w	1	100	1	0.02	0.003
Wood	Mf	Marshfield	L	M	P	M		F			1	250	5	0.43	0.015
Wood	MpA	Merrillan	L	M	SP	L	S	F	w	w	2	150	3	0.32	0.025
Wood	Mr	Milladore	L	H	SP	H		F	w	w	1	200	5	0.37	0.012
Wood	MsB	Mosinee	L	H	W	M		F			4	250	5	0.37	0.043
Wood	NoB	Norgo	L	M	W	L	S	F	r	r	4	200	2	0.37	0.098
Wood	NoC2	Norgo	L	M	W	L	S	F	r	r	8	150	2	0.37	0.224
Wood	NoD2	Norgo	L	M	W	L	S	F	r	r	16	75	2	0.43	0.529
Wood	NyA	Nymore	S	S	E	L		F	p		1	200	5	0.05	0.002
Wood	NzA	Nymore	S	S	E	L		F	p		1	200	5	0.05	0.002
Wood	NzB	Nymore	S	S	E	L		F	p		4	200	5	0.05	0.005
Wood	OnA	Onamia	L	M	W	L		F			2	250	3	0.43	0.037
Wood	PbB	Plainbo	S	S	E	VL		F	p		6	200	3	0.02	0.006
Wood	PbD	Plainbo	S	S	E	VL		F	p		16	75	3	0.02	0.016
Wood	PfA	Plainfield	S	S	E	L		M	p		1	250	5	0.02	0.001
Wood	PfB	Plainfield	S	S	E	L		M	p		4	200	5	0.02	0.002
Wood	PfC	Plainfield	S	S	E	L		M	p		8	150	5	0.02	0.005
Wood	PfE	Plainfield	S	S	E	L		M	p		24	80	5	0.02	0.02
Wood	PgA	Plainfield	S	S	E	L		M	p		1	200	5	0.15	0.005
Wood	PgB	Plainfield	S	S	E	L		M	p		4	200	5	0.15	0.016
Wood	PoB	Point	S	S	SP	M		F	w	w	3	200	5	0.24	0.017
Wood	Ps	Poskin	L	H	SP	M		F	w	w	1	100	3	0.43	0.019
Wood	Rb	Rib	L	M	P	M		F	w	w	1	200	3	0.37	0.02
Wood	ReB	Rietbrock	L	H	SP	M		F	w	w	4	200	3	0.43	0.076
Wood	ReC	Rietbrock	L	H	SP	M		F	w	w	8	150	3	0.43	0.173
Wood	Rf	Rifle	O	M	VP			F	w	w	1	100	2	0.02	0.001

County	Soil map symbol	Soil series name	Soil Group	Soil Yield Potential	Drainage class	Available Water Capacity	Bedrock Depth	Soil Temp. Regime	590 Fall N restrictions	CAFO manure prohibitions	Default slope %	Default slope length ft	Soil Loss Tolerance, T ton/a/yr	Soil Erodibility, K Factor	Erosion Sensitivity Index
Wood	Rg	Rifle	O	M	VP			F	w	w	1	100	2	0.02	0.001
Wood	SaB	Loyal	L	H	MW	M		F			4	200	4	0.49	0.065
Wood	SaC	Loyal	L	H	MW	M		F			9	150	4	0.49	0.176
Wood	SaD2	Santiago	L	H	W	H		F			16	75	5	0.43	0.212
Wood	SbB	Santiago	L	H	W	M		F			4	250	5	0.49	0.057
Wood	Sh	Sherry	L	M	P	M		F	w	w	1	200	4	0.37	0.015
Wood	Ss	Sherry	L	M	P	M		F	w	w	1	200	4	0.37	0.015
Wood	Ve	Veedum	L	M	VP	L		F	w	w	1	150	3	0.37	0.018
Wood	Vs	Vesper	L	M	P	M		F	w	w	1	200	5	0.37	0.012
Wood	WeB	Withee	L	H	SP	M		F			2	250	4	0.43	0.028